



**Quick clean cuts, no dust**  
Cement Sheet Cutting System

**FESTOOL**

Easy as 1, 2, 3

## Fast, accurate, safe: The Cement Sheet Cutting System

Festool's complete sawing system can be configured to cut a wide range of building materials - timber, particleboard, MDF, cement sheet products, even aluminium - quickly, accurately and without mess. Made in Germany to the highest quality standards, it's the only circular saw you'll need on site.




Step 1: Mark it out.



Step 2: Lay the guide rail on your scribe marks.



Step 3: Complete your cut - quick and simple.



**Smart transport**  
Lightweight and compact with a place for everything - hose, lead, accessories. Even the Tool Systainer clips on top!



**Bevel cuts? Easy as**  
Just set the angle and lay the guide rail on the scribe marks - no offset required! Ideal for fibre-cement weatherboards.



**Blade changes in seconds - FastFix**  
You work with a variety of materials, we make it easy to use the right blade for the job.



**Clean cuts**  
Diamond tipped blade perfect for cutting cement sheet, blueboard, Villaboard, Hardipanel and much more!



**Incredibly powerful**  
Perfect for removing cement dust, the CLEANTEX extractor sucks up heavy, fine dust instantly.



**As you want it**  
You can integrate an additional power outlet to run a second tool, charger, light, etc. (optional accessory).



**MMC full-wave electronics**  
The right blade speed for the material you're cutting - even under load.



**Straight and speedy**  
The Festool guide rail ensures accurate quick cuts in any material. Available in lengths up to 5 metres!

## 3 Sawing Systems



TS Plunge Saw - Available in 55mm or 75mm depth of cut. Ideal for continuous sheet products with full dust extraction.



Up to 36V with brushless motor inside

TSC 55 Cordless - ideal for sheet products on site with no power (without cables)



HK 55 - Ideal for linear boards and cement sheet with full dust extraction

# Key elements of the Festool sawing system



1 & 2

## TS Plunge Saw

The TS 55 or TS 75 Plunge Saw. The best dust free saw for cutting sheet products in seconds.



3

## TSC 55 Cordless Plunge Saw

Quick and mobile solution for quality cuts without the cables. With up to 36V of power (double battery capacity).



4

## HK 55 Cross Cut Circular Saw

Circular Saw for fast ripping and trimming, cross-cutting rafters and beams and eaves with the unique FSK rail plus the added functionality of plunge cuts.



5

## CLEANTEX extractors

The centre of the cement sheet sawing system for optimum performance.



7

## Diamond Blade

Perfect for cutting

- Fibre Cement Sheet
- Blueboard
- Plasterboard
- Villaboard
- Hardipanel
- Compressed Concrete Sheet, up to 15mm



8

## FS Guide Rails

For precise, splinter-free cuts. Available in 8 lengths from 800mm - 5000mm.

Cross Cut Rails also available for HK/HKC 55 (FSK Models)



11

12

## Range of clamps

Allow precise positioning of the guide rail.

Technical data	Explanations/Dimensions	Order no.
1 TS 55 REBQ-Plus FS Plunge cut saw	160 mm plunge cut circular saw with fine tooth blade HW W48; kickback stop; guide rail FS 1400/2; 1 splinterguard in a SYSTAINER SYS 4 T-LOC	561655
2 TS 75 EBQ-Plus FS Plunge cut saw	210 mm plunge cut circular saw with fine tooth blade W36; kickback stop; guide rail FS 1400/2; 1 splinterguard; in a SYSTAINER SYS 4 T-LOC	561512
3 TSC 55 Li REB Basic Cordless Plunge Saw	160 mm cordless plunge saw with fine tooth blade HW W48; dust catcher, splinterguard, viewing window, battery pack not included, without charger, in a SYSTAINER SYS 5 T-LOC	561737
4 HK 55 EBQ-Plus Circular Saw	160mm circular saw with standard saw blade W18; in SYSTAINER SYS 4 T-LOC *Model with FS 1400 Rail = 574674. Model with FSK 420 Cross Cut Rail = 574679. Cordless model also available	561732
5 CT 36 E HEPA dust extractor	Container / filter bag capacity 36 / 34 l; 1 suction hose D 27x3.5m anti-static, 1 SELFCLEAN filter bag, 1 cord holder with basic cleaning set	583495
6 CT 26 E HEPA dust extractor	Container / filter bag capacity 26 / 24 l; 1 suction hose D 27x3.5m anti-static, 1 SELFCLEAN filter bag, 1 cord holder with basic cleaning set	583494
7 Diamond saw blade 160mm	For TS/TSC55, HK/HKC 55; special application diamond saw blade 160x2,2/1,6x20 Z 8	F28516
8 Diamond saw blade 210mm	For TS75; special application diamond saw blade 210 x2,2/1,6x30 Z 6	F28219
8 FS 1400 / 2, Guide rail	1400 mm; available in lengths up to 5 metres	491498
9 FS 1900 / 2, Guide rail	1900 mm; available in lengths up to 5 metres	491503
10 FS 2400 / 2, Guide rail	2400 mm; available in lengths up to 5 metres	491502
11 FS-HZ 160, Lever clamp	Solid steel version; clamping capacity 160mm; qty. in pack 1 piece	491594
12 Fastening Clamp FSZ 120	Solid steel version; clamping capacity 120mm; qty. in pack 2 pieces	489570
13 Guide rail accessory systainer	Contains 2 clamps FSZ 120, FS-AW deflector; combination angle FS-KS; set-back stop FS-RSP; 2 rail connectors FSV; splinterguard FS-SP 1400; in a systainer sys 1	492396
14 Longlife filter bag CT 26 E	For CT 26; made from high-strength, long-life, triple-ply non-woven polyester, can be emptied easily and re-used; contents: 1 bag	496120
15 Longlife filter bag CT 36 E	For CT 36; made from high-strength, long-life, triple-ply non-woven polyester, can be emptied easily and re-used; contents: 1 bag	496121
16 Dust Collection Bag	TS/TSC55, HK/HKC 55; folding design for compact transport; with cover flap; for all wood materials	500393
17 Cover, ABSA for TS55	For TS55; cover for improved dust extraction; can also be used as false joint set; False joint width 17-46 mm	491750

Perfect for a variety of building materials - the Festool Cement Sheet Sawing System.



### 30 Day Money Back Guarantee

If you are not completely satisfied with your tool, you can return it within 30 days\*.



### 36 Month Warranty

Enjoy peace of mind with a 36 month warranty after registering your tool\*.

\*Conditions apply to the above services. For full details visit [www.festool.com.au/SAI](http://www.festool.com.au/SAI)

F28046

Tooltechnic Systems (AUST) Pty Ltd  
PO Box 4401 Dandenong South, VIC 3164  
Phone: 1300 063 900  
Email: [customer@tooltechnic.com.au](mailto:customer@tooltechnic.com.au)

**FESTOOL**

[www.festool.com.au](http://www.festool.com.au)