

FESTOOL

**1 table.
Unlimited
possibilities.**

The multifunction table
arguably the most versatile
workbench in the world.




For some people, simply a table.

Practical for setting down tools and drawings on, or for making quick notes. Just like all tables. But you expect something different from Festool: tools and accessories that facilitate your everyday work, are developed by experts for practical applications, and integrate perfectly into the Festool system. And all of this in the highest quality.

That's why a table from Festool is more than simply a table.






The new, modular MFT 3 - create your own workplace.

For others, the most versatile work bench in the world.

The new MFT 3 is a lot more than just a table. With its wide range of practical accessories, such as the guide rail and mitre guide, this sturdy work bench makes precision work a matter of course. A range of clamps are available to secure most any workpiece and the optional MFT extension enables you to use the MFT as an extended support table for your CMS modules. Since it's part of the Festool system, the new VAC SYS workpiece clamping system and many CMS accessories can be used directly on the MFT 3. In short: a table with unlimited possibilities.





* Available from Spring 2008

The new MFT 3: versatile, precise and mobile.

Flexible work on a secure base.



Precise results.

The guide rail can be set to different material thicknesses and guarantees precise guidance of the Festool jig saw, circular saw or router – for exact results. You can also safely position and align your workpieces with the mitre guide for cutting at the correct angle. Repeated cuts are easy when using the slide stop.

Maximum support.

Whether sanding, planing, joining or routing with templates, it's important that the workpiece is held firmly on the table – regardless of its size and shape. The MFT 3 offers you precisely this flexibility: the perforated top allows you to clamp the workpiece quickly and easily to the table top with the purpose-built clamps. Other types of clamps are available for vertical and horizontal clamping.

Ergonomic and cost-effective work.

The ergonomic work height of 90 cm is easy on the back, even for tall users. Furthermore, the multifunction table MFT 3 folds up very easily and is thus ideal for use in the workshop and on-site.





Extendable work surface

Special connectors allow several multifunction tables to be joined together, creating a larger work surface that allows you to easily clamp and process larger workpieces, or several workpieces at the same time.

Optimised connection to the CMS modular system.

You can use the Festool V-profile to connect the CMS modular system and accessories to the MFT 3. This means that you can have a table saw, scroll saw, router table and linisher alongside your work table. This increases the versatility of your workplace and enables you to execute several steps in sequence without having to reclamp. In short: the MFT 3 becomes a mobile and efficient work station.

Flexible and reliable with the new VAC SYS.

The clamping solution of the future: VAC SYS. This new product gives you the option for the first time of turning your workpieces up to 360° and swivelling them by up to 90° – with a single hand movement. You can now reposition your workpiece for various tasks without having to move any clamps. The new vacuum clamping system is connected to the MFT 3 by an adapter plate. Don't need it for the next job? - simply swivel it out of the way.



The new MFT 3 with system accessories at a glance.

No matter how you operate, the MFT 3 has a lot to offer you.

Use of the guide rail.

The guide rail support is used to set the guide rail for different material thicknesses.

Ideal work height.

With a work height of 90 cm, the MFT 3 also permits taller users to work ergonomically in a manner that prevents back pain.

Clamping difficult shapes.

A variety of clamps provide smaller workpieces with the support required for safe and precise processing.



Ready for use everywhere.

The foldaway legs of the MFT 3 allow it to be folded away to save space and for transport.

Optimised system connection.

The MFT 3 extension enables you to use all CMS modules for sawing, routing and sanding.




Horizontal and vertical clamping.
Using clamps on the perforated top and/or profile section, the workpieces can be secured at any point, simply and firmly.



Extended clamping options.
Through the connection of the new vacuum clamping system VAC SYS.



Compatible with CMS due to V-profile.
The new rails incorporate the Festool V-profile, so it's compatible with many accessories of the Compact Module System.



Precise results.
Workpieces can be positioned exactly with the mitre guide. The slide stop makes exact repeated cuts easy. Absolute precision is also guaranteed by the V-profile clamp, with which the sliding fence is secured to the V-profile.



Impressive stability.
The additional cross braces make the MFT 3 even more stable and can be folded in easily for transportation.

All things considered: variable work with a system.

Multifunction table MFT 3



Applications

- Safe clamping and securing of various workpieces
- Precise processing of workpieces, also connects to the Compact Module System CMS
- Additional clamping capability available with the optional vacuum clamping system VAC SYS, which can be connected to the MFT with adapters

Strengths and benefits

- Safe sawing and precise routing using the guide rail
- Mitre guide, stop slide and V-profile clamp ensure exact results
- Ergonomic work positioning thanks to the new table height of 90 cm
- Mobile use of the MFT 3 through space-saving foldaway legs
- Compatibility with Compact Module System CMS
- Festool V-profile enables the use of many accessories from the CMS modular system
- Optional connection of the vacuum clamping system VAC SYS
- Ideal integration into the Festool system

Technical data

Work height (folded in)	900 mm (180 mm)
Overall dimensions	1157 x 773 mm
Work surface	1102 x 718 mm
Max. workpiece height (when using the guide rail)	78 mm
Max. workpiece width	700 mm
Drill hole diameter	20 mm
Drill hole pattern	96 mm
Load capacity	120 kg
Weight	28 kg

Version

Scope of delivery

Multifunction table MFT 3

Table with perforated plate and foldaway legs, mitre guide, slide stop, V-profile clamp, guide rail FS 1080/2 with swivel unit, support unit and deflector, contained in a box

Order no.

495315

System overview and accessories



System accessories

	Explanations/Dimensions	Order no.
①	V-profile clamp MFT/ 3-ZK For securing the stop rail to the V-profile	495541
②	Slide stop MFT/3-AR For stopping workpieces at the mitre guide, can be folded away	495542
③	Cross brace MFT/3-QT For additional stabilisation of the table, qty. in pack: 2	495502
④	Extension MFT/ 3-VL Permits the use of the CMS modules	495510
⑤	Connector VS For joining several MFT 3s	484455
⑥	Perforated top MFT 3-LP Dimensions: length x width 1102 x 718 mm	495543
⑦	Clamps MFT-SP For attaching workpieces safely and precisely for sawing, sanding, routing, drilling etc., qty. in pack: 2	488030
⑧	Clamps FSZ 120 Polished steel version, clamping range: 120 mm, qty. in pack: 2	489570
⑨	Clamps FSZ 300 Polished steel version, clamping range: 300 mm, qty. in pack: 2	489571
⑩	Lever clamp FS-HZ 160 Polished steel version, clamping range: 160 mm, qty. in pack: 1	491594
⑪	Adapter VAC SYS AD-MFT/ 3 Adapter plate for connecting the VAC SYS to the MFT/3	494977

News and promotions

Online product catalogue

Online shops

Dealer search

Test reports

Service

Application examples

3D animation

Your link to more information

On the Festool site you can find information about

- new products
- helpful application examples
- our comprehensive after-sales service
- the complete product range
- product features in detail
- And all of this at your leisure

And all of this at your leisure.

Order around the clock from your Festool System Partner Dealer.

It's easy: just visit www.festool.com.au

FESTOOL

www.festool.com.au

TTS Tooltechnic Systems (AUST) Pty Ltd

63-65 Quantum Close
Dandenong South VIC 3175
Postal address: PO Box 4401
Dandenong South VIC 3164

Phone: 1800 063 900

Fax: 03 9799 9766

E-mail: festool@tooltechnic.com.au

www.festool.co.nz

Tooltechnic Systems (NZ) Ltd

27 Greenmount Drive
East Tamaki 2141, Auckland
Postal address: PO Box 258-078
Greenmount 2141, Auckland

Phone: (09) 272 2220

Fax: (09) 272 2230

E-mail: sales@tooltechnic.co.nz

Three years guarantee – that means three years security.



Festool grants a 1 year guarantee from the date of purchase, as long as the tool has been used correctly. This guarantee is automatically extended by a further two years, provided that the warranty form with every new tool is completed correctly and returned to Festool Australia within 30 days of the date of purchase.

Make a contribution yourself – support the WWF together with Festool!



Our most important contribution to preserving our environment is the quality of our products, which are characterised by their durability and positive eco-features such as recyclability and environmental compatibility.

By purchasing one of the promotional products, you are supporting our collaboration with the WWF and will receive a WWF panda keyring as a thank-you gift.

© 1986 Panda symbol WWF – World Wide Fund For Nature (Formerly World Wildlife Fund)
® „WWF“ and „living planet“ are WWF Registered Trademarks

www.festool.com/wwf

Dealer