

*Please note that not all products listed are available in Australia.
Some products are unavailable due to country specific requirements.
Check festool.com.au for full list of available products.*

08 Drilling and fastening





198 Cordless drills
CXS, TXS



199 Cordless drills
T 18+3, C 18



200 Cordless (impact) drill
QUADRIVE



206 Cordless rotary hammer
BHC 18



208 Cordless drywall screwdrivers
DURADRIVE



210 QUADRILL
drill

You don't have to be big to achieve great things. The cordless drills in XS size.

The XS cordless drill packs impressive torque in its compact frame, which really goes to work, even in hard-to-reach places. With its extremely short body and balanced weight distribution, working overhead or in corners couldn't be easier. The XS class is a versatile partner in any situation – and for great work.



Cordless drill CXS

In the ergonomic C-handle design.



Cordless drill TXS

In the classic T-handle design.



Quick to han

Not only do you have things quick to hand, but you can free up your hands when you need to: the belt clip can be switched around to suit left-handers or right-handers – with no tools required.

Surprisingly powerfu

With 10.8 volt lithium ion battery packs, the CXS meets all challenges. The torque can be set precisely to 12 levels, for controlled power delivery.



Brawn meets brains.

The cordless drills of the C and T 18 classes.

18 volt power in great shape. The combination of lithium-ion battery packs and brushless EC-TEC motor makes them light, powerful and long-lasting. The CENTROTEC quick change system and FastFix attachments help you get your work done even faster, while the fully electronic torque adjustment with memory switch function ensures repeatable screwdriving with high accuracy.



Brushless
EC-TEC motor

Cordless drill C 18

18 volt power in the ergonomic
C-handle design.

Top performance

Festool has taken EC-TEC motor technology to the next level by combining it with intelligent motor management. The brushless EC-TEC motor operates without wear and converts the energy from the battery into power with almost no loss. This makes the C and T drivers hugely efficient for their power class. Furthermore, the electronic motor management guarantees a longer service life, with microprocessors monitoring and controlling the temperature, voltage and current consumption of the motor, electronics and battery.



Cordless drill T 18+3

18 volt power in the classic T-handle design.



Brushless
EC-TEC motor

Optimum lightin

With the built-in LED light, you can work with precision even in dark corners.



The compact tools with powerful torque.

The QUADRIVE cordless drills – with and without impact.

QUADRIVE. With a 4-speed metal gear unit, transmitting huge power and speed – so powerful screwdriving with 60 Nm torque in 1st gear is handled with ease. And precise drilling at 3800 rpm in 4th gear is virtually child's play. Whether working in wood or in metal, the QUADRIVE series is renowned for stamina and is enormously tough.

Cordless drill **QUADRIVE DRC 18/4**

For drilling and screwdriving tasks involving high torques and large diameters...



Brushless EC-TEC motor



Brushless EC-TEC motor

Cordless hammer drill **QUADRIVE PDC 18/4**

with the option of axial impact for drilling up to 10 mm in masonry and brickwork.



EC-TEC

Brushless EC-TEC motor with integrated motor management for long life and high power you can really feel, in the immense impact energy of the QUADRIVE. When combined with the top quality 18V AIRSTREAM lithium-ion 5.2 Ah battery packs, the EC-TEC achieves not only maximum power, but also maximum stamina.

Versatility with a single click

With the FastFix interface you can change attachments in seconds, no keys or tools required.



60 Nm in 1st gea

The QUADRIVE manages even 10x300 mm screws effortlessly.

Amp hours don't mean much. It's power that counts.

The Festool lithium-ion 5.2 Ah battery pack with AIRSTREAM technology ensures the battery packs are ready for use again quickly, allowing you to work without interruption, even on high-power applications. The new batteries have an integrated cooling channel that shortens the cooling time – and consequently the overall charging process with the SCA 8 rapid charger – by up to 65%.

For more information about our battery packs and chargers, see page 22



08 Drilling and fastening



Technical data	CXS	TXS	C 18	T 18+3	DRC 18/4	PDC 18/4
Battery voltage (V)	10,8	10,8	18	18	18	18
Gears	2	2	2	2	4	4
No-load speed, 1st gear/2nd gear (min ⁻¹)	0 – 430/0 – 1.300	0 – 430/0 – 1.300	0 – 450/0 – 1.500	0 – 450/0 – 1.500	0 – 400/0 – 850	0 – 400/0 – 850
No-load speed, 3rd/4th gear (min ⁻¹)	–	–	–	–	0 – 1.850/0 – 3.800	0 – 1.850/0 – 3.800
Max. impact rate (min ⁻¹)	–	–	–	–	–	76.000
Drilling diameter, wood/steel (mm)	12/8	12/8	40/13	45/13	50/13	50/13
Drilling diameter in brickwork (mm)	–	–	–	–	–	10
Torque adjustment (Nm)	0,3 – 3,4	0,3 – 3,4	0,8 – 8/0,5 – 6	0,8 – 8/0,5 – 6	1,2 – 11,5/0,8 – 7,2	1,2 – 11,5/0,8 – 7,2
Max. torque, wood/steel (Nm)	10/16	10/16	27/45	35/50	40/60	40/60
Chuck range (mm)	1 – 10	1 – 10	1,5 – 13	1,5 – 13	1,5 – 13	1,5 – 13
Lithium-ion battery capacity (Ah)	2,6	2,6	3,1/5,2	3,1/5,2	5,2	5,2
Weight with lithium-ion battery (kg)	0,9	0,9	1,5/1,8	1,5/1,8	1,9	2










Screwdriving in wood, max. diameter

3 × 15	●	●	○	–	–	–
4 × 35	●	●	●	○	○	○
5 × 40	●	●	●	●	●	●
6 × 80	○	○	●	●	●	●
6 × 120	–	–	●	●	●	●
8 × 220	–	–	○	●	●	●
8 × 300	–	–	–	○	●	●
10 × 300	–	–	–	–	○	○

Drilling in wood, max. diameter

3	●	●	○	○	○	○
15	○	○	●	●	●	●
35	–	–	●	●	●	●
45	–	–	○	●	●	●
50	–	–	–	–	○	○

Ideal ●
Suitable ○

Scope of delivery		Order no.
CXS		
 CXS Li 2,6-Set 2 x battery pack BP-XS, charger MXC, CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 10 mm, angle attachment XS, bit PZ 2, belt clip, in SYSTAINER SYS 1 T-LOC		564540
TXS		
 TXS Li 2,6-Set 2 x battery pack BP-XS, charger MXC, CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 10 mm, angle attachment XS, bit PZ 2, belt clip, in SYSTAINER SYS 1 T-LOC		564516
C 18	All models: CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, belt clip, in SYSTAINER SYS 2 T-LOC	
 C 18 Li-Basic battery pack not included, without charger		574737
 C 18 Plus-TCL6 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6		575008
T 18+3		
 T 18+3 Li-Basic battery pack not included, without charger, CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, belt clip, in SYSTAINER SYS 2 T-LOC		574763
DRC 18/4	All models: CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, additional side handle, in SYSTAINER SYS T-Loc	
 DRC 18/4 Li-Basic battery pack not included, without charger		574695
 DRC 18/4 Plus-TCL6 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6		575010
PDC 18/4	All models: CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, additional side handle, in SYSTAINER SYS 2 DF T-LOC	
 PDC 18/4 Li-Basic battery pack not included, without charger		574701
 PDC 18/4 Plus-TCL6 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6		575012

08 Drilling and fastening

Accessories		Order no.
	Chuck WH-CE CENTROTEC for all Festool cordless and corded drills (except DR 20/DRP 20) with CENTROTEC interface, in self-service display pack	492135
	Keyless chuck BF-FX 10 for Festool cordless drills CXS and TXS, specifically designed for sanding louvred doors and blinds, clamping range 1 – 10 mm, in self-service display pack	499949
	Keyless chuck KC 13-1/2-K-FFP for all Festool cordless drills, cordless impact drills, drills (except DR 20/DRP 20) and impact drills with CENTROTEC interface, suitable for impact drilling, with plastic ring, with clamp lock, specifically designed for sanding louvred doors and blinds, clamping range 1,5 – 13 mm, in self-service display pack	769067
	Keyless chuck KC 13-1/2-MMFP for all Festool cordless drills, cordless impact drills, drills (except DR 20/DRP 20) and impact drills with CENTROTEC interface, impact drilling resistant, metal ring, with clamp lock, specifically designed for sanding louvred doors and blinds, clamping range 1,5 – 13 mm, in self-service display pack	769065
	Eccentric attachment DD-ES for all Festool C and T cordless drills with FastFix (except CXS/TXS), in self-service display pack	490294
	Angle attachment XS-AS for cordless drills CXS and TXS, for work in tight spaces, in self-service display pack	497951
	Angle attachment DD-AS for all Festool C and T cordless drills with FastFix (except CXS/TXS), in self-service display pack	490293
	Angle attachment AU-43 FFP for DRC 18/4, PDC 18/4, DR 18/4 E, PD 20/4 E, DRP 16 ET, DRP 18-4 DEC, PDP 20-4 DEC, specifically designed for sanding louvred doors and blinds, collar \varnothing 43 mm, in self-service display pack	769097
	Adapter AD-3/8" FF for DRC 18/4, PDC 18/4, DR 18/4 E, PD 20/4 E, DRP 16 ET, DRP 18-4 DEC, PDP 20-4 DEC and C+T drivers, to hold sockets with 3/8" square drive to DIN 3121 standard (machine-operated socket wrenches), specifically designed for sanding louvred doors and blinds, in self-service display pack	769064
	Depth stop DC UNI FF for DRC 18/4, PDC 18/4, DR 18/4 E, PD 20/4 E, DRP 16 ET, DRP 18-4 DEC, PDP 20-4 DEC and C+T drivers, specifically designed for sanding louvred doors and blinds, stop sleeves \varnothing 17 mm + 23 mm, Phillips bit PH 2, socket, size 8 mm, in self-service display pack	769126
	Depth stop DD-DC for all Festool C and T cordless drills with FastFix (except CXS/TXS), in self-service display pack	493539
	Guard ring PR D17-DC UNI FF 5x for DC UNI FF, 5 protector rings for stop sleeve \varnothing 17 mm, qty. in pack 5 Units, D 17 mm, in self-service display pack	768125
	Guard ring PR D23-DC UNI FF 5x for DC UNI FF, 5 protector rings for stop sleeve \varnothing 23 mm, qty. in pack 5 Units, D 23 mm, in self-service display pack	768127
	Open end wrench SW 3/8"-DC UNI FF 2x for depth stop DC UNI FF, 2 sockets size 8 mm with ball retainer, qty. in pack 2 Units, bit holder 3/8", in self-service display pack	768165
	Open end wrench SW 8-DC UNI FF 2x for depth stop DC UNI FF, 2 sockets size 8 mm with ball retainer, qty. in pack 2 Units, bit holder 1/4", in self-service display pack	768113
	Auxiliary handle AH-43/230 for all QUADRILL DR 18/4 and PD 20/4, for absorption of relatively high torques, mounting \varnothing 43 mm, length 230 mm, in self-service display pack	768613
	Auxiliary handle AH-43/185 for all QUADRIVE DRC 18/4, PDC 18/4 and BHC 18, for absorption of relatively high torques, length 185 mm, mounting \varnothing 43 mm, in self-service display pack	768615
	Battery and charging technology from page 22	

Speed up your work processes with the CENTROTEC quick change system and the FastFix attachments – no keys or tools required.

Angle chuck

Ideal for driving in screws around corners and reaching concealed screws in confined spaces.

Depth stop

For precise threaded holes with uniform screw depth.

Chucks

The standard width of up to 13 mm allows the use of all standard-size screw and drill bits with cylindrical shanks.


Eccentric attachment

For screwdriving close to walls and edges.



CENTROTEC chuck

Chuck and bit holder in one, and 50% smaller and 80% lighter than a standard chuck. But this doesn't come at the cost of lower quality – on the contrary. The hexagonal receptacle ensures secure transfer of force, and prevents faulty chucking or slipping of the drill bit. At the same time, this system minimises radial runout. The CENTROTEC chuck fits all Festool cordless drills with a FastFix interface: for lightning-fast changes in the three-way race between drilling, countersinking and screwdriving.



The comfortable choice for a compact rotary hammer drill.

The cordless rotary hammer drill.

Rewriting the rules of drill design: with an ergonomic C shape and balanced weight distribution to ensure less fatigue when working. The combination of a brushless EC-TEC drive and integrated motor management makes for exceptional impact energy which quickly and powerfully penetrates any concrete. The vibration damping absorbs the impact energy before it reaches your hand.



Cordless rotary hammer BHC 18

Drilling dowel holes with pneumatic impact up to 18 mm in concrete, stone and masonry. Weighing just 2.6 kg and with excellent balance, ideal for long periods of use on interior fitouts and assembly work.



Brushless
EC-TEC motor

Technical data	BHC 18
Battery voltage (V)	18
Gears	1
No-load speed (min ⁻¹)	0 – 1.100
Max. impact rate (min ⁻¹)	4.895
Drilling Ø (beton) (mm)	18
Crown borer Ø (mm)	68
Max. torque, wood/steel (Nm)	10/25
Bit holder	SDS-Plus
Single impact energy (J)	1,8
Lithium-ion battery capacity (Ah)	3,1/5,2
Weight with lithium-ion battery (kg)	2,3/2,6



Working with dust extraction

Dust-free, residue-free drilling with firm hold: the drilling dust nozzle and the patented 2-chamber system make it easy to drill up to max. Ø 12 mm on floors, walls and ceilings. Optimum hose positioning thanks to the flexible articulation. And: the sponge rubber base ensures a firm hold even on irregular surfaces.




Simply communicativ

The 5.2 Ah Bluetooth® battery pack communicates with the Bluetooth® module of the CLEANTEC dust extractor*, starting automatically when the tool is switched on. In this way, you also benefit from the complete Festool dust-free system when working with the hammer drill in combination with the drill dust nozzle.







Non-impact optio

E.g. for drilling in tiles.

Scope of delivery

Scope of delivery		Order no.
BHC	All models: additional side handle, depth stop, in SYSTAINER SYS 2 T-LOC	
	BHC 18 Li-Basic battery pack not included, without charger	574723
	BHC 18 Plus-TCL6 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6	575006

Accessories

Accessories		Order no.
	Hammer drill bit SDS-Set D5-D12/7 for cordless rotary hammer BHC 18 and all other rotary hammers with SDS-Plus bit holder, hammer drill bit D 5 x 50 mm, 2 x hammer drill bit D 6 x 50 mm, hammer drill bit D 6 x 100 mm, hammer drill bit D 8 x 100 mm, hammer drill bit D 10 x 100 mm, hammer drill bit D 12 x 100 mm, in self-service display pack	204070
	Adapter AD SDS-plus/FastFix for BHC 18, RHP 18, CHP 26, to hold a CENTROTEC chuck, in self-service display pack	769068
	Chuck WH-CE CENTROTEC for all Festool cordless and corded drills (except DR 20/DRP 20) with CENTROTEC interface, in self-service display pack	492135
	Auxiliary handle AH-43/185 for all QUADRIVE DRC 18/4, PDC 18/4 and BHC 18, for absorption of relatively high torques, length 185 mm, mounting Ø 43 mm, in self-service display pack	768615
	Drilling dust nozzle D 27-BSD for BHC 18, PDC 18, PD 20 and mobile dust extractors CT/CTL/CTM, adapter with flexible application, drilling sleeve made from nickel-plated steel, fits all common industrial and household vacuum cleaners/dust extractors, exception: if the vacuum/extractor has auto filter cleaning, it must be switched off, connector Ø 27-32 mm, bit Ø 0 - 12 mm, in self-service display pack	500483
	Battery and charging technology from page 22	

* Can be retrofitted to the CT 26/36/48 as an accessory; comes directly integrated into the CT MINI I and MIDI I.

Power and endurance for interior fitouts.

The DURADRIVE cordless plasterboard screwgun.

Works at enormous speed and sets a new rhythm for plasterboard construction. One important factor in this is the stop-and-go function, which ensures the motor works only when it is needed. The result: up to 40% more screwdriving per charge, greater comfort and higher speed for high-volume screw fastening. For speed that can be increased even further with the magazine attachment.

Cordless plasterboard screwgun **DURADRIVE DWC 18**



Technical data	DWC 18-2500	DWC 18-4500
Battery voltage (V)	18	18
Gears	1	1
No-load speed (min ⁻¹)	0 – 2.500	0 – 4.500
Max. torque, wood/steel (Nm)	7/18	5/14
Max. machinable screw length (mm)	55	55
Bit holder	1/4"	1/4"
Lithium-ion battery capacity (Ah)	3,1/5,2	3,1/5,2
Weight with depth stop (kg)	1,6/1,9	1,6/1,9
Weight with magazine attachment (kg)	2/2,3	2/2,3











Precision working

The depth stop can be attached without tools and adjusted in increments of 0.1 mm. This means you get securely fixed screws at a consistent set depth. Having properly seated screws eliminates the need for tedious and time consuming reworking.

Lightweigh

Even easier handling with the Compact model: with the 3.1 Ah Compact battery pack weighing in at just 400 grams. Ideal for screwdriving overhead.

Scope of delivery		Order no.
DWC 18-2500		
	DWC 18-2500 Li-Basic battery pack not included, without charger, magazine attachment, depth stop, scaffold hook, magnetic bit holder, 2 x bit PH2, long, Phillips bit PH 2, belt clip, in SYSTAINER SYS 2 T-LOC	This product is not available in Australia 574742
DWC 18-4500	All models: magazine attachment, depth stop, scaffold hook, magnetic bit holder, 2 x bit PH2, long, Phillips bit PH 2, belt clip, in SYSTAINER SYS 2 T-LOC	
	DWC 18-4500 Li-Basic battery pack not included, without charger	574747
	DWC 18-4500 Li 5,2-Plus battery pack BP 18 Li 5.2 AS, rapid charger TCL 6	201565

Accessories		Order no.
	Magazine attachment AF 55-DWC for DWC, DWP, for collated screws, 25-55 mm, bit PH2, long, in carton	769146
	Phillips bit PH2-AF-55 3x for AF 55-DWP/DWC, size PH 2, length 152 mm, qty. in pack 3 Units, in self-service display pack	769124
	Bit PZ PZ 2-AF-55 3x for AF 55-DWP/DWC, size PZ 2, length 152 mm, qty. in pack 3 Units, in self-service display pack	769078
	TX bit TX 20-AF-55/3 for AF 55-DWP/DWC, driving collated wood-construction screws (TX 20) up to 55 mm long, long screwdriver bits for magazine attachment, ideal for DWC 18-2500, qty. in pack 3 Units, size TX 20, length 152 mm, in self-service display pack	201463
	Bit holder BH-DWC for DWC, DWP, in self-service display pack	769125
	Battery and charging technology from page 22	

Powerful torque.

The QUADRILL.

The QUADRILL DR 20 is the little powerhouse for extreme drilling and screwdriving: ideal for holes up to 20 mm in steel or 65 mm in wood, and 98 Nm torque for screws up to 12x300 mm. Flexibility is provided by the XL CENTROTEC and FastFix quick change system, while maximum working comfort is obtained with the angle chuck, adjustable to suit any working position.



Corded drill
QUADRILL DR 20

Technical data	DR 20
Power consumption (W)	1.100
Gears	1
No-load speed (min ⁻¹)	0 – 650
Drilling Ø (steel/Al/wood) (mm)	20/28/65
Torque max. (Nm)	98
Chuck clamping range (mm)	3 – 16
Chuck interface	FastFix
Collar Ø (mm)	57
Weight (kg)	3,4
Weight (without chuck) (kg)	2,7










Extremely robust

The big collar with reinforced drive shaft and large-sized spindle makes the QUADRILL extremely tough, and perfect for construction sites.























In the smallest of space

The angle attachment is ideal for driving in screws around corners and reaching concealed screws in tight corners.







Scope of delivery		Order no.
DR 20		
	DR 20 E FF auxiliary handle with extension, depth stop, geared chuck with locking device, in carton	768932
Accessories		
	Chuck CC-XL CENTROTEC for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, to hold CENTROTEC tools, bit holder FastFix, in self-service display pack	769071
	Key-type chuck CC-16 FFP for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, with chuck key and locking device, bit holder FastFix, clamping range 3 - 16 mm, in self-service display pack	769061
	Angle chuck AU DR 20 for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, bit holder FastFix, collar Ø 57 mm, in self-service display pack	769060
Adapter All models: in self-service display pack		
	AD-1/2 FF for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, for quick-change adapters, to hold sockets with 1/2" square drive, bit holder FastFix	769062
	AD-D10/M14 for Festool stirrers: to mount in a drill chuck, for sanding disc with M14 thread: for mounting in drilling and boring machines, for polishing pad Ø 80: for use in cordless drills, clamping flange Ø 10 mm	This product is not available in Australia 483944
Auxiliary handle All models: for DRP 20, for absorption of relatively high torques, mounting Ø 57 mm, in self-service display pack		
	AH-57/230 length 230 mm, telescopic design extendible up 325 mm	769044
	AH-57/275 length 275 mm, telescopic design extendible up 380 mm	769045


08 Drilling and fastening


25 mm bits			Order no.
Bit PZ All models: qty. in pack 10 Units, length 25 mm, in self-service display pack			
	PZ 1-25/10 size PZ 1		490481
	PZ 2-25/10 size PZ 2		490482
	PZ 3-25/10 size PZ 3		490483
TX bit All models: qty. in pack 10 Units, length 25 mm, in self-service display pack			
	TX 10-25/10 size TX 10		490504
	TX 15-25/10 size TX 15		490505
	TX 20-25/10 size TX 20		490506
	TX 25-25/10 size TX 25		490507
	TX 30-25/10 size TX 30		490508
twinBOX All models: content 10 pieces, in self-service display pack			
	BB-PZ 3 x Pozidriv bit PZ 1, 4 x bit PZ 2, 3 x Pozidriv bit PZ 3		496934
	BB-TX Torx bit TX 10, 2 x Torx bit TX 15, 3 x Torx bit TX 20, 3 x Torx bit TX 25, Torx bit TX 30		496935
	BB-MIX Phillips bit PH 1, Phillips bit PH 2, Pozidriv bit PZ 1, bit PZ 2, Pozidriv bit PZ 3, Apex bit SZ 0.8x5.5, Torx bit TX 15, Torx bit TX 20, Torx bit TX 25, Torx bit TX 30		496936
50 mm bits			Order no.
Bit PZ All models: for all Festool cordless drills with CENTROTEC interface, length 50 mm, qty. in pack 2 Units, in self-service display pack			
	PZ 1-50 CENTRO/2 size PZ 1	This product is not available in Australia	205069
	PZ 2-50 CENTRO/2 size PZ 2		205070
	PZ 3-50 CENTRO/2 size PZ 3	This product is not available in Australia	205072
Phillips bit All models: for all Festool cordless drills with CENTROTEC interface, length 50 mm, qty. in pack 2 Units, in self-service display pack			
	PH 1-50 CENTRO/2 size PH 1		205073
	PH 2-50 CENTRO/2 size PH 2		205074
	PH 3-50 CENTRO/2 size PH 3		205075
TX bit All models: for all Festool cordless drills with CENTROTEC interface, length 50 mm, qty. in pack 2 Units, in self-service display pack			
	TX 10-50 CENTRO/2 size TX 10	This product is not available in Australia	205076
	TX 15-50 CENTRO/2 size TX 15	This product is not available in Australia	205079
	TX 20-50 CENTRO/2 size TX 20	This product is not available in Australia	205080
	TX 25-50 CENTRO/2 size TX 25	This product is not available in Australia	205081
	TX 30-50 CENTRO/2 size TX 30	This product is not available in Australia	205082
	TX 40-50 CENTRO/2 size TX 40	This product is not available in Australia	205083
	Bit assortment CENTRO Bit-Set 1 for all Festool cordless drills with CENTROTEC interface, 6-piece, in the Bit-Check, Torx bit TX 20, Torx bit TX 25, Torx bit TX 30, Torx bit TX 40, Pozidriv bit PZ 1, bit PZ 2, length 50 mm, in self-service display pack	This product is not available in Australia	205087
	Bit assortment DB CE 50/12-Set 1 for all Festool cordless drills with CENTROTEC interface, for SYS TL with lid compartment, 12-piece, Phillips bit PH 1, Phillips bit PH 2, Phillips bit PH 3, Pozidriv bit PZ 1, bit PZ 2, Pozidriv bit PZ 3, Torx bit TX 10, Torx bit TX 15, Torx bit TX 20, Torx bit TX 25, Torx bit TX 30, Torx bit TX 40, in lid compartment inlay, length 50 mm, in self-service display pack		205089





100 mm bits		Order no.
Bit PZ All models: qty. in pack 2 Units, length 100 mm, in self-service display pack		
	PZ 1-100 CE/2 size PZ 1	500841
	PZ 2-100 CE/2 size PZ 2	500842
	PZ 3-100 CE/2 size PZ 3	500843
Phillips bit All models: qty. in pack 2 Units, length 100 mm, in self-service display pack		
	PH 1-100 CE/2 size PH 1	500844
	PH 2-100 CE/2 size PH 2	500845
	PH 3-100 CE/2 size PH 3	500846
TX bit All models: qty. in pack 2 Units, length 100 mm, in self-service display pack		
	TX 15-100 CE/2 size TX 15	500847
	TX 20-100 CE/2 size TX 20	500848
	TX 25-100 CE/2 size TX 25	500849
	TX 30-100 CE/2 size TX 30	500850
	Screw bit set CENTROTEC BITS CE SET TL 6X for SYS TL with lid compartment, 6 CENTROTEC bits: PZ 2-100 CE, PZ 3-100 CE, TX 15-100 CE, TX 20-100 CE, TX 25-100 CE, TX 30-100 CE, length 100 mm, in self-service display pack	769095
Bits and bit holders		Order no.
Bit box All models: for all Festool cordless drills with FastFix interface, CENTROTEC magnetic bit fastener BH 60 CE, content 10 pieces, in self-service display pack		
	PZ + BH 60-CE 2 x Pozidriv bit PZ 1, 5 x bit PZ 2, 2 x Pozidriv bit PZ 3	493260
	TX + BH 60-CE Torx bit TX 10, 2 x Torx bit TX 15, 3 x Torx bit TX 20, 2 x Torx bit TX 25, Torx bit TX 30	493261
	MIX + BH 60-CE Phillips bit PH 1, Phillips bit PH 2, Pozidriv bit PZ 1, bit PZ 2, Pozidriv bit PZ 3, Apex bit SZ 0.8x5.5, Torx bit TX 15, Torx bit TX 20, Torx bit TX 25	493262
	Bit assortment BITS + BHS 60 CE TL 24x for SYS TL with lid compartment, 24-piece, 2 x Phillips bit PH 1, 2 x Phillips bit PH 2, 2 x Phillips bit PH 3, 2 x Pozidriv bit PZ 1, 2 x bit PZ 2, 2 x Pozidriv bit PZ 3, 2 x Torx bit TX 10, 2 x Torx bit TX 15, 2 x Torx bit TX 20, 2 x Torx bit TX 25, 2 x Torx bit TX 30, 2 x Torx bit TX 40, Bit holder BHS 60 CE, in self-service display pack	769094
	Bit holder BHS 60 CE for all Festool cordless drills with CENTROTEC interface, magnetic Centrotec quick-change bit holder for 25 mm standard bits, length 60 mm, in self-service display pack	205097
	Bit holder BH 60 CE-Imp for all Festool cordless drills with FastFix interface, also suitable for use with the TI15 Impact impact driver, in self-service display pack	498974
	Bit holder BV 150 CE for all Festool cordless drills with FastFix interface, extra-long, in self-service display pack	492540
Adapter All models: for all Festool cordless drills with FastFix interface, for plug-in bits, with ball lock for manual operation, in self-service display pack		
	1/4"-50 CE/KG CENTROTEC bit holder 1/4", length 50 mm	495131
	3/8"-70 CE/KG CENTROTEC bit holder 3/8", length 70 mm	495133
	Screwdriver SD-CE-DRIVE-UNI for Centrotec tools for drilling and driving, in self-service display pack	200140

08 Drilling and fastening











Screwdriver bit case		Order no.
Screwdriver bit case All models: 31-piece, 1 magnetic bit holder 1/4", in self-service display pack		
	TX 10-50/BH-SORT/31x 3 x Torx bit TX 10, 3 x Torx bit TX 15, 6 x Torx bit TX 20, 6 x Torx bit TX 25, 6 x Torx bit TX 30, 3 x Torx bit TX 40, 3 x Torx bit TX 50	769137
	BIT/BH-SORT/31x 1x of LS 4.5; LS 5.5; LS 6.5; HEX 4; HEX 5; HEX 6, 2 x Torx bit TX 10, 2 x Torx bit TX 15, 2 x Torx bit TX 20, 2 x Torx bit TX 25, 2 x Torx bit TX 30, 2 x Torx bit TX 40, 2 x Phillips bit PH 1, 2 x Phillips bit PH 2, 2 x Phillips bit PH 3, 2 x Pozidriv bit PZ 1, 2 x bit PZ 2, 2 x Pozidriv bit PZ 3	769138
	Ratchet set 1/4"-CE RA-Set 36 1/2" socket set from 4.0 to 13 mm, 19 different bit inserts and 2 bit extensions, ratchet and CENTROTEC handle plus various adapters and extensions, in SYSTAINER SYS MINI	497881
	Assembly package SYS 1 CE-SORT for all Festool cordless drills with FastFix interface, CENTROTEC-DRIVE screwdriver handle, CENTROTEC chuck, CENTROTEC magnetic bit fastener BH 60 CE, extra-long CENTROTEC magnetic bit holder BV 150 CE, CENTROTEC drill adapter BA-CE, deburring countersink QLS D2-8 CE, deburring countersink QLS D5-15 CE, drill bit with depth stop BTA HW D5 CE, drill countersink with depth stop, BSTA HS D3.5 CE, centring bit ZB HS D5 EURO CE, hook driver HD D18 CE, set of assorted screw bits twinBOX BB-MIX, drill bit case HSS D3-10 CE/10, drill bit case BKS D3-8 CE/W-K, 12x long CENTROTEC bits PZ/PH/TX, bit assortment 25 mm, 50 pieces, in SYSTAINER SYS 1 T-LOC	This product is not available in Australia 497628
CENTROTEC HSS twist drill bits		Order no.
Twist drill bit All models: in self-service display pack		
	HSS D 3/33 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 3 mm	493421
	HSS D 3,5/39 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 3,5 mm	493422
	HSS D 4/43 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 4 mm	493423
	HSS D 4,5/47 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 4,5 mm	493424
	HSS D 5/52 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 5 mm	493425
	HSS D 5,5/57 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 5,5 mm	493426
	HSS D 6/57 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 6 mm	493427
	HSS D 6,5/63 CE/M-Set complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 6,5 mm	493428
	HSS D 8,0/75 CE/M-Set complete drill bit with bit holder and replacement drill bit, hexagon socket wrench, diameter 8 mm	495308
	HSS D 10,0/75 CE/M-Set complete drill bit with bit holder and replacement drill bit, hexagon socket wrench, diameter 10 mm	495309
	HSS D3-10 CE/10 Drill bit case, diameter 3 - 10 mm	495128











CENTROTEC HSS twist drill bits		Order no.
Twist drill bit All models: replacement bit for Centrotec twist drill bit M-Set, extra drill for CENTROTEC HSS twist drill, in self-service display pack		
	HSS D 3/33 M/10 qty. in pack 10 Units, diameter 3 mm	493437
	HSS D 3,5/39 M/10 qty. in pack 10 Units, diameter 3,5 mm	493438
	HSS D 4/43 M/10 qty. in pack 10 Units, diameter 4 mm	493439
	HSS D 4,5/47 M/10 qty. in pack 10 Units, diameter 4,5 mm	493440
	HSS D 5/52 M/10 qty. in pack 10 Units, diameter 5 mm	493441
	HSS D 5,5/57 M/10 qty. in pack 10 Units, diameter 5,5 mm	493442
	HSS D 6/57 M/10 qty. in pack 10 Units, diameter 6 mm	493443
	HSS D 6,5/63 M/10 qty. in pack 10 Units, diameter 6,5 mm	493444
	HSS D 8,0/75 M/5 qty. in pack 5 Units, diameter 8 mm	495310
	HSS D 10,0/75 M/5 qty. in pack 5 Units, diameter 10 mm	495311


HSS steel drill		Order no.
	Drill bit set, HSS steel drill bits HSS D 1-10 Sort/19 Drill bit case, diameter 1-10 mm, in self-service display pack	498981


Lip and spur drill bits		Order no.
Drill bit All models: for all Festool cordless drills with FastFix interface, in self-service display pack		
	D 3 CE/W diameter 3 mm	492512
	D 4 CE/W diameter 4 mm	492513
	D 5 CE/W diameter 5 mm	492514
	D 6 CE/W diameter 6 mm	492515
	D 7 CE/W diameter 7 mm	492516
	D 8 CE/W diameter 8 mm	492517
	D 10 CE/W diameter 10 mm	492518
	Drill bit case DB WOOD CE SET TL 6x 6 CENTROTEC lip and spur drill bits, diameter 4, 2 x 5, 6, 8, 10 mm, in self-service display pack	769093
	Drill bit case BKS D 3-8 CE/W drill bit case, long, with brad point, diameter 3, 4, 5, 6, 8 mm, in self-service display pack	493648
	Drill bit case BKS D 3-8 CE/W-K short drill bit case, with brad point, diameter 3, 4, 5, 6, 8 mm, in self-service display pack	495130

08 Drilling and fastening

CENTROTEC masonry drill bits with carbide lip		Order no.
Masonry drill bit All models: for cordless hammer drills, hammer drills with Fastfix interface, in self-service display pack		
	DB STONE CE D4 3x qty. in pack 3 Units, diameter 4 mm	769111
	DB STONE CE D5 3x qty. in pack 3 Units, diameter 5 mm	769112
	DB STONE CE D6 3x qty. in pack 3 Units, diameter 6 mm	769113
	DB STONE CE D8 3x qty. in pack 3 Units, diameter 8 mm	769114
	DB STONE CE D10 3x qty. in pack 3 Units, diameter 10 mm	769115
	DB STONE CE SET TL for SYS TL with lid compartment, 6 CENTROTEC masonry drill bits: Ø 4, 5, 2 x 6, 8, 10 mm	769096
CENTROTEC Forstner drill bit system ZOBO		Order no.
Forstner drill bits All models: ZOBO system, in self-service display pack		
	FB D 15 CE-Zobo diameter 15 mm	496472
	FB D 20 CE-Zobo diameter 20 mm	496473
	FB D 25 CE-Zobo diameter 25 mm	496474
	FB D 30 CE-Zobo diameter 30 mm	496475
	FB D 35 CE-Zobo diameter 35 mm	496476
	Forstner drill bit set FB Set D 15-35 CE-Zobo Sturdy plastic drill bit case, ZOBO system, FB D 15 CE-Zobo, FB D 20 CE-Zobo, FB D 25 CE-Zobo, FB D 30 CE-Zobo, FB D 35 CE-Zobo, diameter 15 - 35 mm, in self-service display pack	496390
	Spare part set ZOBO FB-CE/Er-Zobo centre points (FB-CE 2.5x3.5/ZS and FB-CE 2.5x7.5/ZS), centering bit (FB-CE 3x30/ZB) and drifts (FB-Set-D 15-35 CE), for CENTROTEC Forstner drill bit, in self-service display pack	497268
CENTROTEC other accessories		Order no.
Deburring countersink All models: in self-service display pack		
	QLS D 2- 8 CE diameter 2 - 8 mm	492520
	QLS D 5-15 CE for pre-counterboring and flush screwing, diameter 5 - 15 mm	492521
	Drill bit BTA HW D 5 CE carbide, adjustable depth stop, diameter 5 mm, in self-service display pack	492522
	Spare part drill bit HW D 5 F.BTA for drill bit with depth stop, carbide, diameter 5 mm, in self-service display pack	491794
	Countersink drill bit BSTA HS D 3,5 CE adjustable depth stop, diameter 3,5 mm, in self-service display pack	492523
	Spare part drill bit EB-BSTA D 3,5/5 for drill countersink with depth stop, qty. in pack 5 Units, diameter 3,5 mm, in self-service display pack	494445

CENTROTEC other accessories		Order no.
	Countersink drill bit BSTA HS D 4,5 CE adjustable depth stop, diameter 4,5 mm, in self-service display pack	492524
	Spare part drill bit EB-BSTA D 4,5/5 for drill countersink with depth stop, qty. in pack 5 Units, diameter 4,5 mm, in self-service display pack	494446
	Countersink drill bit BSTA HS D 5 CE adjustable depth stop, diameter 5 mm, in self-service display pack	496451
	Spare part drill bit EB-BSTA D 5/5 for drill countersink with depth stop, qty. in pack 5 Units, diameter 5 mm, in self-service display pack	496452
	Countersink drill bit BSTA HS D 4 L60 CE for all Festool cordless drills, for use with the CENTROTEC tool chuck, adjustable depth stop, designed especially for work on decking boards, diameter 4 mm, drill depth max. 60 mm, in self-service display pack	202392
	Spare part drill bit EB-BSTA D4/2 for drill countersink with depth stop, very long life because the drill bit is made from high-quality HSS Böhler steel, very long life because the drill bit is made from high-quality HSS Böhler steel, diameter 4 mm, drill depth max. 60 mm, in self-service display pack	202393
	Centering bit ZB HS D 5 EURO CE with depth stop for 5 mm Euro-screws, diameter 5 mm, in self-service display pack	492525
	Spare part drill bit HS D 5 for centre drill bits, diameter 5 mm, in self-service display pack	493572
	Hook driver HD D 18 CE for all Festool cordless drills with FastFix interface, diameter 18 mm, in self-service display pack	492526
	Drill adapter BA-CE CENTROTEC in self-service display pack	496450

Drilling guide systems		Order no.
Drill stand for carpentry All models: for high-performance drills, smooth movement with precise guide rods and bronze slide bearings in the carriage, stable square base plate with precision milled supporting surface, 1 centring plate for drill bits 8 to 26 mm in diameter, 2 x depth stop, 2 x parallel side fence, 1 adapter ring Ø 57 mm / 43 mm, in carton		
	GD 320 drill depth max. 240 mm, drill bit length max. 320 mm, weight 2,8 kg	768768
	GD 460 drill depth max. 380 mm, drill bit length max. 460 mm, weight 3,2 kg	768119
	GD 460 A can be pivoted, drill depth max. 310 mm, drill bit length max. 460 mm, weight 3,7 kg	769042

Accessories for plasterboard screwgun DWC		Order no.
Plasterboard screws All models: for AF 55-DWP/DWC, qty. in pack 1.000 Units, diameter 3,9 mm, in carton		
	DWS C FT 3,9x25 1000x collated, 1000 pcs, fine thread, length 25 mm	This product is not available in Australia 769142
	DWS C FT 3,9x35 1000x collated, 1000 pcs, fine thread, length 35 mm	This product is not available in Australia 769143
	DWS C CT 3,9x35 1000x collated, 1000 pcs, coarse thread, length 35 mm	This product is not available in Australia 769144
	DWS C CT 3,9x45 1000x collated, 1000 pcs, coarse thread, length 45 mm	This product is not available in Australia 769145