

Catalogue **2018**



Dear Festool customers,

Every innovation in the Festool system is made with just one goal in mind: making it as easy as possible for you to achieve perfect work results. With products that impress you with their extreme sturdiness, reliability and ease of use, while at the same time thrilling you with well-thought-out functions and high working comfort.

In our 2018 catalogue, we've added a few real highlights to the system. First and foremost, the first cordless compact sanders worthy of the name Festool – with high rates of abrasion and unbeatable freedom of movement. Our new PLANEX easy long-reach sander also makes your work easier, with its minimal weight and extreme durability. So too the smooth suction hose that glides easily around corners and over edges.

You'll find these and other innovations for easy and efficient work on the following pages. Accompanying them as ever: our SERVICE all-inclusive, which makes your work easier just as much as our tools do. I wish you much enjoyment in reading our new catalogue and many hours of successful work with the Festool system.

Warm regards,

But De

Barbara Austel

Executive partner and granddaughter of the company's founder, Gottlieb Stoll



| 18 volt system | 6 |
|--|------------|
| Power tools, batteries, chargers | |
| | A / |
| Sawing and oscillating | |
| Jigsaws, plunge-cut and circular saws, trimming and mitre saws, oscillating multi-tools | |
| Surface finishing | 86 |
| Electric and cordless sanders, compressed air sanders, polishers, brush machines, abrasives | |
| Dust extraction | 178 |
| Mobile dust extractors, AUTOCLEAN dust extractors, special dust extractors and safety vacuum devices | |
| Drilling and fastening | 216 |
| Cordless drills, cordless rotary hammer drills, cordless hammer drill corded drills, cordless plasterboard screwguns | |
| Routing | 244 |
| Handheld routers, bench-mounted routers, laminate trimmers, | |
| aluminium composite milling machines | |
| Planing | 308 |
| Electric planers, beam planers | |
| Joining – DOMINO joining system | 320 |
| DOMINO joining | |
| | |
| Edging | 334 |
| Edge bander, bench-mountable edge bander | |
| | |
| Stirring and mixing | 346 |
| Stirrers, DUO stirrers | |
| Substrate preparation | 360 |
| Concrete grinders, diamond grinders, diamond cutting systems, | |
| carpet removers | |
| Lighting | 384 |
| Work lights, site lights, highlight | |
| Wasterland | 00/ |
| Workplace organisation SYSTAINER, systems for packing, storage and transport, | 394 |
| bench-mounting fittings, radios | |
| bench-mounting fittings, radios | |
| Fan shop | 430 |

Index

Good ideas for even more efficiency: **Festool's new products for 2018.**

Really clean up: innovative details for the easiest dust extraction ever.

Simply smart design: optimised SYS-Dock with cord holder and T-LOC function for convenient connection of the SYSTAINER to the mobile dust extractor.

Simply smooth: the new suction hose for perfect gliding over edges, improved handling and longer life. With new CLEANTEC suction coupling sleeve for a secure connection to the tool.

Made easy by remote control: individual retrofit with Bluetooth module for remote operation via remote control on the suction hose or Bluetooth battery pack when working with Festool cordless tools.

>> Page **183**









Greater freedom of movement for better sanding.

The new cordless compact sanders RTSC 400, DTSC 400 and ETSC 125 give you cordless freedom with plugged-in performance – wherever you go.

>> Page **88**



The perfect solution for work on materials that generate a lot of dust.

Granat Net with mesh structure for full-surface dust extraction.

>> Page 151



Now even better.

MULTI-JETSTREAM 2 with improved dust capture and longer sanding pad lifetime.

>> Page 151



For perfect surfaces in one go.

With the SYSLITE STL 450 highlight, you can spot points of unevenness immediately, so you can reach that perfect result faster.

>> Page 390



Simple handling, durable, light and clean – the PLANEX easy long-reach sander and the special dust extractor with AUTOCLEAN are an unbeatable team for top results!


>> Page 115





Our responsibility does not end with the quality of the tool.

We're constantly thinking about how we can make life easier for you. With perfectly engineered tools – and also with services that are specifically geared to the requirements of your everyday work. You want and need to avoid downtime, unnecessary work and additional costs as much as possible. We understand that, and that's why we want to do our bit with our SERVICE all-inclusive. The success of our customers means a great deal to us.



Register online up to 30 days after purchase to secure your access to all service benefits! www.festool.com.au/SAI

36 month comprehensive warranty.*

Enjoy peace of mind with your tool purchase with Festool 36 month comprehensive warranty after registering your tool.

Rapid repair service.

Efficient servicing of your tools guaranteed! Get back to work faster with Festool Australia's rapid repair service.

10-year spare part guarantee.

We will hold every spare part for your tool in stock for at least this long. If, in exceptional cases, a spare part is not available, we will send you a new replacement tool free of charge.


30 days risk-free trial.

Not entirely satisfied with the tool you purchased? Simply return it to your dealer within 30 days of purchase and they will refund you the purchase price.



You can find more information about SERVICE all-inclusive. its terms and conditions and validity online at www.**festool**.com.au/sai








| CARVEX cordless pendulum jigsaws PSC 420, PSBC 420 | 14 |
|--|----|
| Cordless plunge-cut saw TSC 55 | 15 |
| Cordless circular saw HKC 55 | 16 |
| Cordless drill C 18 | 17 |
| Cordless drill T 18+3 | 18 |
| Cordless rotary hammer BHC 18 | 19 |
| Cordless drills QUADRIVE DRC 18/4 | 20 |
| Cordless impact drill QUADRIVE PDC 18/4 | 21 |
| Cordless plasterboard screwgun DWC 18 | 22 |
| Rechargeable torch SYSLITE UNI | 23 |
| Work light SYSLITE KAL II | 24 |
| Site radio SYSROCK BR 10, BR 10 DAB+ | 25 |





More power. More stamina. More possibilities.

The Festool 18 V system.



The Festool 18 volt system offers you more: more power for longer with the 6.2 Ah battery pack for up to 20% more tool operation time. More speed with the AIRSTREAM SCA 8 rapid charger with integrated cooling. More stamina with high-current resistant battery cells. More options with three battery pack models and PowerSelect so you can create your own customised battery system. More efficiency and working comfort with tools that are carefully engineered in every detail. And of course more additional service and support with our SERVICE all-inclusive.





Unique: 36 months warranty also for batteries.


With Festool you benefit from 36 months comprehensive warranty. And it applies not only to all tools, but also to battery packs and chargers. Register your tool and enjoy all the benefits of SERVICE all-inclusive: www.festool.com.au/sai

SERVICE all-inclusive is valid for all power tools purchased after 2 April 2013 and registered within 30 days of purchase. You can find more information and the terms and conditions at www.festool.com.au/sai

st Warranty only applies to Product purchased by you inside Australia from authorised Australian FESTOOL dealers.

Power to handle anything.

Battery packs and chargers for every application.




Greater stamina.


High-current resistant cells ensure a long service life.

Everything in Festool tools is top quality – including the high-current resistant battery cells. The cells will effortlessly withstand even heavy loading such as sawing work, for years – as proven by the quality check performed on the cell technology.



^{*} Test result during quality check in Festool laboratory, from discharge tests at maximum load





Quick and effective -

AIRSTREAM battery packs and AIRSTREAM rapid charger SCA 8.



A perfect fit!

The most popular combination options for tools, battery packs and chargers.

COMPACT

Inexpensive introduction to the system, with minimal weight.

Compact battery with low weight. Perfect for classic drilling and screwdriving, working overhead, and anywhere where light, easy handling is needed. And it's attractively priced too.

3.1 Ah Compact battery pack

rapid charger TCL 6

| Cordless drill C 18 | >>> Page 17 |
|---|-------------|
| T18+3 cordless drills | >>> Page 18 |
| Cordless hammer drill BHC 18 | >>> Page 19 |
| Cordless plasterboard screwgun DURADRIVE DWC 18 | >>> Page 22 |

PLUS

Extremely long-lasting. Versatile in use.

Powerful 5.2 Ah battery for maximum endurance and power delivery. Ideal for power-intensive drilling and sawing.

5.2 Ah AIRSTREAM battery pack

rapid charger TCL 6

| Cordless drill C 18 | >>> Page 17 |
|---|-------------|
| T18+3 cordless drills | >>> Page 18 |
| Cordless hammer drill BHC 18 | >>> Page 19 |
| Cordless plasterboard screwgun DURADRIVE DWC 18 | >>> Page 22 |
| Cordless drill QUADRIVE DRC 18/4 | >>> Page 20 |
| Cordless hammer drill QUADRIVE PDC 18/4 | >>> Page 21 |
| Cordless pendulum jigsaw CARVEX PSC 420 | >>> Page 14 |
| Cordless pendulum jigsaw CARVEX PSBC 420 | >>> Page 14 |
| Cordless plunge-cut saw TSC 55 | >>> Page 15 |
| HKC 55 cordless circular saw | >>> Page 16 |

PLUS-SCA

Extremely long-lasting. Ready in seconds.

The perfect combination of the AIRSTREAM battery pack and charger. For extremely rapid charging and interruption-free work.

5.2 Ah AIRSTREAM battery pack

AIRSTREAM rapid charger SCA 8

| Cordless drill QUADRIVE DRC 18/4 | >>> Page 20 |
|--|-------------|
| Cordless hammer drill QUADRIVE PDC 18/4 | >>> Page 21 |
| Cordless pendulum jigsaw CARVEX PSC 420 | >>> Page 14 |
| Cordless pendulum jigsaw CARVEX PSBC 420 | >>> Page 14 |
| Cordless plunge-cut saw TSC 55 | >>> Page 15 |
| HKC 55 cordless circular saw | >>> Page 16 |
| | |

SET

 ${\bf Extremely\ long-lasting.\ With\ system\ accessories\ included.}$

Maximum versatility thanks to a smart system of accessories. The complete all-inclusive package, with AIRSTREAM technology.

5.2 Ah AIRSTREAM battery pack

AIRSTREAM rapid charger SCA 8

Product-specific system accessories


| >>> Page 17 |
|-------------|
| >>> Page 18 |
| >>> Page 20 |
| >>> Page 21 |
| >>> Page 14 |
| >>> Page 14 |
| >>> Page 15 |
| >>> Page 16 |
| |

POWERSELECT

Just select and combine. Simple and brilliant.

With PowerSelect you can always get exactly what you need for your battery system at any time: such as individual tools, battery packs and chargers. Whatever you choose, you always benefit from fair pricing – and of course also from SERVICE all-inclusive on our battery packs and chargers as well.







+ charger of your choice

CARVEX PSC 420 and PSBC 420 cordless pendulum jigsaws











PSBC 420 18 1.000 - 3.800

> 120 20 10 5,2 2,4

The cordless version of the CARVEX - cordless freedom with plugged-in performance.

- Excellent behaviour in curves thanks to threefold saw blade guide and rigid lifter rod

| Fast, tool-free changing of tables, | achable in every grip po baseplates and saw bl |
|--|---|
| | · |
| Technical data | PSC 420 |
| Battery voltage (V) | 18 |
| Stroke rate (min ⁻¹) | 1.500 – 3.800 |
| Pendulum cover adjustment in stages | 4 |
| Cutting depth in wood (mm) | 120 |
| Cutting depth in NF metals (mm) | 20 |
| Cutting depth in steel (soft) (mm) | 10 |
| Lithium-ion battery capacity (Ah) | 5,2 |
| weight (kg) | 2,4 |
| SECTION STATES OF STATES O | STERAM |

The CARVEX PSC 420 and PSBC 420 follow every move. With millimetre precision. The pendulum jigsaws in the hand are extremely light and intuitive to operate. 3,800 strokes per minute ensure overwhelming force on straight lines when working.

| Scope of delivery | Order no. |
|---|-----------|
| 2 x saw blade, splinterguard, in SYSTAINER SYS 2 T-LOC | |
| PSC 420 Li EB-Basic battery pack not included, without charger | 574713 |
| PSBC 420 Li EB-Basic battery pack not included, without charger | 201379 |
| PSC 420 Plus-TCL6 AUS battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 575016 |
| PSBC 420 Plus-TCL6 AUS battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 575014 |
| | |

Find the entire Festool sawing range from page 26

System accessories from page 62



Jigsaw blades from page 76



Battery and charging technology from page 10







Brushless EC-TEC motor for a long service life and high efficiency



Our best plunge-cut saw now sets you free.

- ▶ Brushless EC-TEC motor combined with lithium-ion batteries for maximum cutting power
- ► Flexible double battery concept: operate either with two 18 volt battery packs (36V) for maximum power or with one 18 volt battery pack for low weight
- ▶ EC-TEC motor with high speeds for perfect cut quality and fast working
- Dust catcher for low-emission work

Technical data

| 2.650 - 3.800/5.200 |
|---------------------|
| 160 |
| -1 - 47 |
| 0 – 55 |
| 43 |
| 27/36 |
| 5,2 |
| 4,6/5,3 |
| |



= MMC Multi Material Control electronics

| Scope of delivery | Order no. |
|--|-----------|
| fine tooth saw blade HW W48, splinterguard, viewing window, dust catcher, operating tool, in SYSTAINER SYS 5 T-LOC | |
| TSC 55 Li REB-Basic battery pack not included, without charger | 201395 |
| TSC 55 Plus-TCL6 AUS 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 575018 |
| TSC 55 Plus-TCL-FS AUS battery pack BP 18 Li 5.2 AS, rapid charger TCL 6, guide rail FS 1400/2 | 575464 |

Precise and mobile.

Precise working instead of time-consuming reworking – with the cordless plunge-cut saw TSC 55. At a powerful 5,200 revolutions per minute. The flexible dual battery system ensures absolute mobility in use allowing you to forget about cables and sockets when working.

Find the entire Festool sawing range from page 26











HKC 55 cordless circular saw













Precise and mobile.

No matter how high you need to go or how diverse the challenges – the HKC 55 cordless circular saw with FSK cross cut rail allows clean, precise and repeatable cuts virtually anywhere.

Independence in any position.

- ▶ Mobility and independence thanks to powerful 18V lithium-ion battery and connectable cross cut rails
- ▶ Brushless EC-TEC motor combined with lithium-ion batteries for maximum cutting power
- Together with the cross cut rail: cross cuts done quickly and at precise angles, anywhere you go
- Secure and comfortable handling thanks to cutting depth setting with plunge cut function, guide knife, and remote operation of the blade guard

Technical data

| Battery voltage (V) | 18 |
|---------------------------------------|--------|
| No-load speed (min ⁻¹) | 4.500 |
| Saw blade diameter (mm) | 160 |
| Bevel angle range (°) | 0 – 50 |
| Cutting depth 0°; 90° (mm) | 0 – 55 |
| Cutting depth at 45°/50° (mm) | 42/38 |
| Connection Ø for dust extraction (mm) | 27/36 |
| Lithium-ion battery capacity (Ah) | 5,2 |
| Weight with Li Ion battery pack (kg) | 4,1 |
| | |



= Electronic

| Scope of delivery | Order no. |
|---|-----------|
| standard carbide saw blade W18, operating tool, in SYSTAINER SYS 4 T-LOC | |
| HKC 55 Li EB-Basic battery pack not included, without charger | 201358 |
| HKC 55 Li 5,2 EB-Plus AUS battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 201582 |
| HKC 55 Plus-TCL-FSK AUS battery pack BP 18 Li 5.2 AS, rapid charger TCL 6, cross cut rail FSK 420 | 575463 |

Find the entire Festool sawing range from page 26

System accessories from page 65







Battery and charging technology from page 10







Brushless EC-TEC motor for a long service life and high efficiency



The perfect shape.

- ▶ Brushless EC-TEC motor with integrated motor management for long service life and the highest output
- Fully electron torque setting and switch-off for precise fastening
- ► FastFix interface for all FastFix attachments and CENTROTEC rapid toolchange system
- > Switch over from fastening to drilling without changing the torque setting

Technical data

| Battery voltage (V) | 18 |
|--|-------------------|
| Gears | 2 |
| No-load speed, 1st gear/2nd gear (min-1) | 0 - 450/0 - 1.500 |
| Drilling diameter, wood/steel (mm) | 40/13 |
| Torque adjustment (Nm) | 0,8 - 8/0,5 - 6 |
| Max. torque, wood/steel (Nm) | 27/45 |
| Chuck range (mm) | 1,5 – 13 |
| Lithium-ion battery capacity (Ah) | 5,2 |
| Weight with Li lon battery pack (kg) | 1,8 |
| | |



| Scope of delivery | Order no. |
|---|-----------|
| CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, belt clip, in SYSTAINER SYS 2 T-LOC | |
| C 18 Li-Basic battery pack not included, without charger | 574737 |
| C 18 Plus-TCL6 AUS 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 575008 |

Find the entire Festool drilling and screw-driving range from page 216

System accessories from page 233



Drill and driver bits from page 238



Battery and charging technology from page 10





Versatility in drilling and driving, with high speeds and a lot of torque – the new C 18 has the right answer for every demand. The CENTROTEC quick change system combines a chuck and a screw bit holder, allowing you to switch rapidly between drilling, countersinking and screwdriving.



Cordless drill T 18+3



Brushless EC-TEC motor for a long service life and high efficiency









Brawn meets brains.

- FastFix interface for all FastFix attachments and CENTROTEC rapid toolchange system
- Impressive ergonomics: Compact, lightweight and perfectly balanced
- Fully electron torque setting and switch-off for precise fastening
- Switch over from fastening to drilling without changing the torque setting

Technical data

| Battery voltage (V) | 18 |
|--|-------------------|
| Gears | 2 |
| No-load speed, 1st gear/2nd gear (min-1) | 0 – 450/0 – 1.500 |
| Drilling diameter, wood/steel (mm) | 45/13 |
| Torque adjustment (Nm) | 0,8 - 8/0,5 - 6 |
| Max. torque, wood/steel (Nm) | 35/50 |
| Chuck range (mm) | 1,5 – 13 |
| Lithium-ion battery capacity (Ah) | 5,2 |
| Weight with Li Ion battery pack (kg) | 1,8 |
| | |



= Electronic

Flexible and mobile.

The T 18+3 handles everything you want to throw at it, without taking a break. With the lightweight and compact CENTROTEC quick change system, you can replace the chuck and bit holder quickly and easily.

| Scope of delivery | Order no. |
|---|-----------|
| CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, belt clip, in SYSTAINER SYS 2 T-LOC | |
| T 18+3 Li 5,2-Basic AUS battery pack not included, without charger | 201451 |

Find the entire Festool drilling and screw-driving range from page 216

System accessories from page 233



Drill and driver bits from page 238



Battery and charging technology from page 10







Brushless EC-TEC motor for a long service life and high efficiency



The comfortable choice for a compact rotary hammer drill.

- Unbeatable weight/power ratio thanks to the combination of EC motor and C-shape
- ▶ Vibration damping for less tiring work; top working comfort in any work situation
- ▶ Brushless EC-TEC motor with integrated motor management for long service life and the highest output
- Premium lithium-ion battery technology for maximum endurance

Technical data

| Battery voltage (V) | 18 |
|--------------------------------------|-----------|
| Gears | 1 |
| No-load speed (min ⁻¹) | 0 – 1.100 |
| Max. impact rate (min-1) | 4.895 |
| Drilling Ø (beton) (mm) | 18 |
| Crown borer Ø (mm) | 68 |
| Max. torque, wood/steel (Nm) | 10/25 |
| Bit holder | SDS-Plus |
| Single impact energy (J) | 1,8 |
| Lithium-ion battery capacity (Ah) | 5,2 |
| Weight with Li Ion battery pack (kg) | 2,6 |
| | |



| Scope of delivery | Order no. |
|--|-----------|
| additional side handle, depth stop, in SYSTAINER SYS 2 T-LOC | |
| BHC 18 Li-Basic battery pack not included, without charger | 574723 |
| BHC 18 Plus-TCL6 AUS 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 575006 |

Lightweight and mobile.

With the BHC 18 you save energy and can work effortlessly. With extremely high impact energy and integrated vibration damping, which absorbs the impact energy before it is transferred to the hands, the BHC 18 sits easily and smoothly in the hand.

Find the entire Festool drilling and screw-driving range from page 216 $\,$



Battery and charging technology from page 10



Cordless drill QUADRIVE DRC 18/4





QUADRIVE DRC 18/4





Compact with powerful torque.

- ▶ Brushless EC motor for maximum service life, extremely efficient
- ▶ 4-speed gearbox capable of 3800 rpm for rapid, clean drilling results
- ► The all-purpose solution for high-torque screwdriving and drilling with large diameters.
- Independently activated LED lighting and a battery charge indicator.

Technical data

| Battery voltage (V) | 18 |
|---|---------------------|
| Gears | 4 |
| No-load speed, 1st gear/2nd gear (min ⁻¹) | 0 - 400/0 - 850 |
| No-load speed, 3rd/4th gear (min ⁻¹) | 0 - 1.850/0 - 3.800 |
| Max. torque, wood/steel (Nm) | 40/60 |
| Drilling Ø (wood/steel) (mm) | 50/13 |
| Chuck range (mm) | 1,5 – 13 |
| Lithium-ion battery capacity (Ah) | 5,2 |
| Weight with Li Ion battery pack (kg) | 1,9 |
| | |



= Electronic

Sturdy and mobile.

60 Nm torque in 1st gear for powerful screw-driving, 3800 rpm in 4th gear for precise drilling; also long-lasting and extremely tough. Whether for wood or metal, everyone who uses the QUADRIVE series loves it, with its combination of unstoppable force and absolute precision. Plus a FastFix interface for quick, no-tools attachment of a CENTROTEC chuck, keyless chuck, angle attachment or socket adapter.

| Scope of delivery | Order no. |
|---|-----------|
| CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, additional side handle, in SYSTAINER SYS 2 DF T-LOC | |
| DRC 18/4 Li-Basic battery pack not included, without charger | 574695 |
| DRC 18/4 Plus-TCL6 AUS 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 575010 |
| | |


Find the entire Festool drilling and screw-driving range from page 216

System accessories from page 235















Brushless EC-TEC motor for a long service life and high efficiency

QUADRIVE PDC 18/4

The all-rounder with impact force.

- ▶ Brushless EC motor for maximum service life, extremely efficient
- ► EC-TEC motor combined with high-quality lithium-ion battery technology for up to 100% greater fastening capacity
- ▶ 4-speed gearbox capable of 3800 rpm for rapid, clean drilling results
- Independently activated LED lighting and a battery charge indicator.

Technical data

| Battery voltage (V) | 18 |
|--|---------------------|
| Gears | 4 |
| No-load speed, 1st gear/2nd gear (min ⁻¹) | 0 - 400/0 - 850 |
| No-load speed, 3rd/4th gear (min ⁻¹) | 0 - 1.850/0 - 3.800 |
| Max. impact rate (min ⁻¹) | 76.000 |
| Max. torque, wood/steel (Nm) | 40/60 |
| Drilling Ø (wood/steel) (mm) | 50/13 |
| Drilling diameter in brickwork (mm) | 10 |
| Chuck range (mm) | 1,5 – 13 |
| Lithium-ion battery capacity (Ah) | 5,2 |
| Weight with Li Ion battery pack (kg) | 2 |
| A PAST OF THE PAST | |



= Electronic

| Scope of delivery | Order no. |
|---|-----------|
| CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, additional side handle, in SYSTAINER SYS 2 DF T-LOC | |
| PDC 18/4 Li-Basic battery pack not included, without charger | 574701 |
| PDC 18/4 Plus-TCL6 AUS 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 575012 |



Find the entire Festool drilling and screw-driving range from page 216 $\,$

System accessories from page 235



Drill and driver bits from page 238



Battery and charging technology from page 10



Powerful and mobile.

Like the QUADRIVE DRC 18/4, the QUADRIVE PDC 18/4 offers all the special features and ingenious functions, plus the option of axial impact for drilling in masonry.

Cordless plasterboard screwgun
DURADRIVE DWC 18





DURADRIVE DWC 18



Innovative and mobile.

performance per battery charge.

The DURADRIVE DWC 18 allows you to make series screw connections comfortably and as efficiently as possible. The innovative stopand-go function ensures up to 40% higher

The cordless specialist for plasterboard construction.

- ► Precise electronic shutdown without wear for the correct screw depth and long service life
- ► Energy-saving function for machine start/stop without actuating the main switch
- ▶ Long-life, brushless EC motor for extremely high efficiency and endurance
- Quick, tool-free switchover to the magazine attachment

| Technical data | DW 18-4500 Plus | DW 18-4500 Compact |
|--------------------------------------|--------------------|-----------------------|
| Battery voltage (V) | 18 | 18 |
| Gears | 1 | 1 |
| No-load speed (min ⁻¹) | 0 - 4.500 | 0 - 4.500 |
| Max. torque, wood/steel (Nm) | 5/14 | 5/14 |
| Max. machinable screw length (mm) | 55 | 55 |
| Bit holder | 1/4" | 1/4" |
| Lithium-ion battery capacity (Ah) | 5,2 | 3,1 |
| Weight with depth stop (kg) | 1,9 | 1,6 |
| Weight with magazine attachment (kg) | 2,3 | 2 |




= Electronic

| Scope of delivery | Order no. |
|---|-----------|
| magazine attachment, depth stop, scaffold hook, magnetic bit holder, 2 x bit PH2, long, Phillips bit PH 2, belt clip, in SYSTAINER SYS 2 T-LOC | |
| DWC 18-4500 Li-Basic battery pack not included, without charger | 574747 |
| DWC 18-4500 Li 5,2-Plus AUS battery pack BP 18 Li 5.2 AS, rapid charger TCL 6 | 201565 |

Find the entire Festool drilling and screw-driving range from page 216

System accessories from page 237







Battery and charging technology from page 10





Lighting your way.

- ► Three powerful, energy-saving high-performance LEDs
- ▶ Torch head can be adjusted vertically in nine increments up to 135°
- ► Stable and secure against overturning and can be flexibly secured with belt clip and scaffold hook

Technical data

| Battery voltage (V) | 10,8/18 |
|------------------------------------|------------|
| Lamp | 3 SMD LEDs |
| Lumens (lm) | 43 |
| Weight (without battery pack) (kg) | 0,34 |

| Scope of delivery | Order no. |
|--|-----------|
| SYSLITE UNI | 769079 |
| scaffold hook, without charger, battery pack not included, | |
| in self-service display pack | |

You can find the full Festool lighting range from page 384

Battery and charging technology from page 10



Compact and mobile.

The handy SYSLITE UNI is always at the ready when you need to bring light into dark corners. With its low weight and compact form, it's always a welcome sight. Takes all common Festool batteries.


Work light SYSLITE KAL II



201



SYSLITE KAL II



- ▶ Different charging options for the internal 7.2V battery to ensure maximum readiness for use
- Extremely wide beam angle of 170°
- Long-life and hard-wearing due to impact-resistant enclosure
- ► Compact design flexible positioning without trip hazards from cables



Technical data

| Lamp (W) | 12 x 1,5 |
|---|----------------|
| Lumens, 1st/2nd level (lm) | 310/769 |
| Burn time (internal battery), level 1/level 2 (min) | 90/240 |
| Lithium-ion battery capacity (Ah) | 2,9 |
| Charging time Li Ion battery pack (min) | 200 |
| Rated temperature range for operation (°C) | -5/+ 55 |
| Operation with external Festool battery packs (V) | 10,8 – 18 |
| Hook opening (mm) | 40 |
| Thread size, stand (") | 1/4 |
| dimension (L x W x H) (mm) | 80 x 100 x 150 |
| Weight (without battery pack) (kg) | 0,7 |
| | |

| Scope of delivery | Order no. |
|---|-----------|
| KAL II-Set AUS | 500733 |
| integrated lithium-ion battery 7.2 V, car battery charger, battery | |
| charger 230 V, magnetic spherical head with stand plate, carry bag, | |
| in self-service display pack | |

Bright and mobile.

Stand it up or hang it up, in five different positions: the SYSLITE KAL II lights up the darkest of corners for up to 6 hours non-stop. Its casing is made from shatter-proof, shock-proof and impact-resistant cast aluminium – tough enough for any work site. The wide beam angle of 170° lights up the working surface evenly over a wide area.

You can find the full Festool lighting range from page 384

System accessories from page 391



Battery and charging technology from page 10





Perfect sound, in a perfect package. Now also in a DAB+ model.

- ▶ Versatile reception and playback options via Bluetooth and AUX-IN jack available as analog or digital radio
- Integrated USB port for charging external devices such as mobile devices (BR 10 DAB+)
- Outstanding sound in a compact, modern and rugged design
- Intuitive operation with large buttons and colour LCD display

| Technical data | BR10 DAB+ | BR 10 |
|--|--------------------|-----------------|
| Radio reception | DAB+ digital radio | FM analog radio |
| FM frequency band (VHF) (MHz) | 87,5 – 108 | 87,5 – 108 |
| Speaker (W) | 10 | 10 |
| Operation with Festool push-in battery packs (V) | 18 | 18 |
| Number of stored stations | 2 x 4 | 4 |
| Aux-in socket (mm) | 3,5 | 3,5 |
| Bluetooth standard | 4,1 | 4,1 |
| USB output | 5V/1,2A | - |
| dimension (L x W x H) (mm) | 95 x 102 x 149 | 94 x 102 x 149 |
| weight (kg) | 0,7 | 0,7 |







| Scope of delivery | Order no. |
|---|-----------|
| battery charger 230 V, aux-in cable, in bag | |
| BR10 DAB+ AUS | 202113 |
| DAB+ digital radio | |
| BR 10 AUS | 200186 |
| FM analog radio | |







Powerful and mobile.

The SYSROCK site radios fit on any windowsill and combine compact dimensions and low weight with a perfect sound. And thanks to the Bluetooth interface, you can listen to not only your favourite radio stations, but also the great songs on your smartphone in SYSROCK-quality sound.

Battery and charging technology from page 10



