

Workplace organisation

Compact Module System CMS	396
Multifunction table MFT 3	398
Vacuum clamping system VAC-SYS	399
Guide rail FS/2	400
Dual suction pad GECKO	401
Vacuum clamping nozzle CT WINGS	402
Boom arms ASA	403
Energy box EAA	404
Work centre WCR 1000	405
Multi-function stool MFH 1000, UCR 1000	406
Toolcenter TC 3000/2	407
Worksite radio SYSROCK BR 10, BR 10 DAB+	408
Power distributor SYS-PowerHub	409
Storage systems SYSTAINER, SORTAINER, SYS-ToolBox	410
Transportation systems SYS-Port, SYS-Roll, SYS-Cart	411
Accessories and consumable materials	412
The Festool system	

Workplace organisation

The CMS Compact Module System

CMS Compact Module System. Open to change.

Five machines in one. Stationary or handheld. Covers 0.5 m². Only possible with a system. The CMS Compact Module System consists of a basic unit and compatible modules that transform the unit into a stationary bench-mounted saw, jigsaw, bench-mounted router or belt sander.

Safe and convenient.

The machines can be switched on and off from the basic unit.

Mobile and stable.

At only 10.8 kg, the basic unit is extremely lightweight yet robust.

Adjustable height.

Foldaway legs on the basic unit allow you to work on the floor or standing up.

Easy to extend.

A comprehensive selection of accessories such as the sliding table, angle stop and extension table are available so the CMS can be adapted for a wide range of applications.

CMS modules



TS 55 R Plunge-cut saw
Page 40



Module mounting CMS-TS 55 R
Page 43



Module CMS-MOD-TS 55-R
Page 43



TS 75 Plunge-cut saw
Page 42



Module mounting CMS-TS 75
Page 43



Module CMS-MOD-TS 75
Page 43



Router OF
Page 248



Module mounting CMS-OF
Page 252



Pendulum jigsaws PS
Page 36



Module mounting CMS-PS
Page 39
ADT-PS 400 adapter table
Page 62



(PS 420/400)




All modules in the established Basis-Plus System can be combined with the basic unit of the CMS, except for the Basis 1 A module.



Module CMS-MOD BS 120
Page 119

Workplace organisation

The CMS Compact Module System



Basic unit

Bench-mounted machine

+

+

+

+

+



Technical data

Table height, legs unfolded	900 mm
Table height, legs folded away	316 mm
Table dimensions	585 x 400 mm
Weight	10.8 kg

Scope of delivery

Basic unit CMS-GE
 Basic unit for fitting CMS modules,
 foldaway legs, main safety switch,
 cable holder/workpiece holder,
 cable and socket

Order no.

561230

=



Bench saw CMS-TS 55 R Set
Page 43

=



Bench saw with TS 75

=



Bench-mounted router TF 2200 Set
Page 253

TF 1400 set
Page 253

Bench-mounted router with OF 1010

=



Bench-mounted jigsaw with PS

=



Bench-mounted belt sander with BS 120

Workplace organisation

Multifunction table MFT 3

MFT 3



Always the right accessories.

Everything is secured safely in place, from guide rails to combination bevellers. The MFT/3 extension allows the insertion of all CMS modules, while the sliding table enables cross cuts with a maximum width of 830 mm.



1 table. 1000 possibilities.

- ▶ maximum precision – with aluminium profile for retaining a guide rail and the angle stop
- ▶ Angle stop, stop slide and additional clamping device ensure exact results
- ▶ Ergonomic work positioning thanks to the table height of 90 cm
- ▶ Mobile use of the MFT 3 through space-saving foldaway legs

Technical data

table dimensions (mm)	1.157 x 773
Table height, legs folded away (mm)	180
Table height, legs unfolded (mm)	900
Maximum workpiece thickness (mm)	78
max. workpiece width (mm)	700
load capacity (kg)	120
weight (kg)	28

Scope of delivery

Order no.

MFT/3

table with perforated top and fold-away legs, hinged rail adapter, rail support adapter, mitre guide, adjustable stop, FS 1080/2 guide rail, FS-AW deflector, fence support clamp, in carton

495315

MFT/3 Basic


table with perforated top and fold-away legs, in carton

500608

MFT/3 CMS Table Ext AUS

574879

System accessories from page 415





VAC SYS



The future of clamping.

- ▶ Workpieces can be turned up to 360° and swivelled up to 90°
- ▶ Sensitive surfaces can be clamped without damaging them
- ▶ powerful control – each clamping unit can secure workpieces up to 30 kg and 1 x 1 m
- ▶ for mobile use – pump and clamping units are stored in a SYSTAINER for easy transportation

Technical data

Power consumption at 50 Hz min. (W)	160
Power consumption at 50 Hz max. (W)	200
power consumption at 50 Hz (W)	160 – 200
power consumption at 60 Hz (W)	200 – 230
pump capacity at 50 Hz (m³/h)	2,7
pump capacity at 60 Hz (m³/h)	3,5
minimum vacuum	≥ 81% / ≥ 810
weight (kg)	8



Scope of delivery	Order no.
VAC SYS SE 2 vacuum pad VAC SYS VT 275 x 100 mm, vacuum hose, connector, in SYSTAINER SYS 4	580062
VAC SYS Set SE1 AUS vacuum hose, vacuum pump VAC SYS VP, vacuum clamping unit VAC SYS SE1, foot release valve	201658
VAC SYS VP AUS in carton	201657

Pads replaced without using tools.

There are four pad sizes for different workpieces to choose from and they can be replaced quickly with FastFix.

13


System accessories
from page 416



Workplace organisation

Guide rail FS/2

The guide rail is available in 8 different lengths, from 800 mm to 5000 mm.



FS/2



Suitable for furniture construction.

A router and guide rail with rows of holes simplify the installation of shelves or fittings.


Flawless guidance.

- ▶ zero-play guidance – you can adjust the guidance jaws on the circular saw to fit the guide rail without using tools
- ▶ splinter-free cuts – the splinter guards positioned directly on the scribe line prevent the edges from splintering, even on angled cuts.
- ▶ precision results – the router guide stop was designed for precision grooves
- ▶ quick for diagonal cuts – with guide rail and combination bevel, angles are easy to transfer from the workpiece or wall

Scope of delivery	Order no.
in carton	
FS 800/2	491499
FS 1080/2	491504
FS 1400/2	491498
FS 1900/2	491503
FS 2400/2	491502
FS 2700/2	491937
FS 3000/2	491501
FS 5000/2	491500
FS 1400/2-LR 32	496939
FS 2424/2-LR 32	491622

FS 800/2 = length 800 mm, FS 1080/2 = length 1080 mm, FS 1400/2 = length 1400 mm etc.
FS 1400/2-LR 32 and FS 2424/2-LR 32 = guide rails with rows of holes 32 mm apart.

System accessories from page 418





GECKO


Solid hold, easy release.

- ▶ ergonomic – the torsionally rigid handle makes it much easier to lift heavy loads
- ▶ retains the position, preserves the material – special sliding rings mounted on both suction cups allow you to position the GECKO precisely and release it just as easily
- ▶ secure hold – the green clamping levers provide quick and reliable suction. For a loading capacity of 50 kg
- ▶ designed for a system – the GECKO can be mounted directly to a guide rail using the guide rail adapter



Technical data	
load capacity (kg)	50
Scope of delivery	
in self-service display pack	Order no.
GECKO DOSH	492617
GECKO DOSH-Set adapter DOSH-FSAD, dual suction pad GECKO DOSH	493507

System accessories
from page 418



Designed for a system.

The GECKO can be mounted directly to a guide rail using the guide rail adapter.

Workplace organisation

Vacuum clamping nozzle CT WINGS



CT WINGS



Assembly aid through suction force.

The practical assembly aid for clamping and fixing workpieces on horizontal and vertical areas. Simply position CT WINGS at a 27 mm suction hose with machine sleeve, switch on the mobile dust extractor and then the workpiece is held in place with the suction power.

The third hand. Precisely when you need it.

- ▶ in many cases replaces the assistant when it comes to having a free hand for marking, clamping, gripping, etc.
- ▶ for effortless, precise and safe work
- ▶ small, compact and always at hand
- ▶ perfect in the system – in combination with a Festool mobile dust extractor and suction hose with 27 mm diameter

Technical data

max. clamping height (mm)	50
max. load (kg)	3
dimension (L x W x H) (mm)	130 x 80 x 50
weight (kg)	0,35

Scope of delivery

CT-W
in self-service display pack

Order no.

500312

CT mobile dust extractors
from page 178





For large working areas.

- ▶ Maximum flexibility, extra safety, no dangerous obstacles
- ▶ For use with Festool CT/SRM mobile dust extractors
- ▶ Integrated compressed air and electrical lines for connection to EAA and CT
- ▶ Saves time, space and increases economic efficiency

Technical data	ASA 5000	ASA 6000
Connecting line length (m)	3	3
Boom extension (m)	2 x 2,5	2 x 3
Range of use (m ²)	39 – 58	56 – 84
weight (kg)	92	105
Cutting angle adjustment (°)	39 – 58	56 – 84


Contact 1300 063 900 for further information.



Workplace changes made easy.

Boom arms are primarily used in locations where workplaces need to be flexible or where a large operating radius is required. Power and dust extraction is supplied where it is needed, while avoiding tripping hazards. This saves you time moving equipment and creates more space in the workshop.

System accessories
from page 417



Workplace organisation

EAA energy box CT/SR



EAA



For more freedom of movement.

- ▶ manual or automatic adjustment of the slide valve provides suction power wherever an electric and/or air tool is currently in operation
- ▶ flexible – the EAA can be mounted on a ceiling, wall or boom arm
- ▶ Always ready for use by up to 2 electric and/or compressed air tools (depending on version EW/DW)
- ▶ better organisation – two hoses can be stored and kept clean in the hose holders on the rear of the EAA

Technical data


	EAA EW CT/SRM/M	EAA EW/DW TURBO/M
dimension (L x W x H) (mm)	506 x 580 x 367	516 x 580 x 367
Pressure range (bar)	4 – 8	4 – 8
weight (kg)	10,2	13

Thought out in every detail.

The EAA with manually or automatically operated valves for use with the CT mobile dust extractors or the TURBO II central dust extractor saves the user annoying fiddling and running around, and ensures optimal dust extraction. Electric and air tools are ready for use and ready to hand at all times.

Contact 1300 063 900 for further information.

System accessories
from page 417





WCR 1000



Mobility in the tightest of spaces.

- ▶ compact and mobile – the WCR can be coupled with any Festool mobile dust extractor with integral Sys-Doc (except CTL MINI/MIDI)
- ▶ flexible equipment – hooks for hanging two machines with extractor hoses, a universal holder, storage compartment and rotating storage tray for sundries
- ▶ individual extension – additional storage trays, hooks or holders can be mounted on the perforated plate and profiled groove
- ▶ work without straining your back – the height of the Workcenter, hooks and storage trays is easy to adjust

Technical data

length (mm)	1.050
width (mm)	362
height adjustable (mm)	545 – 785
Large square hole pattern (mm)	9,2 x 9,2
Hole inner spacing square hole pattern (mm)	38
weight (kg)	10,2

Scope of delivery

WCR 1000
Storage Shelf, Deposit tray, Deposit base for pegboard, Double tool hook, Double universal hook, 6 x standard hooks (125 mm long), 2 x pegboards with square holes, SYSTAINER holder, in carton

Order no.

497471

Customised configuration.

SYSTAINER sizes 1 to 4 or SORTAINERS can be integrated into the Workcenter.

System accessories from page 420



Workplace organisation

Multifunction stool MFH 1000
and Universalcenter UCR 1000

MFH 1000 /
UCR 1000



Clever, mobile organisation module.

Pull-out drawer that can be locked – for storing accessories, work equipment and personal effects.

Movable seat for efficient work.

- ▶ multifunction stool MFH 1000 + Workcenter WCR 1000 = Universalcenter UCR 1000
- ▶ use the Universalcenter UCR 1000 in mobile applications and benefit from the advantages of the Workcenter WCR 1000
- ▶ pleasant working environment – without the Workcenter WCR, the multifunction stool MFH 1000 is a stable, comfortable seat
- ▶ efficient organisation – hooks and storage trays ensure quick access to machines, accessories and work equipment

Technical data	MFH 1000	UCR 1000
length (mm)		695
dimension (L x W x H) (mm)	695 x 436 x 524	
width (mm)		436
Width of roller (mm)	32	32
height adjustable (mm)		1.031 – 1.271
Roller Ø (mm)	100	100
Large square hole pattern (mm)	9,2 x 9,2	9,2 x 9,2
Hole inner spacing square hole pattern (mm)	38,1	38,1
weight (kg)	27	37

Scope of delivery	Order no.
in carton	
MFH 1000 seat cushion MFH 1000 SK, Assembly set	498967
UCR 1000 Workcenter WCR 1000, multi-function stool MFH 1000 (without seat cushion)	498966

System accessories from page 420





TC 3000/2



Flexibility plus a surface to work on.

- ▶ beneficial organisation – tools, materials and mobile dust extractor are always stored away tidily and close at hand
- ▶ mobile equipment – simple transportation between different locations in the workshop
- ▶ secure attachment – the mobile dust extractor is secured safely in the extractor dock
- ▶ more space – machine and hose holders keep storage areas free for working equipment

Technical data

dimension (L x W x H) (mm)	470 x 1.070 x 960
Storage area (mm)	460 x 990
Storage area working height (mm)	925
weight (kg)	43

Scope of delivery

TC 3000/2
hose holder, non-slip mat, in carton


Order no.

583881

Safety included.

Locking cabinet compartment for size 3 SYSTEMAINERS or smaller provides safe storage for machines and accessories.

System accessories
from page 421



Workplace organisation

Worksite radios SYSROCK BR 10 and BR 10 DAB+



SYSROCK



Light, compact, powerful.

The SYSROCK site radios fit on any windowsill and combine compact dimensions and low weight with a perfect sound. And thanks to the Bluetooth interface, you can listen to not only your favourite radio stations, but also the great songs on your smartphone in SYSROCK-quality sound.

Perfect sound, in a perfect package. Now also in a DAB+ model.


- ▶ Versatile reception and playback options via Bluetooth and AUX-IN jack – available as analog or digital radio
- ▶ Integrated USB port for charging external devices such as mobile devices (BR 10 DAB+)
- ▶ Outstanding sound in a compact, modern and rugged design
- ▶ Intuitive operation with large buttons and colour LCD display

Technical data	BR10 DAB+	BR 10
Radio reception	DAB+ digital radio	FM analog radio
FM frequency band (VHF) (MHz)	87,5 – 108	87,5 – 108
Speaker (W)	10	10
Operation with Festool push-in battery packs (V)	18	18
Number of stored stations	2 x 4	4
Aux-in socket (mm)	3,5	3,5
Bluetooth standard	4,1	4,1
USB output	5V/1,2A	–
dimension (L x W x H) (mm)	95 x 102 x 149	94 x 102 x 149
weight (kg)	0,7	0,7



Scope of delivery	Order no.
battery charger 230 V, aux-in cable, in bag	
BR10 DAB+ AUS DAB+ digital radio	202113
BR 10 AUS FM analog radio	200186

Battery and charging technology from page 10





SYS-PowerHub

The first cable reel with corners and edges, and integrated into a system.

- ▶ Tidy: the hardwired, 10 m long power cable conveniently stows inside for transport. The SYS-PowerHub also provides space for battery packs or small parts
- ▶ Supplies power to up to four electric tools at the same time. If required, a device like a mobile phone can also be charged on the inside, where it is safely protected
- ▶ With two cable outlets, it can be coupled to other Systainers even when closed
- ▶ When connected to the power supply, the red light on the front indicates that the device is ready for operation



Technical data

IEC Class	IP44
Cable length (m)	10
Power consumption (W)	2.500
Number of electrical sockets	5
dimension (L x W x H) (mm)	396 x 296 x 157,5
weight (kg)	4,2

This product is not available in Australia.

A whole new generation of power distribution.

The new SYS-PowerHub combines all the benefits of conventional cable reels with the advantages of the Festool Systainer system. With its 10 m long cable and four 230 V electrical sockets fitted on the outside, it gives you the independence you need when connecting your electric tools.

Workplace organisation

SYSTAINER T-LOC, SORTAINER, SYS-ToolBox

Simply tidier, more clearly arranged and better organised.

SYSTAINERS and SORTAINERS from Festool.

SYSTAINER/SORTAINER – can be stacked/connected, extremely robust and virtually indestructible.

Machines, accessories and consumable materials are protected from dust, splash water, extreme fluctuations in temperature and impacts. All your sundries and consumables are stored tidily and are easier to transport – size 1 and 2 SYS T-LOC units can even be carried upright with the attachable additional handle (accessory).

SYS-ToolBox – the open SYSTAINER for instant access.

A robust design made from high-quality plastic provides a maximum load capacity of 7 kg. Two spacious compartments keep your workplace tidy and an open top gives quick access to hand tools, consumable materials and accessories.



Combines three functions.

The central control element of the SYSTAINER: Lock, open, connect with a single turn.



Secure connection.

In combination with a SYSTAINER or a mobile dust extractor, Systainer-Port and Workcenter WCR.



Easy to open.

The new SYSTAINER T-LOC can be opened at any time without having to be disconnected.



Everything at a glance – the drawers of the SORTAINER offer lots of space for sundries..

1. Individual compartments and additional labelling options provide a better overview.
2. The pull-out catch and individual drawer locking prevent accidental removal of the drawers.
3. A range of different sizes and a modular drawer system offer a SORTAINER to suit every requirement.



Workplace organisation

SYS-Port, SYS-Roll, SYS-Cart



Good for quick transportation.

Everything in its place, stored close at hand at all times. The Systainer-Port, roll board and SYS-Roll SYSTAINER transporter provide greater mobility at the workplace and on assembly sites.



How many SYSTAINERS fit in a SYS-PORT?

Combination options

SYSTAINER size	SYS-PORT 500/2						SYS-PORT 1000/2																																		
	Number of SYSTAINERS						Number of SYSTAINERS																																		
Version	1	2	3	4	5	6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
SYS 1 T-LOC/DF*	3	2	1				8	6	6	5	5	4	4	3	3	3	3	2	2	2	2	2	1	1	1											2	4	1	1		
SYS 2 T-LOC/DF*		1	2	1				1	2	1	1	2	3		1	2	4					2	3	1	1	2	3	4	5									2			
SYS 3 T-LOC/DF*			1	1					1		1	2	1	1	2			3				2	1	2		3	1	1		4	1	1					2				
SYS 4 T-LOC					1					1		1		1	1						2		1	2		1	1					2				1					
SYS 5 T-LOC																																			1	1	2	1	1		
Drawers required**	3	3	2	2	2	1	8	7	7	7	6	6	6	6	5	6	6	5	5	5	5	6	5	4	5	5	4	3	4	4	4	5	5	4	3	4	5	2	3	3	4

* DF = Lid compartment ** The SYS-PORT 500/2 is supplied with 3 drawers, the SYS-PORT 1000/2 with 5 drawers.

From machines to sundries. From the workshop to the assembly site.

	SYSTAINER 1-5 SYS-MFT SYS-Combi	SORTAINER	SYS-ToolBox SYS-Storage- Box	MAXI- SYSTAINER	MIDI- SYSTAINER	MINI- SYSTAINER	SYS-Roll	SYS-Cart	Systainer-Port SYS drawer
Organisation/Storage									
Power tools	1)	2)		1)					3)
Sundries	1)					1)			3)
Abrasives	1)								3)
Cartridges	1)								3)
Hand tool	1)								3)
Combinations									
SYSTAINER 1-5									
SORTAINER									
SYS-ToolBox I/II									
MAXI-SYSTAINER									
MIDI-SYSTAINER									
MINI-SYSTAINER									
SYS-Roll									
SYS-Cart									
Systainer-Port									
Mobile dust extractors									
Use/Transportation									
Workshop									
Construction site									

● Ideal

○ Very suitable

○ Suitable

1) In combination with insert 2) Only with Sys 3-Sort/4
3) In combination with a suitable SYSTAINER or SORTAINER

The Festool system.

Because things work better when everything fits together:
Workplace organisation is at least as important as an accurate
power tool, because ultimately almost inexhaustible potential lies
behind this. The Festool system always creates a tidy environment
and guarantees better organisation.




Workplace organisation

Accessories and consumable materials




Workplace organisation

System accessories



Accessories for Compact Module System CMS

Denomination	Explanation	Order no.
1 Extension table VL	for CS 50, CMS-GE, simple fitting, fold-away, for safe support of long workpieces when sawing to width, extends the support area by 405 mm, dimensions 375 x 454 mm, dimensions length x width 375 x 454 mm, in carton	492092
2 Extension table VB-CMS	for CMS-GE, with adjustable dimension scale, extends the support area by 410 mm, cutting width 570 mm, dimensions length x width 664 x 438 mm, in carton	493822
3 Support AF	for CS 50, CMS-GE, support for both side use, supports workpieces while cutting, extends the support area by 300 mm, dimensions length x width 662 x 390 mm, in carton	492242
4 Rip fence LA-CS 50/CMS	for CS 50, CMS-GE, with fine depth adjustment and rear clamp, can be operated from front, with moveable stop profile for precise and safe longitudinal cuts, in carton	492095
5 Sliding table ST	for CS 50, CMS-GE, max. working width for trimming cuts 830 mm, in carton	492100
6 Mitre guide WA	for CS 70, CS 50, CMS-GE, for work requiring 2 stops, in carton	488451
7 Adjustable stop WA-AR	for CS 50, CS 70, to stop workpieces on trimming attachment CS 70 WA, CS 50 WA and Basis WRA 500, in self-service display pack	491712
8 Dust extraction set CS 70 AB	for CT/CTM, comprising: dust extraction hose D27x2.0 m, dust extraction hose D36x1.0 m, Y terminal, can be used with Basis, CS 70, CS 50 and CMS, dust extraction with MINI / MIDI only possible with adapter hose 499196, diameter 27 /36 mm, in carton	488292
Adapter hose AD-D 36/CS50/CS70/CMS	for CS 50, CS 70, CMS, 0.5 m hose D36 with two rotating adapters and antistatic connector sleeve D50/D50 VM-AS, for Y-connector together with CTL MINI/MIDI, diameter 36 mm, length 0.5 m, in carton	499196
9 Saw blade holder SGA	for CS 50, CMS-GE, for safe and space-saving storage of up to 4 saw blades (max. Ø 190 mm) and up to 3 splinterguards (not in scope of delivery), in carton	492228
10 Roller stand RB	for trimming and mitre saws and Compact Module System (CS/KS/CMS), for use with CS 50, CS 70, CB 120, System Basis Plus, CMS-GE, multifunction table, for supporting long workpieces when cutting and sanding, height adjustable 630 – 1.000 mm, in carton	488711
11 Guard BF-OF-CMS	for CMS-OF 1010, for CMS-OF 1400/OF 2000/OF 2200, guard and extractor hood, connection Ø for dust extraction 27/36 mm, in carton	494643
12 Rebating head FK D 50x30	for CMS-OF, for use with cutter spindles, diameter 50 mm, in self-service display pack	489284
13 Cutter spindle ASL20/OF1400-OF2200	for CMS-OF 1400/OF 2000/OF 2200, for use with rebating head Basis FK D 50x30 in the Basis 6 A and CMS-OF, in self-service display pack	490131
Cutter spindle ASL20/OF1010	for CMS-OF, for use with rebating head Basis FK D 50x30 in the Basis 5 A and CMS-OF 1010, in self-service display pack	489285
14 Reversible blade WP 30x12x1,5	for rebating head, qty. in pack 2 piece(s), in self-service display pack	489286




Accessories for multifunction table MFT 3

Denomination	Explanation	Order no.
1 Cross brace MFT 3-QT	for additional MFT 3 stability, qty. in pack 2 piece(s), diameter 20 mm, length 675 mm, in carton	495502
2 Additional clamp MFT/3-ZK	for securing the stop rail to the V-groove, in self-service display pack	495541
3 Fixed clamps MFT-SP	for MFT, for safe and precise securing of the workpiece (sawing, sanding, routing, drilling, etc.), qty. in pack 2 piece(s), in self-service display pack	488030
4 Fastening clamp FSZ 120	for FS/2, MFT, solid steel version, clamping capacity 120 mm, qty. in pack 2 piece(s), in self-service display pack	489570
Fastening clamp FSZ 300	for FS/2, MFT, solid steel version, clamping capacity 300 mm, qty. in pack 2 piece(s), in self-service display pack	489571
5 Lever clamp FS-HZ 160	for FS/2, MFT, solid steel version, clamping capacity 160 mm, in self-service display pack	491594
7 Connector VS	for attachment of FST660/85 or MFT 800 to Basis Plus, for joining MFT/3s together, in self-service display pack	484455
8 Adapter VAC SYS AD MFT 3	for VAC SYS SE 1, VAC SYS SE 2, to connect the VAC SYS clamping unit with the MFT 3, in carton	494977
9 Adjustable stop MFT/3-AR	for securing workpieces on the angle stop, Can be folded away, in self-service display pack	495542


Workplace organisation

System accessories



Accessories for vacuum clamping system VAC SYS

Denomination	Explanation	Order no.
1 Vacuum pad VAC SYS VT 200x60	for VAC SYS SE 1, VAC SYS SE 2, pad dimensions 200 x 60 mm, in carton	580064
2 Vacuum pad VAC SYS VT 277x32	for VAC SYS SE 1, VAC SYS SE 2, pad dimensions 277 x 32 mm, in carton	580065
3 Vacuum pad VAC SYS VT 275x100	for VAC SYS SE 1, VAC SYS SE 2, pad dimensions 275 x 10 mm, in carton	580066
4 Vacuum pad VAC SYS VT D 215	for VAC SYS SE 1, VAC SYS SE 2, diameter 215 mm, in carton	580067
6 Adapter VAC SYS AD MFT 3	for VAC SYS SE 1, VAC SYS SE 2, to connect the VAC SYS clamping unit with the MFT 3, in carton	494977
7 Foot release valve VAC SYS FV	for VAC SYS SE 1 or combination of VAC SYS SE 1 with VAC SYS SE 2, for releasing the vacuum pad, in carton	580063
8 Vacuum hose D 16 x 5m VAC SYS	for VAC SYS Set SE 1 and VAC SYS SE2, for extension, length 5 m, in carton	495293
9 Vacuum unit VAC SYS SE 2	vacuum pad VAC SYS VT 275 x 100 mm, vacuum hose, connector, power consumption at 50 Hz min. 160 W, power consumption at 50 Hz max. 200 W, power consumption at 50 Hz 160 – 200 W, power consumption at 60 Hz 200 – 230 W, pump capacity at 50 Hz 2,7 m³/h, pump capacity at 60 Hz 3,5 m³/h, minimum vacuum ≥ 81%/ ≥ 810, weight 8 kg, in SYSTAINER SYS 4	580062
10 Accessories SYSTAINER VAC SYS VT Sort	for VAC SYS SE 1, VAC SYS SE 2, VAC SYS VT 200x60, VAC SYS VT 277x32, vacuum pad VAC SYS VT 275 x 100 mm, also provides space for the VAC SYS VT D 215, in SYSTAINER SYS 3	495294




Accessories for ASA boom arms and EAA energy boxes

Denomination	Explanation	Order no.
1 Ceiling installation EAA-D-EU	for energy boxes (from years up to 2008), cable assemblies 2.5 m, compressed air hose 2.5 m, holder, aluminium tube (1310 mm) with reducing sleeve, in carton	495890
2 Wall mounting EAA-W-EU	for energy boxes (from years up to 2008), cable assemblies 4 m, compressed air hose 4 m, aluminium tube (350 mm) with reducing sleeve, installation set for energy boxes, in carton	495889
3 Boom arm ASA 5000 CT/SR-EU	for CT extractors and SRM extractors, dual-articulated arm system with wall mounting bracket, cable duct, hardware for securing mounting bracket to wall is not included, connecting line length 3 m, boom extension 2 x 2,5 m, range of use 39 – 58 m ² , weight 92 kg, cutting angle adjustment 39 – 58°, in carton	This product is not available in Australia.
4 Sandpaper holder SH-EAA	without mounting hardware, for abrasives up to Ø 150 mm, in carton	496044
5 Energy box module EAA CT 26/36/48	for CT 26/36/48, to connect a CT mobile dust extractor with the energy box / boom arm, dust extractor must not be LE model, in carton	496143
6 IAS 3 hose	from page 148	


Workplace organisation

System accessories



Accessories for the guide rail FS/2

Denomination	Explanation	Order no.
1 Quick-action clamp FS-RAPID/R	for clamping and positioning Festool guide rails FS, FS/2 and GRP/2, Clamping jaws, fixed jaw, in self-service display pack	489790
Quick-action clamp FS-RAPID/L	for the use of SSU 200, IS 330 with guide rail, for clamping and positioning with Festool guide rails, fixed jaw, Clamping jaws, in self-service display pack	768116
2 Fastening clamp FSZ 120	for FS/2, MFT, solid steel version, clamping capacity 120 mm, qty. in pack 2 piece(s), in self-service display pack	489570
Fastening clamp FSZ 300	for FS/2, MFT, solid steel version, clamping capacity 300 mm, qty. in pack 2 piece(s), in self-service display pack	489571
3 Lever clamp FS-HZ 160	for FS/2, MFT, solid steel version, clamping capacity 160 mm, in self-service display pack	491594
4 dual suction pad GECKO DOSH	from page 401	
Adapter DOSH-FSAD	to fix the guide rail at the GECKO, in self-service display pack	492616
5 Accessories set FS-SYS/2	2 x Screw clamp, FSZ 120, FS-AW deflector, combination angle FS-KS, set-back stop FS-RSP, 2 connecting elements FSV, splinter guard FS-SP 1400, in SYSTAINER SYS 1 T-LOC	497657
6 Combination bevel FS-KS	for FS/2, for angle cuts on guide rail between 0 and 180, in self-service display pack	491588
7 Mitre guide FS-AG-2	for FS/2 and GRP/2, for cuts at precise angles when used together with guide rail, in carton	768168
8 Kickback stop FS-RSP	for TS 55, TS 55 R, TSC 55, TS 75, HKC 55, HK 55, ATF 55, AP 55, AT 65, AP 65, AP 85, can also be used as guide stop, used as a rear and front stop position on guide rail FS/2, in self-service display pack	491582
9 Splinter guard FS-SP 1400/T	replacement splinterguard for guide rails, transparent, length 1.400 mm, in self-service display pack	495207
Splinter guard FS-SP 5000/T	replacement splinterguard for guide rails, transparent, length 5.000 mm, in self-service display pack	495209
10 Slideway lining FS-GB 10M	replacement slideway lining for guide rail, 10 m length, in self-service display pack	491741
11 Adhesive cushion strip FS-HU 10M	10 m roll, replacement adhesive cushion strips for guide rails FS and FS/2, in self-service display pack	485724




Accessories for the guide rail FS/2

Denomination	Explanation	Order no.
12 Bag FS-BAG	carrying bag with shoulder straps, up to length of FS 1400/2, in a bag	466357
13 Deflector FS-AW	prevents suction hoses and cables from catching on the end of the guide rail, in self-service display pack	489022
14 Rip fence LA-LR 32 FS	positions the first hole on the hole series guide rail at a distance of 9.5, 16 or 32 mm from the workpiece edge, qty. in pack 2 piece(s), in self-service display pack	496938
15 Adjustable shelving guide system for FS/2	from page 257	
16 Connector FSV	to connect guide rails for long workpieces, qty. in pack 1 piece(s), in self-service display pack	482107
17 Parallel side fence FS-PA	for FS/2, for sawing along the width, same dimensions may be re-set using the scale and end stop, mounting on the guide rail without the use of tools, stop ruler with additional clamp, adjustable stop, max. workpiece width 650 mm, qty. in pack 2 piece(s), in self-service display pack	495717
18 Guide extension FS-PA-VL	for FS/2, only for use with the FS-PA, bridge, stop ruler, scale, max. workpiece width 195 mm, max. material strength 70 mm, qty. in pack 2 piece(s), in self-service display pack	495718
19 Guide rail adapter FS-PS/PSB 300	for PS 200, PS 300, PSB 300, PS 2, allows use of jigsaws with FS and FS/2 guide systems, in self-service display pack	490031
Adapter table ADT-PS 420	for PS(C) 400/420, PSB(C) 400/420, for using the PS on the guide rail, for installation in the Compact Module System CMS, in conjunction with circle cutting attachment KS-PS 400, in self-service display pack	497303
20 Guide rail adapters for routers	from page 267	

Workplace organisation

System accessories




Accessories for Workcenter WCR 1000, Universalcenter UCR 1000, multifunction stool MFH 1000


Denomination	Explanation	Order no.
1 Feather key WCR 1000 PF 2x	for WCR 1000, UCR 1000, The feather keys permit fitting of individual accessories in the profile groove, 2x parallel keys including screws, in self-service display pack	497476
2 Pegboard hooks HSK LWH HSK-A	for WCR 1000, MFH 1000, UCR 1000, to hold hand-sanding blocks HSK-A 80x130, HSK-A 80x200 and HSK-A 115x226, not suitable for hand-sanding block HSK-A 80x400, the protective coating prevents damage, dimensions length x width 38,1 x 38,1 mm, in carton	498968
3 Tool hook WCR 1000 WH	for WCR 1000, UCR 1000, For attaching two tools, For use as a hose holder, in carton	497474
4 Hook WCR 1000 SHQ	for WCR 1000, UCR 1000, Standard hook for fastening to the pegboard, qty. in pack 6 piece(s), in self-service display pack	497475
5 Holder for spray gun WCR 1000 LPH	for Workcenter WCR 1000, holder for a paint gun, for mounting in profiled slot on the Workcenter WCR 1000, 2x screw, 2x square nut, dimension (L x W x H) 148 x 76 x 60 mm, weight 0,5 kg, in carton	498361
6 Deposit base WCR 1000 AB	for WCR 1000, UCR 1000, Large deposit base for storing small parts, abrasive sheets, screw boxes, etc., in carton	497477



TC 3000/2



SYSROCK BR 10



Accessories for Toolcenter TC 3000/2










Denomination	Explanation	Order no.
1 Rear panel TC 3000 RW	for Toolcenter TC 3000, TC 3000/2 including 10 storage hooks, dimensions length x width 990 x 340 mm, in carton	452986
2 Tool holder WHR/D-TC	for TC 2000, TC 3000, TC 3000/2, for safe, ergonomic storage of two electric and air tools at the same time, in carton	493415
3 Hose holder TC-SH	for TC 2000, TC 3000, TC 3000/2, for retrofitting TC 3000, in carton	487304
4 Service unit VE-TC 3000	for Toolcenter TC 2000, TC 3000, for compressed air supply to mobile dust extractors CT 22/33 and SR 151, SR 200-series dust extractors in LE version, in carton	454808

Accessories for site radios SYSROCK BR 10, BR 10 DAB+




Denomination	Explanation	Order no.
1 Battery pack BP 18 Li 5,2 AS	with AIRSTREAM function, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in self-service display pack	200181
Battery pack BP 18 Li 5,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in carton	202479
Battery pack BP 18 Li 6,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 6,2 Ah, weight 0,7 kg, in carton	201797
Battery pack BP 18 Li 3,1 C	compact, lightweight design, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except TSC 55, CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 3,1 Ah, weight 0,4 kg, in self-service display pack	201789
2 Rapid charger TCL 6	for all lithium-ion battery packs (except CXS/TXS), replacement lithium-ion charger for 10,8 – 18 V battery packs, charging current 6 A, input voltage 220 – 240 V, weight 0,8 kg, in self-service display pack	201137
Rapid charger SCA 8	for all lithium-ion battery packs (except CXS/TXS), with AIRSTREAM function, replacement lithium-ion charger for 10,8 – 18 V battery packs, charging current 8 A, input voltage 220 – 240 V, weight 1,1 kg, in self-service display pack	200312
Battery and charging technology	from page 10	

Workplace organisation



System accessories

T-LOC SYSTAINER		Type	Order no.
	SYSTAINER T-LOC 1x cover for label field		
	dimension (L x W x H) 396 x 296 x 105 mm, dimensions with floor stand (L x W x H) 396 x 296 x 112 mm, inner dimensions (L x W x H) 383 x 273 x 75 mm, weight 1,3 kg	SYS 1 TL	497563
			
	dimension (L x W x H) 396 x 296 x 157,5 mm, dimensions with floor stand (L x W x H) 396 x 296 x 164,5 mm, inner dimensions (L x W x H) 383 x 267 x 127,5 mm, weight 1,5 kg	SYS 2 TL	497564
			
	dimension (L x W x H) 396 x 296 x 210 mm, dimensions with floor stand (L x W x H) 396 x 296 x 217 mm, inner dimensions (L x W x H) 382 x 266 x 180 mm, weight 1,8 kg	SYS 3 TL	497565
			
	dimension (L x W x H) 396 x 296 x 315 mm, dimensions with floor stand (L x W x H) 396 x 296 x 322 mm, inner dimensions (L x W x H) 382 x 266 x 285 mm, weight 2,1 kg	SYS 4 TL	497566
			
	dimension (L x W x H) 396 x 296 x 420 mm, dimensions with floor stand (L x W x H) 396 x 296 x 427 mm, inner dimensions (L x W x H) 381 x 265 x 384 mm, weight 2,7 kg	SYS 5 TL	497567
MAXI-SYSTAINER		Type	Order no.
	MAXI-SYSTAINER to connect with SYS 1, SYS 2, SYS 3, SYS 4, SYS 5, SORTAINER		
	dimension (L x W x H) 596 x 390 x 210 mm, inner dimensions (L x W x H) 545 x 330 x 168 mm, weight 4 kg	SYS MAXI	490701
	dimension (L x W x H) 596 x 390 x 157,5 mm, inner dimensions (L x W x H) 545 x 330 x 124 mm, weight 3 kg	SYS MAXI 2	492582
T-LOC MIDI SYSTAINER		Type	Order no.
	MIDI-SYSTAINER T-LOC can be connected to SYS T-LOC, for clearly organised storage of small parts, power tools, hand tools and accessories, dimension (L x W x H) 496 x 296 x 210 mm, inner dimensions (L x W x H) 483 x 267 x 180 mm, weight 2 kg	SYS-MIDI 3 TL	499621
T-LOC MINI SYSTAINER		Type	Order no.
	T-LOC MINI SYSTAINER for clearly organised storage of small parts and hand tools, can be connected to SYS-MINI 1 and 3 TL, cannot be connected to SYS 1, SYS 2, SYS 3, SYS 4, SYS 5, SORTAINER, SYS MINI classic, weight 0,4 kg		
	dimension (L x W x H) 265 x 171 x 71 mm, inner dimensions (L x W x H) 255 x 155 x 53 mm	SYS-MINI 1 TL	499622
			
	dimension (L x W x H) 265 x 171 x 142 mm, inner dimensions (L x W x H) 255 x 155 x 124 mm	SYS-MINI 3 TL	202544






SYSTAINER T-LOC with lid compartment

	Type	Order no.
 <p>SYSTAINER T-LOC DF 1x cover for label field</p> <p>dimension (L x W x H) 396 x 296 x 105 mm, dimensions with floor stand (L x W x H) 396 x 296 x 112 mm, inner dimensions (L x W x H) 383 x 273 x 68 mm, weight 1,5 kg</p>	SYS 1 TL-DF	497851
 <p>dimension (L x W x H) 396 x 296 x 157,5 mm, dimensions with floor stand (L x W x H) 396 x 296 x 164,5 mm, inner dimensions (L x W x H) 383 x 267 x 121 mm, weight 1,7 kg</p>	SYS 2 TL-DF	497852
 <p>dimension (L x W x H) 396 x 296 x 210 mm, dimensions with floor stand (L x W x H) 396 x 296 x 217 mm, inner dimensions (L x W x H) 382 x 266 x 173 mm, weight 2 kg</p>	SYS 3 TL-DF	498390

T-LOC SYSTAINER SYS-Combi

	Type	Order no.
 <p>SYSTAINER T-LOC drawer with flexible partition options for accessories, consumables, small parts etc., inner dimensions of drawer (L x W x H) 350 x 255 x 69 mm</p> <p>combination of classic size 2 SYSTAINER and roomy drawer, dimension (L x W x H) 396 x 296 x 263 mm, dimensions with floor stand (L x W x H) 396 x 296 x 270 mm, inner dimensions of upper compartment (L x W x H) 383 x 267 x 127 mm, weight 3,2 kg</p>	SYS-Combi 2	200117
 <p>combination of classic size 3 SYSTAINER and roomy drawer, dimension (L x W x H) 396 x 296 x 315 mm, dimensions with floor stand (L x W x H) 396 x 296 x 322 mm, inner dimensions of upper compartment (L x W x H) 382 x 266 x 180 mm, weight 3,5 kg</p>	SYS-Combi 3	200118

SORTAINER



	Type	Order no.
 <p>SORTAINER 2 x small drawer (L x W x D) 255 x 75 x 30 mm, medium drawer (L x W x D) 255 x 165 x 30 mm, large drawer (L x W x D) 255 x 348 x 85 mm, 2 dividers per drawer, 6 x label holders, 8 x labels, dimension (L x W x H) 395 x 295 x 210 mm, weight 4 kg</p>	SYS 3-SORT/4	491522
 <p>6 x medium drawer (L x W x D) 255 x 165 x 30 mm, 2 dividers per drawer, 6 x label holders, 8 x labels, dimension (L x W x H) 395 x 295 x 210 mm, weight 4,9 kg</p>	SYS 3-SORT/6	491984
 <p>6 x small drawer (L x W x D) 255 x 75 x 30 mm, 3 x medium drawer (L x W x D) 255 x 165 x 30 mm, 2 dividers per drawer, 9 x label holders, 16 x labels, dimension (L x W x H) 395 x 295 x 210 mm, weight 5,1 kg</p>	SYS 3-SORT/9	491985
 <p>12 x small drawer (L x W x D) 255 x 75 x 30 mm, 2 dividers per drawer, 12 x label holders, 16 x labels, dimension (L x W x H) 395 x 295 x 210 mm, weight 5,3 kg</p>	SYS 3-SORT/12	491986
 <p>three drawers each with 6.7 litre capacity can be customised and partitioned with plastic containers and dividers (plastic containers and small dividers not included), can be connected to all T-LOC and classic Systainers, Sortainers, CLEANTEC dust extractors, dimension (L x W x H) 396 x 296 x 322 mm, weight 5,7 kg</p>	SYS 4 TL-SORT/3	200119

Workplace organisation




System accessories

SYS-ToolBox		Type	Order no.
	SYS-ToolBox for practical transport of hand tools, supplies or accessories, usable surface area 396 x 296 mm		
	dimension (L x W x H) 396 x 296 x 150 mm, height 150 mm, carrying power 7 kg, volume 12,5 l	SYS-TB-1	495024
			
	dimension (L x W x H) 396 x 296 x 257 mm, height 257 mm, carrying power 14 kg, volume 20 l	SYS-TB-2	499550
SYS-StorageBox		Type	Order no.
	SYS Storage Box plastic container, empty, with plastic containers for individual removal, can be connected to the entire Systainer range (except SYS-Mini), 2 x box 60x60x71 SYS-SB, 2 x box 60x120x71 SYS-SB, 1 x box 180x120x71 SYS-SB, dimension (L x W x H) 396 x 296 x 167 mm, height including handle 240 mm, weight 2,5 kg	SYS-SB	499901
Systainer-Port		Type	Order no.
	Systainer-Port no admission for assembly in car, stable full metal body, 5 x labels for drawers, with 3 SYSTAINER telescopic drawers, without SYSTAINER, dimension (L x W x H) 400 x 500 x 500 mm, weight 19 kg, in carton	SYS-PORT 500/2	491921
	Systainer-Port no admission for assembly in car, stable full metal body, 5 x labels for drawers, with 5 SYSTAINER telescopic drawers, 4 castors with ball bearings (of which 2 with locking brake), without SYSTAINER, dimension (L x W x H) 400 x 500 x 1.100 mm, weight 33 kg, in carton	SYS-PORT 1000/2	491922
	Set of castors for SYS-Port, for assembly on SYS-Port, diameter 75 mm, in carton	SYS-PORT R/2	491932
	Telescopic drawer in carton	SYS-PORT/TA/2	491923
Systainer pull-out		Type	Order no.
	Drawer for all Systainers (Classic and T-LOC), for constructing an individualised shelf system, hole grid with 32 mm between holes, dimension (L x W x H) 425 x 376 x 57 mm, max. load 20 kg, in carton	SYS-AZ	500692
	qty. in pack 5 piece(s)	SYS-AZ-Set	500767
	Lock for SYS-AZ, lock with one master key, for retrofitting in the SYS-AZ drawer, locks the individual drawer to the side of the body (one master key), in carton	S-AZ	500693

Means of transport for SYSTAINER

		Type	Order no.
	SYS-Cart for easy transport of Systainers of sizes 1-5 and Sortainers, sturdy handles, 4 swivel castors, 2 of which can be locked, footprint 360 x 520 mm, load capacity 100 kg, roller Ø 100 mm, weight 2,8 kg, in carton	RB-SYS	495020
	SYS-Roll transport of SYS Classic and SYS T-LOC, extra-large wheels (D 200 mm) for ease of movement on stairs, swivelling and lockable front castors – easily steerable in all directions, with safety strap, dimension (L x W x H) 440 x 600 x 1.100 mm, carrying power 100 kg, carrying power 5 kg, castor Ø front 75 mm, castor Ø rear 200 mm, weight 6,5 kg, in carton	SYS-Roll 100	498660






SYSTAINER T-LOC with inlays for abrasives

		Type	Order no.
	SYSTAINER T-LOC		
	with insert for abrasives Ø 125 mm, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 5, SYSTAINER size SYS 1 T-LOC	SYS-STF D125	497685
	with insert for abrasives 80x133 mm, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 6, SYSTAINER size SYS 1 T-LOC	SYS-STF 80x133	497684
	with insert for abrasives STF Delta 100x150, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 5, SYSTAINER size SYS 1 T-LOC	SYS-STF Delta 100x150	497686
	with insert for Ø 90 mm abrasives and 93V abrasives, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 8, SYSTAINER size SYS 1 T-LOC	SYS-STF-D77/D90/93V	497687
	with insert for abrasives Ø 150 mm, dimension (L x W x H) 396 x 296 x 210 mm, number of compartments 10, SYSTAINER size SYS 3 T-LOC	SYS-STF D150	497690
	with insert for abrasive Ø 225 mm, dimension (L x W x H) 396 x 296 x 315 mm, number of compartments 3, SYSTAINER size SYS 4 T-LOC	SYS-STF D225	497691





Workplace organisation

System accessories

SYSTAINER with multi-purpose insert

		Type	Order no.
	SYSTAINER T-LOC with universal insert for bits and pieces, dimension (L x W x H) 396 x 296 x 105 mm, SYSTAINER size SYS 1 T-LOC	SYS 1 UNI	497692
	with single diced foam insert to produce an cut-out of any desired shape, dimension (L x W x H) 396 x 296 x 105 mm, inner dimensions (L x W x H) 383 x 273 x 75 mm, SYSTAINER size SYS 1 T-LOC	SYS 1 VARI	497693
	with diced foam insert to produce a cut-out of any desired shape, dimension (L x W x H) 396 x 296 x 157,5 mm, inner dimensions (L x W x H) 383 x 267 x 127,5 mm, SYSTAINER size SYS 2 T-LOC	SYS 2 VARI	497696
	with foam insert, for safe storage of cutters D 8, D 12, dimension (L x W x H) 396 x 296 x 105 mm, inner dimensions (L x W x H) 383 x 273 x 75 mm, SYSTAINER size SYS 1 T-LOC	SYS-OF D8/D12	497695
	with individual removable plastic containers, plastic container, empty, dimension (L x W x H) 396 x 296 x 105 mm, SYSTAINER size SYS 1 T-LOC	SYS 1 BOX	497694


Plastic containers and inserts for SYS-StorageBox, SYS 1 BOX, SYS-Combi, SYS 4 TL-SORT/

		Type	Order no.
	Plastic containers for SYS Storage Box SYS-SB, qty. in pack: 6, dimension (L x W x H) 60 x 60 x 71 mm, qty. in pack 6 piece(s), in carton	Box 60x60x71/6 SYS-SB	500066
	for SYS Storage Box SYS-SB, qty. in pack: 4, dimension (L x W x H) 60 x 120 x 71 mm, qty. in pack 4 piece(s), in carton	Box 60x120x71/4 SYS-SB	500067
	for SYS Storage Box SYS-SB, qty. in pack: 2, dimension (L x W x H) 180 x 120 x 71 mm, qty. in pack 2 piece(s), in carton	Box 180x120x71/2 SYS-SB	500068
	for SYS-Combi 2, SYS-Combi 3 and SYS 4 TL-SORT/3, plastic containers and compartment dividers for customised drawer partitioning, 8 x box of plastic containers 60 x 60 x 71 mm, 4 x box of plastic containers 60 x 120 x 71 mm, 3 x compartment dividers, 2 x cover pads, in a bag	Set 60x60/120x71 3xFT	201124


Plastic containers and inserts for SYS-StorageBox, SYS 1 BOX, SYS-Combi, SYS 4 TL-SORT/3

		Type	Order no.
	for SYS 1 box, T-LOC, in carton		
	Plastic containers red, containers are empty, for tidy storage and organisation, dimension (L x W x H) 49 x 49 x 71 mm, qty. in pack 12 piece(s)	Box 49x49/12 SYS1 TL	498038
	Plastic containers yellow, containers are empty, for tidy storage and organisation, dimension (L x W x H) 49 x 98 x 71 mm, qty. in pack 6 piece(s)	Box 49x98/6 SYS1 TL	498039
	Plastic containers blue, containers are empty, for tidy storage and organisation, dimension (L x W x H) 98 x 98 x 71 mm, qty. in pack 3 piece(s)	Box 98x98/3 SYS1 TL	498040
	Plastic containers green, containers are empty, for tidy storage and organisation, dimension (L x W x H) 98 x 147 x 71 mm, qty. in pack 2 piece(s)	Box 98x147/2 SYS1 TL	498041
	Plastic containers orange, containers are empty, for tidy storage and organisation, dimension (L x W x H) 49 x 245 x 71 mm, qty. in pack 2 piece(s)	Box 49x245/2 SYS1 TL	498042
	Deep-drawn insert for SYS 1 box, T-LOC, insert for securing and positioning the containers, plastic containers not included, in carton	Box TZE-SYS 1 TL	498043


T-LOC SYSTAINER with insert for hand tools

		Type	Order no.
	SYSTAINER T-LOC the required tool can be found quickly since all hand tools are clearly displayed for the joiner, scope of delivery without tools, wooden insert, installation recommendations, dimension (L x W x H) 396 x 296 x 315 mm, inner dimensions (L x W x H) 382 x 266 x 285 mm, SYSTAINER size SYS 4 T-LOC	SYS-HWZ	497658

SYSTAINER T-LOC SYS-MFT

		Type	Order no.
	SYSTAINER T-LOC 1x cover for label field, can be connected to the entire SYSTAINER range (except SYS MINI), simple, compact transport, lid with MDF plate for clamping and attaching workpieces, dimension (L x W x H) 396 x 296 x 105 mm, dimensions with floor stand (L x W x H) 396 x 296 x 112 mm, inner dimensions (L x W x H) 383 x 273 x 75 mm, weight 2 kg	SYS-MFT	500076



Adjustable shelving set

		Type	Order no.
	Adjustable shelving set for OF 900, OF 1000, OF 1010, OF 1400, for use with adjustable shelving guide rails, guide plate, centering mandrel, operating tool, hinge location cutter cutter HM Ø 35 mm, dowel drill HW Ø 5 mm (V-shaped tip), dowel drill HM Ø 5 mm (with centring bit and pre-cutter), 2 parallel side fences with adjustable stop, Screw clamp, FSZ 120, 2 x Longitudinal stop, in SYSTAINER SYS 1 T-LOC	LR 32-SYS	584100



Workplace organisation

System accessories



Foam inserts for SYSTAINER

		Type	Order no.
	Foam insert for SYS 1-5 T-LOC, dimpled insert (for lid), base insert and diced insert, qty. in pack 3 piece(s), in a bag	SYS-VARI SE TL	497877
	Diced foam insert set for SYS 1-5 T-LOC, diced sections can be pushed out to produce any desired cut-out, qty. in pack 2 piece(s), in a bag	SYS-VARI RM TL	497878




Lids and bottoms for Systainers

		Type	Order no.
	Cover pad in a bag		
	for SYS 1-5 T-LOC, with knobs, dimension (L x W x H) 355 x 245 x 30 mm	SE-DP SYS 1-5 TL	498044
	for SYS MAXI, with knobs, dimension (L x W x H) 560 x 340 x 30 mm	SE-DP SYS-MAXI	491633
	for SYS MIDI 3 TL, dimension (L x W x H) 472 x 247 x 30 mm	SE-DP SYS-MIDI	499617
	for SYS MINI TL, dimension (L x W x H) 247 x 134 x 15 mm	SE-DP SYS-MINI TL	499619
	Base pad in a bag		
	for SYS 1-5 T-LOC, protects the content	SE-BP SYS 1-5 TL	498045
	for SYS MAXI	SE-BP SYS-MAXI	491632
	for SYS MIDI 3 TL, dimension (L x W x H) 480 x 278 x 30 mm	SE-BP SYS-MIDI	499618






Inlays and inserts for SYSTAINER

		Type	Order no.
	Multi-purpose insert for SYS MINI TL, dimension (L x W x H) 258 x 163 x 45 mm, in a bag	TZE-UNI SYS MINI TL	499620
	Cartridge inlay for SYS 5 T-LOC, to store cartridges, height 130 mm, in carton	TZE-KT SYS 5 TL	497876

Other accessories

		Type	Order no.
	Side handle for upright support of SYS 1 T-LOC and SYS 2 T-LOC, in self-service display pack	ZSG -Sys 1/2 TL	497856
	Shoulder strap for CT-SYS and all SYSTAINERS T-LOC, easy transport of the CTL SYS and SYSTAINERS T-LOC, max. load 20 kg, qty. in pack 1 piece(s), in self-service display pack	SYS-TG	500532
	Cover cover for labelling panels SYS T-LOC, protects the labelling panels on the SYSTAINER T-LOC from damage and moisture, qty. in pack 10 piece(s), in self-service display pack	AB-BF SYS TL 55x85mm /10	497855

“plug it” accessories

		Type	Order no.
	plug it-cable in self-service display pack		
	rubber-insulated cable, length 4 m	H05 RN-F/4	489659
	rubber-insulated cable, length 4 m, qty. in pack 3 piece(s)	H05 RN-F/4 3x	500399
	for long-reach sanders PLANEX, PLANEX easy, rubber-insulated cable, extended cable grommet makes it especially suitable for use with the PLANEX LHS 225 e.g. for sanding work on plasterboard, length 4 m	H05 RN-F/4 EU PLANEX	499823
	rubber-insulated cable, length 5,5 m	H05 RN-F/5,5	201882
	rubber-insulated cable, length 7,5 m	H05 RN-F/7,5	489660
	green rubber-insulated cable, length 4 m	H05 BQ-F/4	496655
	plug it-conversion-kit in self-service display pack		
	For RS1, RS 1 C, DX 93, R0 150/R02, RAS 115, BF 1, PS 200/PS/2, KF 4, length 360 mm	UBS-PUR 360 plug it 240 V	This product is not available in Australia.



Hoodie

Festool hoodie for real fans.

Hood with drawstring in green, fleecy lining and kangaroo pocket on front, knitted cuffs and waist. Colour: dark blue with Festool Fan print on the left breast and on back.

Material: 60% cotton, 40% polyester

Produced in accordance with OEKO-TEX® standard.

Sizes	Order no.
XS	202849
S	201300
M	201301
L	201302
XL	201303
XXL	201304

Softshell jacket

Breathable, wind- and water-proof.

Two hip pockets and one breast pocket, all with zip. Green decorative stitching and green 3D Festool logo on the left upper arm. Detachable hood.

Outer material: 93% polyester, 7% Spandex

Inner material: 100% polyester microfleece

Produced in accordance with OEKO-TEX® standard.



Sizes	Order no.
S	201321
M	201322
L	201323
XL	201324
XXL	201325
XXXL	201326



Knit cap

For cold days.

Breathable and very well insulated.

Material: 100% acrylic.

Produced in accordance with OEKO-TEX® standard.

Sizes	Order no.
One size	202308



Tape measure

In handy pocket size.

Practical tape measure with length of 3 metres and measurements in cm and inches. Extendable compass point for marking out a circle.

Material: plastic housing, metal measuring tape.

Sizes	Order no.
3 m	495415



Toolie multi function tool

practical hex-ball point tool for virtually any screwing application.

There are nine hexagon socket wrenches with MagicRing in the sturdy and ergonomically designed housing, which can be selected and folded out simply using an eject button.

Sizes	Order no.
length: 12 cm	498863



Safety utility knife

For perfect cuts.

Safety utility knife with automatic blade retraction when not in use. Equally suitable for left-handers or right-handers. With studded soft-grip material for ease of handling and secure grip.

Blade width: 18 mm

Blade length: 60 mm

Sizes	Order no.
length: 12 cm	498183

More products from our current collection can be found on:
www.festool.com.au



Round neck t-shirt

The Festool classic.

Festool logo on breast.
 Material: 100% cotton.
 Produced in accordance with OEKO-TEX® standard.

Sizes	Order no.
S	497912
M	497913
L	497914
XL	497915
XXL	497916



Golf cap

The sporty all-rounder.

Cap embroidered with Festool and www.festool.com. Pre-curved brim with green stripe. Size adjustable at rear for optimum fit. Material: denim.

Sizes	Order no.
One size	497899

Baby bodysuit

For the littlest Festool fans.

Baby bodysuit in blue, Festool fan logo on the breast, short sleeves, envelope neck, 3 green snap-fasteners in crotch. Material: 100% organic cotton. Produced in accordance with OEKO-TEX® standard.



Sizes	Order no.
68	202307



Notebook

Nothing gets lost here.

Large hardcover notebook. 200 squared pages with tear-off perforation, with bookmarks.

Sizes	Order no.
DIN A4	498866



uvex

Safety goggles

Original UVEX safety goggles uvex i-vo.

Duo-component technology for optimum wearer comfort: soft components in the sensitive zones (nose, forehead, ears) prevent pressure points. Quattroflex earpiece with adjustable angle and length. Lenses: scratch-resistant on the outside, anti-fogging on the inside. Colourless/UV 2-1.2, supravision HC-AF coating. Easy lens changing. Colour: frames blue/green, with Festool logo.

Sizes	Order no.
One size	500119



Sports bag

Ideal for carrying en route.

Rugged sports bag with green decorative stitching and logo embossed on side pocket. Large main compartment, internal compartment with hook-and-loop closure and separate wet gear compartment. Reinforced base with plastic pyramid feet sewn onto underside for even greater stability. Length-adjustable carry belt, black side pocket with embossed logo. Capacity: approx. 45 l

Sizes	Order no.
50 x 30 x 30 cm	498494

18-volt system
 Overview of batteries and chargers 10-11
 Overview of products 8-9
 3.1 Ah Compact battery pack 10
 5.2 Ah AIRSTREAM battery pack 10
 5.2 Ah AIRSTREAM Bluetooth battery pack 10
 6.2 Ah AIRSTREAM Bluetooth battery pack 11

A

A helping hand 402
 Abrasive pad 167
 Abrasive paper 167
 Abrasive paper holder
 For EAA 417
 Abrasive roll 166-167
 Abrasive sheet 344
 Abrasive sponge 167
 Abrasives
 Brilliant 2 151, 153-154, 156, 158,
 160-161, 163-164, 166
 Cloth 151, 156, 158, 161, 167
 For CONTURO 344
 Granat 151-153, 155, 157, 159-164, 166-167
 Granat Net 151, 155, 157, 159-160, 162
 Granat soft 166
 Hand abrasives 166-167
 Overview 150-151
 Platin 2 151, 153, 156, 158
 Rubin 2 151-155, 157, 159, 161-164
 Saphir 151, 154, 156, 158-160, 165
 Absolute filter 212-213
 Accessories for CT mobile dust
 extractors 207-211
 Accessories for CT mobile dust extractors
 and SR dust extractors 201-208, 212, 214
 Accessories set
 For FS/2 418
 For routers 269
 Accessories SYS ZH-SYS-PS 420 62
 Accessories SYSTAINER
 For VAC SYS 416
 Adapter
 For FS/2 and GECKO 418
 For IAS 3 hoses 146-147
 For routers 269
 For stirrers and drills 234, 236, 239, 350, 359
 For SYSLITE STL 450 and tripod ST DUO 391
 For the Workcenter 214
 For VAC SYS and MFT 3 415-416
 Adapter hose
 For CS, CMS, flush-mounted trimming
 saws 203, 414
 Adapter plate
 AP-KA 65 341
 For sliding compound mitre saws 68
 Adapter ring for stirrer stand
 For stirrers 359
 Adapter table
 For pendulum jigsaws 62, 396, 419
 Additional clamp 415
 Additional hand grip
 For PLANEX 143
 For POLLUX 170
 For RAS 180 142
 For ROTEX RO 150 136
 For SHINEX 170
 For SYSTAINERS 429

Additional roll 344
 Additional stop
 For compound mitre saws 70
 For DOMINO joining machines 329
 Adhesive 345
 Adhesive cushion strip
 For FS/2 418
 Adjustable stop
 For CS 50, CS 70 414
 For routers 273
 For the MFT/3 415
 For trimming saws 69, 71-72
 All-round extractor 180, 190
 Aluminium composite milling machine
 PF 1200 247, 262, 275
 Aluminium cutter 299
 Anchor bolt
 For the DOMINO joining system 332-333
 Angle arm
 For routers 273
 Angle attachment 232-233, 235
 Angle chuck 236
 Angle stop
 For carpentry circular saws 67
 For CS 414
 For FS/2 418
 For planers 318
 For trimming saws 71-72
 Angle table
 For pendulum jigsaws 62
 Antistatic connector sleeve 205
 Antistatic rotating adapter 204
 Antistatic rotating angle adapter 204
 APS 255
 APS worktop template 255, 271
 ASA 403, 417
 Asbestos 181, 197
 Assembly package 239
 Assembly set 215
 ATEX 181, 196
 AUTOCLEAN 181, 183, 192-194
 AUTOCLEAN automatic main filter cleaning 183
 Auxiliary handle
 For BHC 234
 For DSC-AG 125 382
 For QUADRILL DR 20 236
 For QUADRIVE DRC 18/4,
 QUADRIVE PDC 18/4 235

B

Babygrow 431
 Bag
 For FS/2 419
 For FSK 65-66
 For PLANEX 143
 Balancer 381
 Ball bearing guide 294-296, 299-302, 304-307
 Base pad
 For SYSTAINERS 428
 Base runner
 For pendulum jigsaws 62
 For routers 267-269
 Basic unit CMS GE 397, 414
 Basin cutter 305
 Battery 10-11, 63-65, 232-235, 237
 Battery and charging technology 10

Battery charger
 SCA 8 11
 TCL 6 11
 Battery pack 10-11, 63-65, 232-235, 237, 391
 BP 18 Li 3.1 C 421
 BP 18 Li 3.1 Ergo 137, 140
 BP 18 Li 5.2 AS 421
 BP 18 Li 5.2 AS-ASI 421
 BP 18 Li 6.2 AS-ASI 421
 Battery pack lifetime 10
 Battery sets 12
 Beech dowel 328-332
 Belt sander
 BS 75 93, 117, 144
 BS 105 93, 118, 144
 Belt sander module
 CMS-BS 93, 119, 144
 Bench saw 33, 53-54, 71-72
 Bench saw CMS-TS 55 R Set 43, 397
 Bench saw module CMS-TS 30, 43, 396-397
 Bench unit
 For belt sanders 144
 For edge banders 341
 Bench-mounted routers
 TF 1400 246, 253
 TF 2200 246, 253
 Bevel
 For sliding compound mitre saws 68-69
 BHC 18 19, 219, 223, 234
 BHC 18 cordless hammer drill 19, 219, 223, 234
 Bi-metal saw blade for metal
 For oscillators 85
 Bi-metal universal saw blade
 For oscillators 85
 Bit box 239
 Bit cassette 239
 Bit holder 237, 239
 Bits
 Length 25 mm 238
 Length 100 mm 238
 PZ, TX 237-238
 Blade
 For sword saws 73
 Blanking plug 205
 Bluetooth battery pack 10-11, 184
 Bluetooth technology 10-11, 183
 BMS 180 93, 131, 149
 Body 431
 Boom arm ASA 403, 417
 Box cutter 430
 BP 18 Li 3.1 C 421
 BP 18 Li 5.2 AS 421
 BP 18 Li 5.2 AS-ASI 421
 BP 18 Li 6.2 AS-ASI 421
 BR 10 25, 408, 421
 BR 10 DAB+ 25, 408, 421
 Brilliant 2 151, 153-154, 156, 158,
 160-161, 163-164, 166
 Brush ring
 For DSG-AG 125 379
 For RG 130 378
 For RG 150 381
 Brush segment
 For PLANEX 143
 Brush strip
 For PLANEX 143
 Brushing machine 93, 131, 149
 BS 75 93, 117, 144
 BS 105 93, 118, 144

- C**
- C 18 17, 218, 221, 233
- Cable holder 183
- Cap 431
- Carpentry planer 310, 315, 319
- Carpet nozzle 207
- Carpet remover blade 383
- Carpet remover TPE-RS 100 365, 374, 383
- Carpet scraper 383
- Carrying harness
For PLANEX 143
- Cartridge inlay
For SYSTAINERS 428
- CARVEX PS 420 28, 36, 62-63
- CARVEX PSB 420 28, 36, 62-63
- CARVEX PSBC 420 14, 29, 38, 62-63
- CARVEX PSC 420 14, 29, 37, 62-63
- Ceiling suspension
For EAA 417
- Centring bit 242
- Centring mandrel
For routers 266
- CENTROTEC Forstner drill bit, ZOBO system 242
- CENTROTEC HSS twist drill bit 240
- CENTROTEC tool chuck 232-236
- CENTROTEC tools for drilling and countersinking 242
- Chain cutter
For chain mortisers 276
- Chain lubrication oil
For sword saws 73
- Chainsaw chain
For sword saws 73
- Chamfer cutter 287, 300, 302, 304
- Charger
SCA 8 11, 232-235, 237, 421
TCL 6 11, 232-235, 237, 421
- Chip collection bag
For circular saws 64, 65
For planers 318
- Chip deflector
For routers 267-268, 270
- Chip guard
For routers 273
- Chuck 228, 232-233, 235
- Circular plunge cut saw 15, 30, 41, 64
- Circular saw 16, 31, 44, 46, 48, 65-67
HK 55 31, 44, 65
HK 85 31, 46, 66
TS 55 R 30, 40, 64
TS 75 30, 42, 64
- Clamping kit
For sliding compound mitre saws 68-69
- Clamping nut
For DSC-AG 125 382
For DSC-AG 230 382
For DSG-AG 125 379
For RG 130 378
- Cleaner 345
- Cleaning 181, 183, 192-194
- Cleaning and lubricating oil
For compressed air eccentric sanders 146-147
- Cleaning cloth 171, 177
- Cleaning set 200
- Cleaning set for industrial use 200
- Cleaning set for the workshop 200
- Cleaning set for tradesmen 200
- CLEANTEC
Cleaning sets 200
CT 17 180, 186
CTH 26 181, 197
CTH 48 181, 197
CTL 26 180, 190
CTL 26 AC 181, 192
CTL 26 AC HD 181, 194
CTL 36 180, 190
CTL 36 AC 181, 192
CTL 36 AC HD 181, 194
CTL 36 AC PLANEX 181, 193
CTL 48 181, 191
CTL 48 AC 181, 192
CTL 48 EC 181, 195
CTL 48 EC/B22 181, 196
CTL MIDI 180, 189
CTL MINI 180, 188
CTM 26 180, 190
CTM 26 AC 181, 192
CTM 36 180, 190
CTM 36 AC 181, 192
CTM 36 AC HD 181, 194
CTM 36 AC PLANEX 181, 193
CTM 48 181, 191
CTM 48 AC 181, 192
CTM 48 EC 181, 195
CTM 48 EC/B22 181, 196
Filter 209
Filter bags 210
Hose sleeves 204
Sleeve 183
Suction hose 203
Suction hose, antistatic version 201-202
- CLEANTEC mobile dust extractor
compact 180, 186
CT 17 180, 186
CTH 26 181, 197
CTH 48 181, 197
CTL 26 180, 190
CTL 26 AC 181, 192
CTL 26 AC HD 181, 194
CTL 36 180, 190
CTL 36 AC 181, 192
CTL 36 AC HD 181, 194
CTL 36 AC PLANEX 181, 193
CTL 48 181, 191
CTL 48 AC 181, 192
CTL 48 EC 181, 195
CTL 48 EC/B22 181, 196
CTL MIDI 180, 189
CTL MINI 180, 188
CTM 26 180, 190
CTM 26 AC 181, 192
CTM 36 180, 190
CTM 36 AC 181, 192
CTM 36 AC HD 181, 194
CTM 36 AC PLANEX 181, 193
CTM 48 181, 191
CTM 48 AC 181, 192
CTM 48 EC 181, 195
CTM 48 EC/B22 181, 196
Cloth 151, 156, 158, 161, 167
CM 150 247, 263, 276
CM 150 chain mortiser 247, 263, 276
CMS 396, 414
CMS basic unit 397, 414
CMS module mounting TS 30, 43, 396-397
CMS-BS 93, 119, 144
CMS-GE 397, 414
CMS-MOD BS 120 119, 396
- CMS-MOD-TS 55 R 43, 396
CMS-MOD-TS 75 43, 396
CMS-OF 252, 396
CMS-PS 29, 39, 396-397
CMS-PS jigsaw blade module 29, 39, 396-397
CMS-TS 30, 43, 396-397
CMS-TS 55 R 43, 396
CMS-TS 75 43, 396
- Collets
For edge routers 274
For module edge routers 274
For routers 266, 268, 270
- Combination bevel 418
- COMPACT 12
- Compact cleaning set 200
- Compact extractor 180, 188-189
- Compact Module System 396, 414
- Compound and mitre saws 32, 49-51, 68-69
- Compound mitre saw 32, 49-51, 68-69
- Compound mitre saw
SYMMETRIC SYM 70 32, 52, 70
- Compressed air eccentric sander
LEX 3 77 94, 121, 145-146
LEX 3 125 94, 122, 145-146
LEX 3 150 94, 123, 145-146
- Compressed air hose
For compressed air eccentric sanders 146-148
- Compressed air module 208, 215
- Compressed air orbital sander
LRS 93 95, 124, 147
LRS 400 95, 125, 147
- Compressed air orbital sanders 95, 124, 147
- Compressed air sander 120
- Compressed air service unit 215
- Concrete sander 362, 367-368, 378-379
- Connecting piece
For FS/2 419
For guide rails 275
For the MFT/3 415
- Connecting router
DF 500 322, 324, 328-329
DF 700 322, 325, 330-333
- Connecting sleeve
For IAS 3 hoses 146-147
- Connecting worktops
For routers 271
- Connection fitting 332-333
- Connector range 333
- Connector set 332-333
- Construction cleaning set 200
- CONTURO KA 65 336, 338, 344-345
- Copier scanning set
For routers 273
- Copying rings
For routers 266, 268-269
- Cordless circular saw 16, 31, 44, 46, 65-66
- Cordless delta sander
DTSC 400 88, 112, 140
- Cordless drill 17-18, 20-21, 218-222, 224-225, 232-233, 235
- Cordless drill
C 18 17, 218, 221, 233
CXS 218, 220, 232
DRC 18/4 20, 219, 224, 235
T 18+3 18, 218, 222, 233
TXS 218, 220, 232
- Cordless eccentric sander
ETSC 125 88, 101, 137
- Cordless jigsaw 14, 29, 38, 62-63

- Cordless orbital sander
RTSC 400 88, 110, 140
- Cordless pendulum cover
saws 16, 31, 44, 46, 65-66
- Cordless pendulum jigsaw
CARVEX PSBC 420 14, 29, 38, 62-63
CARVEX PSC 420 14, 29, 37, 62-63
- Cordless plunge-cut circular saw 15, 30, 41, 64
- Core maker
For pendulum jigsaws 62
- Corner and surface connector
For the DOMINO joining system 332-333
- Corner connector
For the DOMINO joining system 332-333
- Counterprofile cutter 296
- Cover
For circular saws 64
For labelling panels on SYSTAINERS 429
- Cover cap
For the DOMINO joining system 332-333
- Cover pad
For SYSTAINERS 428
- Crevice nozzle 207
- Crew neck t-shirt 431
- Cross anchor
For the DOMINO joining system 332-333
- Cross brace 415
- Cross stop
For DOMINO joining machines 329, 331
- Cross-cut tooth saw blade 75
- Crossheaded guide 345
- Crown stop
For sliding compound mitre saws 69
- CS 50 33, 53, 71
CS 70 33, 54, 72
CS 70 transport rollers 72
- CT 17 180, 186
CT accessories 214
CT boom arm 208
CT compressed air accessories 215
CT SYS mobile dust extractor 180, 187
CT WINGS 402
- CTH 26 181, 197
CTH 48 181, 197
CTL 26 180, 190
CTL 26 AC 181, 192
CTL 26 AC HD 181, 194
CTL 36 180, 190
CTL 36 AC 181, 192
CTL 36 AC HD 181, 194
CTL 36 AC PLANEX 181, 193
CTL 48 181, 191
CTL 48 AC 181, 192
CTL 48 EC 181, 195
CTL 48 EC/B22 181, 196
CTL MIDI 180, 189
CTL MINI 180, 188
CTL SYS 180, 187
CTL SYS SYSTAINER extractor 180, 187
- CTM 26 180, 190
CTM 26 AC 181, 192
CTM 36 180, 190
CTM 36 AC 181, 192
CTM 36 AC HD 181, 194
CTM 36 AC PLANEX 181, 193
CTM 48 181, 191
CTM 48 AC 181, 192
CTM 48 EC 181, 195
CTM 48 EC/B22 181, 196
- Curved saw blade
For pendulum jigsaws 78-79
- Cushioning
For ROTEX 134-136
- Cutter spindle
For CMS-OF 414
For disc groove cutters 294
- Cutter wheel
For RG 80 380
For RG 150 381
- Cutters 278
- Cutting chains
For chain mortisers 276
- Cutting parallel grooves
For module edge routers 274
For routers 266-270
- CXS 218, 220, 232
- ## D
- Deburring countersink 242
- Deep-drawer insert
For SYSTAINERS 427
- Deflector
For FS/2 419
- Delta sander
DTS 400 R 91, 111, 140
DTSC 400 88, 112, 140
- Delta sanding pad
For orbital sander 139-140, 147
- Depth gauge ring 362-363, 378-381
- Depth limiter 362-363, 378-381
- Depth stop 233, 235
- Depth stop set OS-TA Set
For oscillators 84
- DF 500 322, 324, 328-329
DF 700 322, 325, 330-333
- DIA ABRASIVE 362-363, 378-381
DIA HARD 362-363, 378-381
DIA STONE 362-363, 378-381
DIA THERMO 362-363, 378, 379
DIA UNI 362-363, 378-381
- Diamond cutting system
DSC-AG 125 364, 371, 382
DSC-AG 125 FH 364, 372, 382
DSC-AG 230 364, 373, 382
- Diamond disc
DIA ABRASIVE 362-363, 378-381
DIA HARD 362-363, 378-381
DIA STONE 362-363, 378-379
DIA THERMO 362-363, 378-381
DIA UNI 362-363, 378-381
For DSC-AG 125 382
For DSC-AG 125 FH 382
For DSC-AG 230 382
For DSG-AG 125 379
For RG 80 380
For RG 130 378
For RG 150 381
- Diamond grinding system
DSG-AG 125 362, 368, 379
- Diamond saw blade
For circular saws 82-83
- Directly driven orbital sander
RS 200 90, 107, 139
RS 300 90, 108, 139
RTS 400 R 90, 109, 140
- Dirt trap 214
- Disc groove cutter 294
- Disc stirrer 357
- Disposable bag 210, 213
- DOMINO
Connector range 333
Corner and surface connector 332-333
DF 500 322, 324, 328-329
DF 700 322, 325, 330-333
Dowel range 329, 331
Dowels 328-332
Empty SYSTAINER 331
Router 328, 330
Stops 328-331
- DOMINO joining machine
DF 500 322, 324, 328-329
DF 700 322, 325, 330-333
- Double-headed bolt
For the DOMINO joining system 332-333
- Dovetail cutter
For routers 272, 291
- Dovetail joint template
For routers 272
- Dowel drill
For routers 272, 295
- Dowel joint
For routers 272
- Dowel pin
For DOMINO joining machines 329, 331
- Dowel range
For DOMINO joining machines 329, 331
- Dowels
For DOMINO joining machines 328-332
- DR 20 219, 226, 236
- DRC 18/4 20, 219, 224, 235
- Drill 219, 226, 236
- Drill adapter 242
- Drill bit 241
- Drill bit box for HSS steel drill bits 240
- Drill bit case 241
- Drill countersink with depth stop 234, 242
- Drill stand for carpentry 243
- Drilling and screwdriving
Accessories and consumable materials 230-243
Overview of products and applications 218-219
- Drilling cutter 290
- Drilling dust nozzle 234
- Dry construction sanders 92, 115, 143
- Drywall screws 243
- DSC-AG 125 364, 371, 382
DSC-AG 125 FH 364, 372, 382
DSC-AG 230 364, 373, 382
DSG-AG 125 362, 368, 379
- DTS 400 R 91, 111, 140
DTSC 400 88, 112, 140
- Duo stirrers
MX 1600/2 DUO 349, 353
- DUPLEX LS 130 91, 113, 141
- DURADRIVE
DWC 18-2500 22, 219, 227, 237
DWC 18-4500 22, 219, 227, 237
- DURADRIVE cordless drywall screwdriver
DWC 18-2500 22, 219, 227, 237
DWC 18-4500 22, 219, 227, 237
- Dust bag
For belt sanders 144
- Dust categories in accordance with
EN 60335-2-69 182
- Dust container 214

Dust extraction
 Accessories and consumable materials 200-215
 For routing 251
 Overview of products and applications. 180-181
 Dust extraction attachment
 For DSC-AG 230 382
 For DSG-AG 125 379, 382
 For routers 267-268
 Dust extraction set CS 70 71-72, 414
 Dust extractor 180, 187
 DWC 18-2500 22, 219, 227, 237
 DWC 18-4500 22, 219, 227, 237

E

EAA CT/SR 404, 417
 EAA CT/SR energy boxes 404, 417
 EC eccentric sander 89, 102, 104, 137-138
 Eccentric adapter 233
 Eccentric sander
 ETS 125 R 89, 100, 137
 ETS 150 89, 103, 138
 ETS EC 125 89, 102, 137
 ETS EC 150 89, 104, 138
 ETSC 125 88, 101, 137
 Edge bander
 CONTURO KA 65 334-345
 Edge routers
 OFK 500 247, 259, 274
 OFK 700 247, 260, 274
 Edge trimming cutter 290
 Edge trimming set 345
 Edge trimming system OF-FH 2200 258, 273
 Edging 334-345
 Accessories and consumable materials 342-345
 Overview of products and applications 336
 Edging plate
 For routers 273
 Efficient dust extraction
 For routers 266-270
 EHL 65 EQ 310, 312, 318
 Electric planers
 EHL 65 EQ 310, 312, 318
 HL 850 310, 313, 318
 Electrical outlet module 208
 Energy box 417
 Energy box module
 For connection to the CT mobile dust extractor 208, 417
 ErgoFix adapter
 For stirrers 350, 359
 ErgoFix height adjustment
 For stirrers 350
 ErgoFix quick-change system 350
 ETS 125 R 89, 100, 137
 ETS 150 89, 103, 138
 ETS EC 125 89, 102, 137
 ETS EC 150 89, 104, 138
 ETSC 125 88, 101, 137
 EVA adhesive
 Black 345
 Brown 345
 Natural 345
 White 345
 Extension handle 383
 Extension pipe 206

Extension profile
 For routers 271
 Extension table (length)
 For the CMS basic unit 414
 Extension table (width)
 For routers 267
 For the CMS basic unit 414
 For trimming saws 71-72
 For cross anchor 332-333
 For trimming saws 71
 Extraction adapter
 For belt sanders 144
 For suction hose D 50 205

F

Facing cutter 297-298
 Fan shop 430-431
 Fastening clamp
 For FS/2 418
 For routing 275
 For sliding compound mitre saws 68
 For the MFT/3 415
 FastFix
 For changing cutters 251
 FastFix louvre pad
 For ROTEX 135
 FastFix polishing pad
 For ROTEX 134-136
 FastFix quick-change system
 For stirrers 350
 FastFix sanding pad
 For ROTEX 134-136
 Feather key
 For the Workcenter and Universalcenter 420
 Feeler rollers
 For aluminium composite milling machines 275
 Felt 344
 Felt for hand-sanding block 344
 Felt pad 344
 Filter bag 210-213
 Filter bags for discontinued models 213
 Filter element 209
 Fine adjuster for parallel side fence
 For routers 266-267
 Fine tooth saw blade
 For circular saws 80-81
 Fine-cut saw blade
 For pendulum jigsaws 76-77
 Finish cleaner 171
 Fixed clamps 415
 Fixed rod for stirrer stand
 For stirrers 359
 Flange
 For DSC-AG 125 379, 382
 For DSC-AG 230 382
 Flat connectors
 For the DOMINO joining system 332-333
 Flat nozzle 207
 Flat sanding pad
 For DUPLEX 141
 Flat tooth saw blade
 For circular saws 75, 82-83
 Flies 344
 Floor cleaning set 200
 Floor guide 381
 Floor nozzle 206

Flush trim cutter 289, 300, 302, 307
 Flush-mounted trimming saw 33, 53-54, 71-72
 Flute cutter 288
 Flute profile sanding pad
 For DUPLEX 141
 Foam inserts
 For SYSTAINERS 428
 Foldaway legs
 For trimming saws 71
 Foot valve
 For VAC SYS 416
 Forstner drill bit, ZOBO system 242
 FS/2 400, 418-419
 FSK cross cutting guide rail 47, 65-66

G

Geared orbital sanders
 RS 100 90, 106, 139
 GECKO 401
 GECKO dual suction pad 401
 General information 442
 Golf cap 431
 Granat 151-153, 155, 157, 159-164, 166-167
 Granat Net 151, 155, 157, 159-160, 162
 Granat soft 166
 Groove cutter
 For routers 271, 280-281
 Groove unit
 For circular saws 66
 Guard
 For CMS-OF 414
 Guard ring 235
 Guide control black powder
 For sanders 146
 Guide extension
 For FS/2 419
 For PLANEX 143
 For stirrers 359
 For the MFT/3 415
 Guide frame
 For chain mortisers 276
 Guide piece 345
 Guide plate
 For routers 273
 Guide rail
 For carpentry circular saws 67
 For routing 251, 273
 FS/2 400, 418-419
 Guide rail adapter
 For FS/2 419
 For pendulum jigsaws 62
 For routers 267-269
 Guide rods
 For routers 266, 269
 Guide strip 345
 Guide table 362-363, 378-381

H

Half-round cutter 285
 Hammer drill 235
 Hammer drill 19, 219, 223, 234
 Hand abrasives 166-167
 Hand grip cutter 291
 Hand rail cutter 291
 Hand rail cutter 299
 Hand tube 206

Hand-held planer
 PL 205 310, 315, 319
 PL 245 310, 315, 319
 Handle 214
 For ROTEX RO 150 136
 Handrail fence
 For DOMINO joining machines 329, 331
 Hand-sanding block 149, 344
 Hard fibre base runner
 For routers 267
 Harmful substance extractor 181, 197
 Hexagon spherical head tool 430
 Hinge location cutter
 For routing 294
 HK 55 31, 44, 65
 HK 132 carpentry circular saw 31, 48, 67
 HK 85 31, 46, 66
 HK 132 31, 48, 67
 HKC 55 16, 31, 44, 65
 HKC 55 cordless circular saw 16, 31, 44, 65
 HL 850 310, 313, 318
 Holder for spray gun
 For Workcenter 420
 Hole drilling set
 For routers 273
 LR 32-SYS 427
 Hole punch
 For orbital sander 139
 Hole series set
 For routers 273
 Hole series system
 For FS/2 257
 LR 32 257, 273
 Hoodie 430
 Hook
 For the Workcenter and Universalcenter 420
 Hook driver 242
 Hose holder 183, 214
 For the Toolcenter 421
 Hot glue 345
 Hot melt 345
 HS High-speed steel
 For routing tools 277
 HSS saw blade, offset (HCS)
 For oscillators 85
 HSS steel drill 240
 HW Tungsten carbide hard metal
 For routing tools 277

I

IAS 3 hose 148
 IAS 3 system 120
 IAS adapter
 For compressed air eccentric sanders 146-147
 IAS double adapter
 For compressed air eccentric sanders 146-147
 IAS hose 148
 Increase
 For sliding compound mitre saws 68
 Inserts
 For SYSTAINER and SORTAINER 426-428
 Installation extractor 180, 188-189
 Installation module
 Energy box 208
 Socket 208
 Insulating material saw blade
 For pendulum jigsaws 78-79

Interface pad
 For compressed air eccentric sanders 145
 For DUPLEX 141
 For eccentric sanders 137-138
 For PLANEX 143
 For ROTEX 134-136
 IS 330 33, 56, 73

J

Jigsaw 14, 29, 38, 62-63
 Jigsaw blades 76-79
 Joining - DOMINO joining system
 Accessories and consumable materials 326
 Overview of products and applications 322
 Jointing system dowel joint unit
 For routers 272
 Jointing system VS 600 256, 272

K

KA 65 336, 338, 344-345
 KAPEX
 KS 60 32, 49, 68
 KS 120 32, 51, 69
 KAPEX sliding compound mitre saw
 KS 60 32, 49, 68
 KS 88 32, 50, 69
 KS 120 32, 51, 69
 Key
 For DSC-AG 125 379, 382
 For DSC-AG 230 382
 For RG 130 378
 Keyless chuck 232-233, 235
 Key-type chuck 236
 Kickback stop
 For circular saws 64, 65
 For FS/2 418
 Knitted hat 430
 KP 65/2 339
 KS 60 32, 49, 68
 KS 88 32, 50, 69
 KS 120 32, 51, 69

L

Legal information 442
 Lever clamp 275, 415, 418
 LEX 3 77 94, 121, 145-146
 LEX 3 125 94, 122, 145-146
 LEX 3 150 94-95, 123, 145-146
 LHS 225 92, 116, 143
 LHS-E 225 92, 115, 143
 Lighting
 Accessories and consumable materials 391
 Overview of products and applications 386
 Linear sander
 DUPLEX LS 130 91, 113, 141
 Lock
 For SYSTAINER pull-out drawer 424
 Long-life chip collection bag
 For cordless sanders 137, 140
 Long-life filter bag 211
 Long-life main filter 209
 Long-life spare part drill bit 242
 Long-reach sander
 PLANEX easy LHS-E 225 92, 115, 143
 PLANEX LHS 225 92, 116, 143
 LR 32 257, 273

LR 32-SYS 427
 LRS 93 95, 124, 147
 LRS 400 95, 125, 147
 LS 130 91, 113, 141

M

Machine/tool head
 For RG 80 380
 For RG 150 381
 Machining surfaces
 Accessories and consumable materials 132
 Overview of products and applications 88-96
 Magazine attachment 237
 Magazine for holding edging 344
 Magnetic spherical head
 For SYSLITE KAL II 391
 Main filter 209, 212
 Mains adapter
 For cordless sanders 137, 140
 Manual stirrer
 MX 1000 348, 351
 MX 1000/2 348, 351
 MX 1200 348, 351
 MX 1200/2 349, 352
 MX 1600/2 349, 352
 MX 1600/2 DUO 349, 353
 Masonry drills with carbide-tipped cutter 241
 Masonry renovation cleaning set 200
 MAXI-SYSTAINER 422
 SYS MAXI 422
 SYS MAXI 2 422
 Means of transport for SYSTAINER
 SYS roller 100 425
 SYS-Cart RB-SYS 425
 Metal saw blade
 For pendulum jigsaws 78-79
 MFH 1000 406, 420
 MFK 700 247, 261, 274
 MFK 700 module edge router 247, 261, 274
 MFS 254, 271
 MFT 3 398, 415
 MFT/3 CONTURO 336, 341
 Microfibre cloth 171
 MIDI-SYSTAINER T-LOC
 SYS-MIDI 3 TL 422
 Milling set
 For carpentry circular saws 67
 MINI-SYSTAINER T-LOC
 SYS-MINI 1 TL 422
 SYS-MINI 3 TL 422
 Mitre saw for boards 32, 49-51, 68-69
 Mitre tongue and groove cutter 292
 Mixing station
 For stirrers 359
 Mixing tool 350, 357-359
 Module CMS-MOD BS 120 119, 396
 Module CMS-MOD-TS 55-R 43, 396
 Module CMS-MOD-TS 75 43, 396
 Module mounting CMS-OF 252, 396
 Module mounting CMS-PS 29, 39, 396-397
 Module mounting CMS-TS 55 R 43, 396
 Module mounting CMS-TS 75 43, 396
 Modules for attachment system
 CTL/CTM/CTH 26/36/48 208
 Mortising sets
 For chain mortisers 276
 MPA 171
 Multifunction stool MFH 1000 406, 420

Multifunction table
MFT 3 398, 415
MFT KAPEX for sliding compound
mitre saws 68
MFT/3 CONTURO 336, 341
MULTI-JETSTREAM 2 150
Multi-profile cutter 295
Multi-purpose insert
For SYSTAINERS 428
Multi-routing template MFS 254, 271
Multitool 34, 57, 84
MX 1000 348, 351
MX 1000/2 348, 351
MX 1200 348, 351
MX 1200/2 349, 352
MX 1600/2 349, 352
MX 1600/2 DUO 349, 353

N

Natural oil 177
Notebook 431

O

OF 1010 246, 248, 266-267, 271, 275
OF 1400 246, 249, 268, 271
OF 2200 246, 250, 269-271
OF-FH 2200 258, 273
Office cleaning set 200
OFK 500 247, 259, 274
OFK 500 router system 302
OFK 700 247, 260, 274
Oil dispenser set 177
Oil sponge 177
Oil-absorbent nonwoven
material 151, 156, 158, 161, 167
Oils 126-127, 130, 177
One handed planer
EHL 65 EQ 310, 312, 318
Open dovetail joints
For routers 272
OS 400 34, 57, 84
Overview of product performance
features Cover
Ovolo edge cutter 285

P

Panel for bench unit 345
Panther saw blade
For circular saws 80-81
Parallel side fence
For carpentry circular saws 67
For circular saws 64-66
For DOMINO joining machines 329, 331
For FS/2 419
For modular edge router 274
For pendulum jigsaws 62
For planers 318
For routers 266, 268, 270
For row of holes system 273
For sword saws 73
PDC 18/4 21, 219, 225, 235
Pegboard hook
For the Workcenter and Universalcenter,
multifunction stool 420
Pendulum cover saw 16, 31, 44, 46, 65-66

Pendulum jigsaws
CARVEX PS 420 28, 36, 62-63
CARVEX PSB 420 28, 36, 62-63
PSB 300 28, 35, 62-63
TRION PS 300 28, 35, 62-63
Perforated top 345
Perforating roller 365, 375, 383
PF 1200 247, 262, 275
PL 205 310, 315, 319
PL 245 310, 315, 319
Plane cutter 301, 306
Planer
EHL 65 EQ 310, 312, 318
HL 850 310, 313, 318
PL 205 310, 315, 319
PL 245 310, 315, 319
Planer blades
For planers 311, 318
PLANEX easy LHS-E 225 92, 115, 143
PLANEX extractor 181, 193
PLANEX LHS 225 92, 116, 143
Planing
Accessories and consumable materials 316
Overview of products and applications 310
Planing head 314, 318
Planing set
For carpentry circular saws 67
Plasterboard V-groove cutter 293
Plastic containers
For SYSTAINER and SORTAINER 426-427
Plastic saw blade
For pendulum jigsaws 78-79
Plate 382
Platin 2 151, 153, 156, 158
plug it-cable 143, 429
plug it-conversion kit 429
PLUS 12
PLUS-SCA 12
Polish 344
Polish drapery 171, 177
Polish for high-gloss edging 344
Polishing 126-129, 168-176
Polishing agent 171, 344
Polishing felt 173-176, 344
Polishing fleece 177
Polishing pad
For POLLUX 170
For ROTEX 134-136
For SHINEX 170
Polishing sheepskin 173-176
PoliStick 173-176
PoliStick polishing sponge 173-176
POLLUX 180 96, 129, 170
Positioning aid set OS-AH Set
For oscillators 84
Positioning aid/depth stop set
For oscillators 84
Power box 404
PowerSelect 13
PRECISIO
CS 50 33, 53, 71
CS 70 33, 54, 72
Precision adjustable square
For compound mitre saws 70
Pre-cutter
For planer head and notch cutter 67
Preparing the substrate
Accessories and consumable
materials 376-383

Overview of products and
applications 262-265
Product identification key Cover
Professional cleaning set 200
Profile cutter 296
Profile groove cutter 297
Profile sanding pad DIY construction kit
For DUPLEX 141
Profile tongue cutter 297
Protection pad
For abrasive mesh 155, 157, 160, 162
Protector
For delta sanders 140
For eccentric sanders 137
For orbital sander 140
For ROTEX 134-136
PS 300 28, 35, 62-63
PS 420 28, 36, 62-63
PSB 420 28, 36, 62-63
PSBC 420 14, 29, 38, 62-63
PSC 420 14, 29, 37, 62-63
PU adhesive 345
PU adhesive, natural 345
PU cleaner 345
PU rinsing agent 345

Q

QUADRILL
DR 20 219, 226, 236
QUADRILL drill
DR 20 219, 226, 236
QUADRIVE
DRC 18/4 20, 219, 224, 235
PDC 18/4 21, 219, 225, 235
QUADRIVE cordless drill
DRC 18/4 20, 219, 224, 235
QUADRIVE cordless percussion drill
PDC 18/4 21, 219, 225, 235
Quick-action clamp 418

R

Radius profile sanding pad
For DUPLEX 141
Radius scraper 345
RAP 150 96, 128, 170
Rapid charger
SCA 8 11, 63-65, 233, 237, 391, 421
TCL 6 11, 63-65, 233, 237, 391, 421
RAS 180 92, 114, 142
Ratchet set 239
Rear wall
For the Toolcenter 421
Rebate cutter 303
Rebate depth stop
For planers 318
Rebate profile sanding pad
For DUPLEX 141
Rebating cutter 290
Rebating head
For CMS-OF 414
For cutters 294
Reducing sleeve 205
Reducing sleeve, antistatic 204-205
Refillable cartridge for guide control black
powder
For sanders 146

Reliable grooving on the front side
 For routers 266-270, 273

Reliable guidance
 For aluminium composite milling
 machines 275
 For edge routers 274
 For module edge routers 274
 For routers 266-270

Remote control 208

RENOFIX
 RG 80 363, 369, 380
 RG 130 362, 367, 378
 RG 150 363, 370, 381

RENOFIX RG 130 diamond grinder . . . 362, 367, 378

Renovation miller
 RENOFIX RG 80 363, 369, 380
 RENOFIX RG 150 363, 370, 381

Replacement roller 383

Reversible blade
 For circular saws 66
 For CMS 414
 For routers . . . 283-284, 287, 289-290, 300-301

Reversible cutter blade
 For planer head and notch cutter 67
 For planers 318-319

Reversible planer blade
 For planers 319

Reversible-blade chamfer cutter 300

Reversible-blade chamfer cutter/laminate
 trimmer 287

Reversible-blade classic roundover cutter . . . 301

Reversible-blade edge trimming
 cutter 289, 300, 304

Reversible-blade groove cutter
 For routers 271, 283-284, 304

Reversible-blade rebating cutter 290

RG 80 363, 369, 380
 RG 130 362, 367, 378
 RG 150 363, 370, 381

RO 90 88, 99, 134
 RO 125 88, 98, 135
 RO 150 88, 99, 136

Rod
 For routers 269

Roller stand
 For semi-stationary tools 414
 For trimming saws 71-72

Roman ogee cutter 295

Rotary polisher
 POLLUX 180 96, 129, 170
 SHINEX RAP 150 96, 128, 170

Rotary sanders
 RAS 180 92, 114, 142

ROTEX
 RO 90 88, 99, 134
 RO 125 88, 98, 135
 RO 150 88, 99, 136

ROTEX geared eccentric sander
 RO 90 88, 99, 134
 RO 125 88, 98, 135
 RO 150 88, 99, 136

Round stirrer 357

Roundover cutter 286, 300, 302, 306

Roundover/chamfer cutter 286

Router
 For DOMINO joining machines 328, 330

Router bit box 282

Router carriage
 For routers 271

Router table
 For edge routers and module edge
 routers 274

Routers
 OF 1010 246, 248, 266-267, 271, 275
 OF 1400 246, 249, 268, 271
 OF 2200 246, 250, 269-271

Routing
 Accessories and consumable materials . . . 264
 Overview of products and applications . . . 246

Routing aid
 For routers 268, 270, 273

Routing circles
 For routers 266-267

Routing edges
 With routers 273

Routing template
 For routers 271

RS 100 90, 106, 139
 RS 200 90, 107, 139
 RS 300 90, 108, 139
 RTS 400 R 90, 109, 140
 RTSC 400 88, 110, 140

Rubber gasket 382

Rubin 2 151-155, 157, 159, 161-164

Rustic planing heads 314, 318

Rustilon brush
 For RUSTOFIX 149

RUSTOFIX BMS 180 93, 131, 149

RUSTOFIX brush machine
 BMS 180 93, 131, 149

S

Safety cutter knife 430

Safety filter bag 210

Safety glasses 431

Sanding 97-125, 134-167

Sanding base
 For belt sanders 144

Sanding block 149, 167, 344

Sanding block with dust extraction 149

Sanding disc 149

Sanding frame
 For belt sanders 144

Sanding head 362-363, 378-382

Sanding pad
 For compressed air eccentric sanders . . . 145
 For compressed air orbital sanders . . . 147
 For DUPLEX 141
 For eccentric sanders 137-138
 For orbital sander 139-140
 For PLANEX 143
 For rotary sanders 142
 For ROTEX 134-136

Sanding vlies 151, 154, 156, 161, 167, 177, 344

Saphir 151, 154, 156, 158-160, 165

Saw blade for wood
 For oscillators 85

Saw blade holder
 For CMS 414
 For trimming saws 71

Saw blade, wood
 For oscillators 85

Saw blades
 For circular saws 74-75
 For oscillators 85

Sawing and oscillating
 Accessories and consumable materials . . . 60-85
 Overview of products and applications . . . 28-34

SCA 8 11, 421

Scraper 345
 For oscillators 85
 For removing coatings 141

Scratch protector 344

Screwdriver 239

Script cutter 292

Sealing slide 214

Sealing spray 171

Self-adhesive sanding disc 166, 172

SELFCLEAN filter bag 210

Semi-covered dovetail joints
 For routers 272

Semi-stationary edge banding 341

SERVICE all-inclusive 4-5, 9, 59, 229, 393

Service unit
 For extractors 215
 For the Toolcenter 421

SET 12

Set of castors
 For the SYSTAINER port 424

Sheepskin 173-176

SHINEX RAP 150 96, 128, 170

Shoulder strap
 For CT-SYS 214
 For SYSTAINERS 429

Slat sanding pad
 For DUPLEX 141
 For orbital sander 139-140

Sleeve 204-205

Sleeve on the container side 204

Slideway lining
 For FS/2 418

Sliding table
 For CMS 414
 For trimming saws 71-72

Slot joint connection
 For routers 272

Slot joint template
 For routers 272

Smooth suction hose 183

Socket spanner 235

Softshell jacket 430

SORTAINER
 SYS 3-SORT/4 410, 423
 SYS 3-SORT/6 410, 423
 SYS 3-SORT/9 410, 423
 SYS 3-SORT/12 410, 423
 SYS 4 TL-SORT/3 410, 423

Spare disc for machine/tool head 380

Spare felt
 For edge banders 344
 For pendulum jigsaws 62

Spare part drill bit 242

Spare part set ZOBO 242

Special blade
 For oscillators 85

Special cutters
 DOMINO 328, 330
 For mineral materials 304-307

Special saw blade
 For circular saws 82-83
 For pendulum jigsaws 78-79

Special wood saw blade
 For pendulum jigsaws 76-77

- Spiral blade
For planers 311, 318
- Spiral groove cutter
For routers 272, 282-283, 304
- Spiral stirrer 357-358
- Splinter guard
For circular saws 64
For FS/2 418
For pendulum jigsaws 62
For trimming saws 71-72
- Split anchor
For the DOMINO joining system 332-333
- Sports bag 431
- Spot lighting
For sliding compound mitre saws 68
- Spot repair scraper 172
- Spot sander 172
- SR filter 212-213
- SSU 200 33, 55, 73
- ST DUO tripod
For SYSLITE DUO 391
For SYSLITE DUO 391
- Stable support
For routers 266-270
- Staircase drilling system 243
- Standard cleaning set 200
- Standard saw blade
For circular saws 80-81
- Stationary belt sander with BS 120 397
- Stationary bench saw with TS 75 397
- Stationary bench-mounted router
TF 2200 Set 253, 397
- Stationary bench-mounted router with
OF 1010 397
- Stationary jigsaw with PS 397
- Stepped cutter 285
- StickFix 150
- Stirrer 350, 357-359
MX 1000 348, 351
MX 1000/2 348, 351
MX 1200 348, 351
MX 1200/2 349, 352
MX 1600/2 349, 352
MX 1600/2 DUO 349, 353
- Stirrer cage 350, 357-359
- Stirrer stand
For stirrers 359
- Stirring
Accessories and consumable materials... 354
Overview of products and applications... 348
- Stirring rod 350, 357-359
- Stirring stands
For stirrers 359
- Stirring tool
MX 1000 348, 351
MX 1000/2 348, 351
MX 1200 348, 351
MX 1200/2 349, 352
MX 1600/2 349, 352
MX 1600/2 DUO 349, 353
- STL 450 386, 390-393
- STL 450 inspection light 386, 390-393
- Stop for round poles
For DOMINO joining machines 329, 331
- Stopper
For belt sanders 144
For FS/2 419
For routers 273
For the CMS basic unit 414
For trimming saws 71-72
- Storage surface
For the Workcenter and Universalcenter... 420
- Suction brush 207
- Suction hose
D 21,5 203
D 27 203
D 27 antistatic, ordered by length 201
D 27 smooth antistatic 201
D 27/32 smooth antistatic 201
D 36 203
D 36 antistatic 201
D 36 antistatic, ordered by length 201
D 36 smooth antistatic 201
D 36/32 smooth antistatic 201, 203
D 50 203
D 50 antistatic 202
D 50 antistatic, ordered by length 202
IAS 3 hoses 148
plug it D 27/22 smooth antistatic 202
plug it D 32/22 smooth antistatic 202
- Support
For routers 269
For the CMS basic unit 414
For trimming saws 71
- Support surface extension
For DOMINO joining machines 329
- Surface protection 344
- Surface-restoration grinder 362, 367-379
- Surface-restoration miller 363, 369-381
- SURFIX OS 130, 177
- SURFIX OS oil dispenser 130, 177
- Sword saw
IS 330 33, 56, 73
UNIVERS SSU 200 33, 55, 73
- SYM 70 32, 52, 70
- SYMMETRIC SYM 70 32, 52, 70
- SYS 1 BOX 426
- SYS 1 TL 422
- SYS 1 TL-DF 423
- SYS 1 UNI 426
- SYS 1 VARI 426
- SYS 2 TL 422
- SYS 2 TL-DF 423
- SYS 2 VARI 426
- SYS 3 TL 422
- SYS 3 TL-DF 423
- SYS 3-SORT/4 423
- SYS 3-SORT/6 423
- SYS 3-SORT/9 423
- SYS 3-SORT/12 423
- SYS 4 TL 422
- SYS 4 TL-SORT/3 423
- SYS 5 TL 422
- SYS adapter 214
- SYS DOCK 183
- SYS MAXI 422
- SYS MAXI 2 422
- SYS roller 100 425
- SYS tool box
SYS-TB-1 424
SYS-TB-2 424
- SYS-Cart RB-SYS 425
- SYS-Combi 2 423
- SYS-Combi 3 423
- SYS-HWZ 427
- SYSLITE
DUO 386, 389, 391-393
KAL II 24, 386, 388, 391-392
STL 450 386, 390-393
UNI 23, 386-387, 391-392
- SYSLITE DUO working light 386, 389, 391-393
- SYSLITE KAL II
working light 24, 386, 388, 391-392
- SYSLITE STL 450 surface
control light 386, 390-393
- SYSLITE UNI working light 23, 386-387, 391-392
- SYS-MFT 427
- SYS-MIDI 3 TL 422
- SYS-MINI 1 TL 422
- SYS-MINI 3 TL 422
- SYS-OF D8/D12 426
- SYS-PowerHub 409
- SYS-PowerHub power distributor 409
- SYSROCK
BR 10 25, 408, 421
BR 10 DAB+ 25, 408, 421
- SYSROCK site radio
BR 10 25, 408, 421
BR 10 DAB+ 25, 408, 421
- SYS-STF 80x133 425
- SYS-STF D125 425
- SYS-STF D150 425
- SYS-STF D225 425
- SYS-STF DELTA 100x150 425
- SYS-STF D77/D90/93V 425
- SYS-StorageBox
SYS-SB 424
- SYSTAINER 410, 422-423
- SYSTAINER port
SYS-PORT 500/2 424
SYS-PORT 1000/2 424
- SYSTAINER pull-out drawer
SYS-AZ 424
SYS-AZ set 424
- SYSTAINER T-LOC
Overview 410-411
SYS 1 TL 422
SYS 2 TL 422
SYS 3 TL 422
SYS 4 TL 422
SYS 5 TL 422
With inlay for abrasive
sheets 134-141, 143, 145-146, 425
- SYSTAINER T-LOC SORT-SYS 2
For DOMINO dowels 331
- SYSTAINER T-LOC SYS-Combi
SYS-Combi 2 423
SYS-Combi 3 423
- SYSTAINER T-LOC SYS-MFT
SYS-MFT 427
- SYSTAINER T-LOC with inlays for abrasives
SYS-STF D77/D90/93V 425
SYS-STF D125 425
SYS-STF D150 425
SYS-STF D225 425
SYS-STF 80x133 425
SYS-STF DELTA 100x150 425
- SYSTAINER T-LOC with insert for hand tools
SYS-HWZ 427
- SYSTAINER T-LOC with lid compartment
SYS 1 TL-DF 423
SYS 2 TL-DF 423
SYS 3 TL-DF 423
- SYSTAINER T-LOC with multi-purpose insert
SYS 1 BOX 426
SYS 1 UNI 426
SYS 1 VARI 426
SYS 2 VARI 426
SYS-OF D8/D12 426

A - Z

Index

SYS-TB-1 424
SYS-TB-2 424

T

T 18+3 18, 218, 222, 233
Table top insert
For compound mitre saws 70
Tape measure 430
Taper foot roller 365, 375, 383
TC 3000/2 407, 421
TCL 6 11, 421
Telescopic drawer
For the SYSTAINER port 424
Template-kit
For routers 272
Terminal
For sliding compound mitre saws 69
TF 1400 246, 253
TF 1400 Set 253, 397
TF 2200 246, 253
The perfect edge 337
Through-hole drill
For routing 295
Timber framing saw 31, 48, 67
Tongue and groove cutter 292
Tool holder
For extractors 208, 214
For PLANEX 143
For the Toolcenter 421
Tool hook
For the Workcenter and Universalcenter 420
Toolcenter TC 3000/2 407, 421
Toolie multifunction tool 430
Tooth shapes 75
TP 220 365, 375, 383
TP 220 wallpaper perforator 365, 375, 383
TPE-RS 100 365, 374, 383
Trammel unit
For routers 267
Trim stop
For DOMINO joining machines 329, 331
Trimming attachment
For sliding compound mitre saws 68-69
For trimming saws 71-72
Trimming edging 339
Trimming machine KP 65/2 339
Trimming saw 33, 53-54, 71-72
PRECISIO CS 50 33, 53, 71
PRECISIO CS 70 33, 54, 72
TRION PS 300 28, 35, 62-63
Triple flat tooth saw blade 75
TS 55 R 30, 40, 64
TS 75 30, 42, 64
TSC 55 15, 30, 41, 64
TSC 55 cordless plunge-cut saw 15, 30, 41, 64
T-slot cutter 295
Tubes 206
Turbo combination suction brush 207
Turbo filter bag
For eccentric sanders 138
For orbital sander 139
Twin box 239
Twist drill bits 240
Two-ply filter bag 213
TXS 218, 220, 232

U

UCR 1000 406, 420
UCR 1000 Universalcenter 406, 420
Underframe
For sliding compound mitre saws 68-69
UNIVERS SSU 200 33, 55, 73
Universal brush nozzle 207
Universal cleaning set 200
Universal extractor 180, 186
Universal saw blade
For circular saws 80-81
For pendulum jigsaws 76-77
Upholstery nozzle 207

V


VAC SYS 399, 416
VAC SYS vacuum clamping system 399, 416
Vacuum clamping nozzle CT WINGS 214, 402
Vacuum hose
For VAC SYS 416
Vacuum pad
For VAC SYS 416
Vacuum pump
For VAC SYS 416
Vacuum unit
For VAC SYS 416
VECTURO OS 400 34, 57, 84
VECTURO OS 400 oscillator 34, 57, 84
V-groove cutter
For routers and aluminium composite
milling machines 275, 293
V-groove profile sanding pad
For DUPLEX 141
VS 600 GE 256, 272

W

Wall mounting
For EAA 417
Water gutter cutter 288
WCR 1000 405, 420
Weather-proof dowels 329, 331
Wet filter 209
Wet/dry dust extractor 180-181, 186, 188-197
Wooden dowels 328-332
Workcenter WCR 1000 405, 420
Workplace organisation
Accessories and consumable materials 412

Y

Y-piece, antistatic 205



General notes on the catalogue:

1. Please remember to fit appropriate protective devices or wear personal protective equipment when using Festool products such as compressed air and electric power tools with accessories and consumable materials or when machining hazardous materials. For further information, please refer to the relevant safety documentation or consult the relevant regulating authority if you have questions.
2. Machining specifications included in the catalogue, such as quantity specifications, time savings, coverage capacities, etc., are average values and may deviate significantly, depending on the material being processed. The manufacturer does not guarantee that the values will be achieved in each individual case. Your Festool specialist dealer will be glad to answer any queries you may have concerning this matter.
3. The machine weights specified in the catalogue usually refer to the weight of a machine ready for use and with a standard tool attached, but without a cable, accessories or consumable materials. Please remember that specified weights may deviate from the specifications detailed in the catalogue, depending on the attached tool, battery pack, accessories or other additional parts.
4. All trade mark rights, patent rights and other commercial rights mentioned in this catalogue remain the property of the relevant beneficiary, even in cases where this is not explicitly stated. The use of brand names, trade names, trade marks, etc. in this catalogue (even if not identified as such) does not render these names exempt from trade mark protection and does not therefore authorise anyone to use them.
5. We reserve the right to make modifications, especially to technical data or specifications, without prior notification. Individual features may vary in accordance with country-specific conditions.
6. Products may differ from those pictured and the images may at times present components or parts that are not included with the products. If you have any questions, please contact your Festool dealer.
7. Safety: all electric and compressed air tools listed in this catalogue conform to the valid and applicable IEC or EN safety standards, according to the type of tool (e.g. IEC/EN 61 029, IEC/EN 60 745, IEC/EN 62 841, IEC/EN 60 335, EN ISO 11 148, IEC/CISPR/EN 55 014, IEC/EN 61 000).
8. Insulation: the electric power tools listed in this catalogue are fully insulated in accordance with regulations.
9. CE conformity: all electric and compressed air tools listed in this catalogue are in compliance with applicable EU guidelines (e.g. Machinery Directive 2006/42/EC, Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU, Restriction of Hazardous Substances Directive 2011/65/EU).
10. ISO certification: all the electric power tools and compressed air tools listed in this catalogue are manufactured in production plants that are ISO 9001 certified.



Egypt

Equipment plus sarl
Mkales street 41
Beirut
Tel. 00961 16 92 136
Fax 00961 99 25 993
info@equipment-plus.com
www.equipment-plus.com



Algeria

PRO' DISTRIBUTEUR sarl
NIF 099909080287849
LOTISSEMENT AIDJA BOUFARIK ALGERIE
Tel. 00213 25 28 39 12/13
Fax 00213 25 28 39 14
info@pro-dist.com
www.pro-dist.com



Azerbaijan

Alman Texnikalari Evi MMC
A. Molla Cuma kuc. 32
1072 Baku, Azerbaijan
Tel. 0099 4 12 565 23 23
Fax 0099 4 12 565 23 30
ate_mmc@yahoo.com
www.atemmc.com



Australia

Tooltechnic Systems Australia
21-27 Evolution Drive
Dandenong South VIC 3175
Tel: 1300 063 900
Fax: (03) 8845 7079
Email: customercare@tooltechnic.com.au
www.festool.com.au



Belgium

Festool Belgium NV/SA
Rue Colonel Bourgstraat 101
1030 Brussel
Tel. 0032 2 893 36 36
Fax 0032 2 726 98 81
info-be@festool.com
www.festool.be



Bosnia-Herzegovina

MAJO D.O.O.
Goričica pri Ihanu 2
1230 Domžale (Slovenija)
Tel. 00386 17 24 82 16
Fax 00386 17 24 11 07
majo.doo@siol.net
www.majo.si



Brazil

W&S Saura Ltda.
Av. José Fortunato Santon 580
Distrito Industrial Abdo Najar
13474-750 Americana/ São Paulo
Tel. 0055 19 3469-9889
Fax 0055 19 3469-9888
ws@wsequipamentos.com.br
www.wsequipamentos.com.br



Bulgaria

Tooltechnic Systems EOOD
9, Christopher Columbus Blvd.
1592 Sofia
Bulgaria
Tel. 00359 888574208, 00359 888989917
office@festool.bg
www.festool.bg



Chile

SOCIEDAD RHEKO LTDA.
Victoria 984, Villa Llacolen
San Pedro de la Paz
4130000 Concepcion
Tel.: 0056 41 2372 060
Info@reko.cl
www.reko.cl



China

Festool China
1159 Kangqiao East Rd, No.91-Buildg 1
Kangqiao Industrial Zone
201315 Shanghai (Pudong)
Tel. 0086 21 68 18 28 00
Fax 0086 21 68 18 26 90
info@festool.cn
www.festool.cn



Denmark

Festool Danmark ApS
Postboks 1242
2300 København S
Tel. 0045 44 84 20 24
info-dk@festool.com
www.festool.dk



Germany

Festool Deutschland GmbH
Wertstrasse 20
73240 Wendlingen a.N.
Tel. 0049 (0)7024/ 804-24010
Fax 0049 (0)7024/ 804-29699
vertrieb@festool.com
www.festool.de



Estonia

UAB „TTS Tooltechnic Systems“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@tts-company.lt
www.festool.ee



Finland

Tooltechnic OY
Mäkituvantie 7
01510 Vantaa
Tel. 00358 10 22 95 111
info@festool.fi
www.festool.fi



France

Festool France
33 rue Gabriel
77185 LOGNES
Tel. 00 33 (1) 60 06 64 30
Fax 00 33 (1) 60 06 62 26
info-fr@festool.com
www.festool.fr



Georgia

LTD Electron
Agladze str. 7/a
0154 Tbilisi
Tel. 00995 32 2911121
Mobil: 00995 599 291122
contact@rcheuli.com
khaduri@gmail.com
www.rcheuli.com



Greece

Hellenic Tool Center
Driadon 4
141 22 Neo Heraklio (Attica)
Tel. 0030 21 02 81 10 72
Fax 0030 21 02 81 17 64
festool@otenet.gr
www.hellenictoolcenter.gr



Great Britain

Festool UK Ltd
Saxham Business Park, Saxham
Bury St. Edmunds, Suffolk
IP28 6RX
Tel. 0044 1284 760 791
Fax 0044 1284 702 156
info@festool.co.uk
www.festool.co.uk



India

Caple Industrial Solutions,
WEH, Malad E, Mumbai 97.
Delhi +91 9999394047
Mumbai +91 9930069906
Bengaluru +91 9148788500
Kolkata +91 9599487490
festool.cat@caple.in
www.caple.in



Ireland

TTS Tooltechnic Systems Ireland Ltd
C/O McCann Duffy Cleary, E12 Calmount Park
Ballymount
Dublin 12
Tel. 00353 18 64 22 40
Fax 00353 18 64 22 47
sales@festool.ie
www.festool.ie



Iceland

ISOL Ltd.
P.O. Box 8436
Armuli 17
128 Reykjavik
Tel. 00354 53 31 234
Fax 00354 56 80 499
isol@isol.is
www.isol.is



Iceland

Husasmidjan Ehf
Holtvegur 10
104 Reykjavik
Tel. 00354 525 3000
jono@husa.is
www.husa.is



Israel

A. Sherizly & Son Ltd.
Shderot Hamiktsot, 15
Einav Center
Modiin - 7177849
Tel. 00972 89 23 37 77
Fax 00972 89 23 44 77
sherizly@sherizly.com
www.festool.com



Italy

Festool Italia S.r.l.
Agente per l'Italia del marchio Festool
Via Galileo Galilei 16
20090 Assago MI
Tel. 0039 02 457851
Fax 0039 02 45785320
marketingit@festool.com
www.festool.it



Japan

Häfele Japan K.K.
14-17, Kami-Shinano, Totsuka-ku
244-0806 Yokohama
Tel. 0081 45 82 83 111
Fax 0081 45 82 83 110
festool@hafele.co.jp
www.festool.jp



Jordan

Equipment plus sarl
Mkales street 41
Beirut
Tel. 00961 16 92 136
Fax 00961 99 25 993
info@equipment-plus.com
www.equipment-plus.com



Canada

Tooltechnic Systems, LLC
400 N. Enterprise Blvd
Lebanon, IN 46052
Tel. 001 88 83 37 86 00
Fax 001 76 54 83 09 03
sales@festoolcanada.com
www.festoolcanada.com



Kazakhstan

Voronin I.V.
Mikrorayon Aksay 3 a, dom 80
050031 Almaty
Tel. 007 727 242 94 55
ritm@ritm.asia
www.ritm.ttd.kz



Qatar

Equipment plus sarl
Mkales street 41
Beirut
Tel. 00961 16 92 136
Fax 00961 99 25 993
info@equipment-plus.com
www.equipment-plus.com



Columbia

Ferreteria AL-Diaz
Cra. 50 No. 71C-31
Bogotá, D.C.
Tel. 0057 1 660 0083
Fax 0057 231 4350
gerencia@ferreteriadiaz.com
www.ferreteriadiaz.com



Croatia

ALAGO d.o.o.
Horvati 112
10436 Rakov Potok
Tel. 00385 1 653 93 92
Fax 00385 1 653 93 93
info@alago.hr
www.alago.hr



Latvia

UAB „TTS Tooltechnic Systems“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@tts-company.lt
www.festool.lv



Lebanon

Equipment plus sarl
Mkales Street 41
Beirut, Lebanon
Tel. 00961 1 692136
Mobile 00961 71 861234
info@equipment-plus.com
www.equipment-plus.com



Lithuania

UAB „Festool LT“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@festool.lt
www.festool.lt



Luxembourg

Festool Belgium SA/NV
Agent Festool
Rue Colonel Bourgstraat 101
B - 1030 Bruxelles/Brussel
Tel. 0032 2 893 36 36
Fax 0032 2 726 98 81
info-be@festool.com
www.festool.be



Malta

PIOVE HOLDINGS Ltd.
C&C Technik
Profs Carmelo Coliero Street
Handaq Industrial Estate
Handaq
QRM4005 Qormi
Tel. 00356 21 44 67 98
Info@cctechnikmalta.com
www.cctechnikmalta.com



Macedonia

Rosa Doool
st. Jadranska Magistrala 90
1000 Skopje
Tel. 00389 022 602 092
Fax 00389 022 602 093
info@rosa.com.mk
contact@rosa.com.mk
www.rosa.com.mk



Moldova

UAB „TTS Tooltechnic Systems“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@tts-company.lt
www.tts-company.lt



New Zealand

Hindin Marquip Ltd.
1012 Great South Road
1061 Penrose - Auckland
Tel. 0064 9 9131661
hamish@hml.co.nz
www.hml.co.nz



The Netherlands

Festool Nederland B.V.
Coenecoop 2 G
2741 PG Waddinxveen
Tel. 0031 18 26 21 940
Fax 0031 18 26 21 949
info-nl@festool.com
www.festool.nl



Norway

MOTEK AS
Alf Bjerkesvei 22 B
BOX 81 Oekern
0508 Oslo
Tel. 0047 23 05 25 00
Fax 0047 22 64 00 63
odd-arve.rygh@motek.no
www.motek.no



Austria

Festool Österreich GmbH
Schloss Glanegg 2
5082 Grödig
Tel. 0043 (0)810/95 53 14
Fax 0043 (0)810/95 53 12
vertrieb-at@festool.com
www.festool.at



Panama

Formica Distribution Center, S.A.
City of Panama, Panama, street
85, Urb. Ind. Los Angeles
0832-2532 WTC PANAMA
Tel. 00507 260 5503
Fax 00507 260 1440
grettel.amores@bacosa.com
www.renpar.com.py



Paraguay

Renpar S.A.
Juan Leopardi N° 1879 c/ Pedro Peña
2160 San Lorenzo
Tel. 00595 21 51 13 29
Fax 00595 21 51 13 29
nlopes@renpar.com.py
www.formicadistributioncenter.com



Peru

EURO TOOLS MASCHINEN E.I.R.L.
Costa Rica N° 513
J. Hunter, Arequipa
Tel. 0051 54 65 7454 / 0051 54 65 7455
Mob. 958370884 / 997375706
euroimportacion@hotmail.com
eurotoolsmaschinen@hotmail.com
www.euro-importacion.com



Poland

Festool Polska Sp. z o.o.
Sokotów, ul. Sokotowska 47a
05-806 Komorów
Tel. 0048 22 122 74 00
Fax 0048 22 122 74 01
info-pl@festool.com
www.festool.pl



Portugal

Tooltechnic Systems Unipessoal, Lda
Zona Industrial Pau Queimado
E.N. 5, Armazém 25
2870-500 Montijo
Tel. 0034 93 264 30 30
Fax 0034 93 264 30 31
info-pt@festool.com
www.festool.pt



Romania

Tooltechnic System Kft.
Lakatos út 40.
1184 Budapest
Tel. 0036 12 97 13 50
Fax 0036 12 97 13 59
info@festool.hu
www.festool.ro



Russia

TTS Tooltechnic Systems 000
Russia, Moscow region
Noginsk district, 142400 Noginsk,
Noginsk-Technopark area, 13
Tel. 007 49 57 75 83 54
Fax 007 49 56 41 23 72
info@festool.ru
www.festool.ru



Saudi Arabia

Equipment plus sarl
Mkales street 41
Beirut
Libanon
Tel. 00961 1 692136
bejjanizad@equipment-plus.com
www.equipment-plus.com



Sweden

Festool Sverige AB
Stenåldersgatan 3
213 76 Malmö
Tel. 0046 40 670 10 00
info-se@festool.com
www.festool.se



Switzerland

Festool Schweiz AG
Moosmattstr. 24
8953 Dietikon
Tel. 0041 44 744 27 27
Fax 0041 44 744 27 28
info-ch@festool.com
www.festool.ch



Serbia

MAKSAL LINE D.O.O.
Pavla Pavlovića 11
office: Radojke Lakić 6
11000 BEOGRAD
Mob. 00381 64 127 7581
Tel. 00381 11 407 8421
Fax 00381 11 2412 266
maksal.bg@gmail.com
www.maksal-line.rs



Singapore

Hiap Huat Chemicals & Industrials Co.
19 Tanjong Penjuru
609021 Singapore
Tel.: 0065 67 45 4111
Fax: 0065 67 46 29 77
chem@hiaphuat.com.sg
www.hiaphuat.com.sg



Slovakia

Festool CZ s.r.o.
Chelčického 1932
CZ - 470 37 Česká Lípa
Tel. 00420 48 16 45 162
festool.info@festool.com
www.festool.cz



Slovenia

MAJO D.O.O.
Goričica pri Ihanu 2
1230 Domžale
Tel. 00386-17 248 216
Fax 00386-17 241 107
majo.doo@siol.net
www.majo.si



Spain

Festool Spain, S.L.U.
Parque Empresarial Cityparc - Edificio Lisboa.
Carretera de L'Hospitalet 147-149
CP 08940 Cornellà de Llobregat
Tel. 0034 93 264 30 30
Fax 0034 93 396 95 27
info-es@festool.com
www.festool.es



South Africa

Vermont Sales (Pty) Ltd
192 Tsessebe Crescent,
Corporate Park South, Old Pretoria Road,
Randjespark, Midrand, South Africa
PO Box 264, Halfway House, 1685
Tel. 0027 (0)11 314 7711
Fax 0027 (0) 866 88 66 33
orders@vermontsales.co.za
www.festool-powertools.co.za



South Korea

Festool Korea Ltd.
501-2ho, 67, Malgeunnae-gil, Uiwang-si,
Gyeonggi-do, 16071,
Republic of Korea
Tel. 0082 02 6002 6740
Fax 0082 02 6022 6799
info-kr@festool.com



Taiwan

Bestor Trading Corp.
No.12, Chung-Yang Lane
Kuang-Fu Village Shetou
Hsiang Chang-Hua Hsien
Tel. 00886 48 72 66 97
Fax 00886 48 72 52 09
bestor.steven@msa.hinet.net
www.bestor.com.tw



Thailand

Häfele (Thailand) Ltd.
57 Soi Sukhumvit 64
Bangjak Prakhonong
10260 Bangkok
Tel. 0066 27 41 71 71
Fax 0066 27 41 72 72
festool@hafele.co.th
www.hafele.com/th/en



Czech Republic

Festool CZ s.r.o.
Chelčického 1932
CZ - 470 37 Česká Lípa
Tel. 00420 48 16 45 162
festool.info@festool.com
www.festool.cz



Turkey

www.festool.com.tr



Ukraine

UAB „TTS Tooltechnic Systems“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@tts-company.lt
www.festool.ua



Hungary

Tooltechnic System Kft.
Lakatos út 40.
1184 Budapest
Tel. 0036 12 97 13 50
Fax 0036 12 97 13 59
info@festool.hu
www.festool.hu



Uruguay

Luganer S.A.
Martín C. Martínez 2126
Montevideo 11800
Tel. 00598 24 090 100
centroventas@luganer.com.uy
www.luganer.com.uy



USA

Tooltechnic Systems, LLC
400 N. Enterprise Blvd
Lebanon, IN 46052
Tel. 001 88 83 37 86 00
Fax 001 76 54 83 09 03
sales@festoolusa.com
www.festoolusa.com



Venezuela

Materiales Manzanillo c. a
Juan Baustista arismendi
001 Porlamar. Isla de Margarita
Tel. 0058 295 2744 601
Fax 0058 295 2744 783
Jou37@hotmail.com



United Arab Emirates

POLIMAR
Unit D-8 Sharjah Furniture Complex
Al Wahda Street
P.O. Box 433 Sharjah
Tel. 00971 65 33 41 47
Fax 00971 65 33 00 09
polimar@emirates.net.ae
www.polimar.com



Belarus

UAB „TTS Tooltechnic Systems“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@tts-company.lt
www.festool.by



Cyprus

K and S Industrial Supplies Ltd.
31, Vasilissis Frederikis street
P.O. Box 27147
1642 - Nicosia
Tel. 00357 22 67 46 64
Fax 00357 22 67 22 40
seraphim@cytanet.com.cy
www.festool.com

FESTOOL

Festool Australia

21-27 Evolution Drive
Dandenong South VIC 3175
Australia
Service Hotline: 1300 063 900
Fax: (03) 8845 7079
E-mail: customercare@tooltechnic.com.au

Hindin Marquip Ltd.
1012 Great South Road
Penrose, Auckland 1061
Phone +64 9 9131666
E-mail admin2@hml.co.nz

www.festool.com.au
www.festool.co.nz

Ref. no. 067 238 AUS_IMP/aus



Festool catalogue 2018

Date: 01/2018, replaces all previous catalogues.

Errors and omissions excepted. Products may differ from those depicted.