

Perfect surfaces from a single source: Polishing and oiling with Festool.

Detail of success.

Festool creates a perfect interaction between machine, polishing pad, foam pad and abrasive: for sensitive working and gleaming results on different materials from the word go, without any rework. For high-gloss paints, UV clear coats, mineral materials or acrylic glass.





Oil application at its cleanest.

Festool also offers a fully adapted system for producing a perfectly oiled surface finish – the SURFIX oil dispenser provides quick, clean and ecological surface protection of the highest quality in combination with high-quality natural oils.



HEAVY-DUTY

protection for furniture, worktops and all heavily worn indoor surfaces:
HEAVY-DUTY special oil



ONE-STEP

A gleaming finish and smooth to the touch:
the ONE-STEP oil/wax mixture for decorative indoor surfaces.



OUTDOOR

OUTDOOR universal oil is ideal for weatherproofing all types of wood used in external applications.



Sustainable, high-quality ingredients –
Festool natural oils.

Surface finishing

Rotary polisher SHINEX RAP 150



product
design
award

2009



SHINEX RAP 150



All-purpose genius.

- ▶ Longer working due to ergonomic handling and light weight
- ▶ Accelerator switch, speed preselection, controlled speed, smooth start-up
- ▶ Temperature-dependent overload protection
- ▶ Can take heavy loading because of its 2-speed motor

Technical data	RAP 150-14 FE	RAP 150-21 FE
Power consumption (W)	1.200	1.200
No-load speed (min ⁻¹)	600 – 1.400	900 – 2.100
Maximum polishing pad Ø (mm)	150	150
Spindle	M14	M14
weight (kg)	2,1	2,1




= MMC Multi Material Control electronics

Precise application of power.


Perfect power transfer thanks to the minimum distance between the tool and pad and the various grip positions of the SHINEX RAP 150.

Scope of delivery	Order no.
additional side handle, StickFix polishing pad Ø 150 mm	
RAP 150-14 FE AUS in carton	570815
RAP 150-14 FE-Set Automotive AUS polishing agent MPA 11000/1 0.5l, finish cleaner (500 ml), microfibre polishing cloth, spot sander, PoliStick Ø 150 mm premium sheepskin, Polistick foam polishing pad Ø 150 mm, white, fine waffle face, polish MPA 5000/1, self-adhesive sanding disc mix pack, in SYSTAINER SYS MAXI	575543
RAP 150-21 FE AUS in carton	571007
RAP 150-21 FE-Set Automotive AUS polish MPA 5000/1, polishing agent MPA 11000/1 0.5l, self-adhesive sanding disc mix pack, spot sander, Polistick foam polishing pad Ø 150 mm, white, fine waffle face, PoliStick Ø 150 mm premium sheepskin, microfibre polishing cloth, finish cleaner (500 ml), in SYSTAINER SYS MAXI	575544

System accessories from page 170



Polishing accessories from page 175



POLLUX 180



Powerhouse with high coverage capacity.

- ▶ Ergonomic dome grip and perfect weight distribution for relaxed work
- ▶ Temperature-dependent overload protection
- ▶ Accelerator switch, speed preselection, controlled speed, smooth start-up
- ▶ Exceptional cooling in lower speed range – allows work under heavy loads

Technical data

Power consumption (W)	1.500
No-load speed (min ⁻¹)	800 – 2.400
Maximum polishing pad Ø (mm)	180
Spindle	M14
weight (kg)	3,6



■ = MMC Multi Material Control electronics

When faced with demanding tasks.

The POLLUX 180 E enables perfect adaptation to different materials and surfaces. The motor speed always remains constant thanks to the MMC Electronics and allows you to work evenly without damaging the workpiece and avoid time-consuming rework.

Scope of delivery

POLLUX 180 E AUS
StickFix polishing pad Ø 180 mm, additional side handle, in carton

Order no.

570737

System accessories from page 170



Polishing accessories from page 171



Surface finishing

SURFIX OS oil dispenser



product
design award

2012

SURFIX OS



Safe and clean.

The foam pad remains soft and reusable for long periods when stored in the tin provided.

Oil application at its cleanest.

- ▶ Excellent ergonomics: the filled bottle clicks into place and also functions as the handle
- ▶ Clean work: the safety valve allows easy control of the dispensed amount, seals off the oil bottle cleanly and protects the oil from drying out for a long time
- ▶ Significantly more economical than a brush or cloth: the sponge, fastened with StickFix, absorbs any excess and then dispenses it where it's needed
- ▶ for every application area – Heavy-Duty, One-Step and Outdoor oil grades for all interior and exterior applications and light or dark woods. All high-quality natural oils, free of solvents and ecologically safe

Scope of delivery	Order no.
base plate	
OS-Set HD 0,3 l StickFix oil sponge, Heavy-Duty oil bottle 0.3 l, in a tin	498060
OS-Set OS 0,3 l StickFix oil sponge, One-Step oil bottle 0.3 l, in a tin	498061
OS-Set OD 0,3 l StickFix oil sponge, Outdoor oil bottle 0.3 l, in a tin	498062
OS-SYS3-Set Heavy-Duty oil bottle 0.3 l, One-Step oil bottle 0.3 l, Outdoor oil bottle 0.3 l, 5 x StickFix oil sponge, 5 x green non-woven sanding pad, 5 x white non-woven sanding pad, 10 x sanding discs STF-D150 P180 RU2, 10 x sanding discs STF-D150 P240 BR2, in SYSTAINER SYS 3 T-LOC	498063

System accessories from page 177



More about natural oils from page 127





RUSTOFIX BMS 180

**Quick, fix, RUSTOFIX.**

- ▶ Dust extraction system for healthy work
- ▶ Adjustable support rollers for precise setting of the texturing depth
- ▶ Quick, easy brush changes
- ▶ Overload protection for a long service life

Technical data

Power consumption (W)	1.500
No-load speed (min ⁻¹)	800 – 4.000
Tool Ø (mm)	150
Spindle	M14
Connection Ø for dust extraction (mm)	27
weight (kg)	7,5



■ = MMC Multi Material Control electronics

The quick way to produce a rustic wood effect.


The RUSTOFIX is the perfect tool for anyone wishing to lend a rustic touch to wooden surfaces – as safe and economically efficient as possible. Whether in furniture manufacture, building renovation or timber restoration.

Scope of delivery

BMS 180 E AUS
LD 85 brush, KB 80 brush, dust extraction hood, tool arbour,
Clamping flange, operating tool, in a case

Order no.

570744

**System accessories
from page 149**

The Festool system.

Because things work better when everything fits together: When sanding, for example. Almost all Festool abrasives and sanding pads are changed without requiring tools and adapted perfectly to the relevant sander as well as the overall system.



Surface finishing

Accessories and consumable materials

Surface preparation

System accessories	134
Abrasives	150

Polishing

System accessories	170
Polishing agent	171
Polishing sponges	173


Oils

System accessories	177
--------------------	-----



Surface finishing

System accessories




Accessories for geared eccentric sander ROTEX RO 90 DX

Denomination	Explanation	Order no.
1 Sanding pad SSH-GE-STF-R090 DX	for abrasives 93 V, delta sanding pad, plate without interchangeable sanding pad, for attaching StickFix sanding pads, soft and hard, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	496802
2 Sanding pad StickFix, soft SSH-STF-V93/6-W/2	for DX 93 and RO 90 DX, with snap stud, StickFix, qty. in pack 2 piece(s), in self-service display pack	488715
Sanding pad StickFix, hard SSH-STF-V93/6-H/2	for DX 93 and RO 90 DX, with snap stud, StickFix, qty. in pack 2 piece(s), in self-service display pack	488716
3 Sanding pad LSS-STF-R090 V93/6	for abrasives 93 V, plate incl. interchangeable sanding pad, slat sanding pad V93, for sanding in tight spaces, in self-service display pack	496803
4 Sanding pad LSS-STF-R090 V93 E	replacement backing pad for slat sanding pad, in self-service display pack	497483
5 FastFix sanding pad dia ST-STF D90/7 FX H-HT	hard, high-temperature-resistant hook and loop fastener, for flat surfaces and narrow edges, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	495623
6 FastFix sanding pad dia ST-STF D90/7 FX W-HT	soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	496804
7 Protector set FP-RO 90	for RO 90 DX, window protectors S, M, L, qty. in pack 3 piece(s), in self-service display pack	497936
Protector FESTOOL 90FX	for RO 90 DX, protects the sanding pad and workpiece, in self-service display pack	496801
8 Interface pad IP-STF-D90/6	functions as damping element between abrasive and sanding pad, Interface pad D 90 mm, height 15 mm, qty. in pack 1 piece(s), diameter 90 mm, in self-service display pack	497481
9 Abrasives	from page 152	
10 SYSTAINER T-LOC SYS-STF-D77/D90/93V	with insert for Ø 90 mm abrasives and 93V abrasives, dimension [L x W x H] 396 x 296 x 105 mm, number of compartments 8, SYSTAINER size SYS 1 T-LOC	497687
11 Polishing pad FastFix PT-STF-D90 FX-R090	for RO 90 DX, for holding polishing accessories with dia. 80 mm, polishing edges, polishing small surfaces, diameter 75 mm, in self-service display pack	495625



ROTEX RO 125




Accessories for geared eccentric sander ROTEX RO 125

Denomination	Explanation	Order no.
1 FastFix sanding pad dia ST-STF D125/8 FX-H-HT	hard, high-temperature-resistant hook and loop fastener, high edge solidity, for flat surfaces and narrow edges, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	492127
2 FastFix sanding pad dia ST-STF D125/8 FX-W-HT	soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	492125
3 FastFix sanding pad dia ST-STF D125/8 FX-SW	supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	492126
4 Louver pad LT-STF D125/RO125	specifically designed for sanding louvered doors and blinds, over-sized, hard pad for use with RO 125 and 150 mm diameter abrasives, connecting thread FastFix, qty. in pack 1 piece(s), diameter 150 mm, in self-service display pack	492129
5 Protector FESTOOL 125FX	for RO 125 FEQ, protects the sanding pad and workpiece, in self-service display pack	493912
6 Interface pad IP-STF-D120/8-J	for very fine sanding of flat surfaces and contours in conjunction with an eccentric sander, Ø 125 mm, functions as damping element between abrasive and sanding pad, JETSTREAM, height 15 mm, diameter 120 mm, diameter of jetstream hole pattern 90 mm, qty. in pack 1 piece(s), in self-service display pack	492271
7 Abrasives	from page 155	
8 SYSTAINER T-LOC SYS-STF D125	with insert for abrasives Ø 125 mm, dimension [L x W x H] 396 x 296 x 105 mm, number of compartments 5, SYSTAINER size SYS 1 T-LOC	497685
9 Polishing pad FastFix PT-STF-D125 FX-RO125	for RO 125 FEQ, fits polishing accessories, diameter 115 mm, height 10 mm, in self-service display pack	492128


Surface finishing

System accessories



Accessories for geared eccentric sander ROTEX RO 150

Denomination	Explanation	Order no.
1 FastFix sanding pad dia ST-STF D150/MJ2-FX-H-HT	for RO 150, hard, high-temperature-resistant hook and loop fastener, high edge solidity, for flat surfaces and narrow edges, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	202463
2 FastFix sanding pad dia ST-STF D150/MJ2-FX-W-HT	for RO 150, soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	202461
3 FastFix sanding pad dia ST-STF D150/MJ2-FX-SW	for RO 150, supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread FastFix, qty. in pack 1 piece(s), in self-service display pack	202462
4 Protector FESTOOL 150FX	for RO 150 FEQ, protects the sanding pad and workpiece, in self-service display pack	493913
5 Interface pad IP-STF D150/MJ2-5/2	for random orbital sander with diameter 150 mm, functions as damping element between abrasive and sanding pad, MULTI-JETSTREAM 2, optimum thickness for sanding work on vehicle bodies and similarly shaped parts, diameter 145 mm, height 5 mm, qty. in pack 2 piece(s), in self-service display pack	203348
Interface pad IP-STF D150/MJ2-15/1	for random orbital sander with diameter 150 mm, functions as damping element between abrasive and sanding pad, MULTI-JETSTREAM 2, optimum thickness for sanding work on highly rounded parts, diameter 145 mm, height 15 mm, in self-service display pack	203351
6 Abrasives	from page 157	
7 SYSTAINER T-LOC SYS-STF D150	with insert for abrasives Ø 150 mm, dimension [L x W x H] 396 x 296 x 210 mm, number of compartments 10, SYSTAINER size SYS 3 T-LOC	497690
8 Polishing pad FastFix PT-STF-D150 FX	for RO 150 FEQ, fits polishing accessories, diameter 135 mm, height 10 mm, in self-service display pack	496151
Polishing pad PT-STF-D150 M8	for RO 150, fits polishing accessories, diameter 135 mm, height 10 mm, in self-service display pack	496152
9 Side handle ZG-RAS/RO	for RO 150, RAS, WTS 150, in carton	487865
Handle BG-RO 150	for RO 150 FEQ, in self-service display pack	495188




Accessories for random orbital sanders ETS 125 R, ETSC 125, ETS EC 125

Denomination	Explanation	Order no.
1 Sanding pad ST-STF 125/8-M4-J W-HT	for ES 125, ETS 125, soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, for heavy-duty applications, JETSTREAM, connecting thread M4, diameter of jetstream hole pattern 90 mm, qty. in pack 1 piece(s), in self-service display pack	492280
Sanding pad ST-STF 125/8-M4-J SW	for ES 125, ETS 125, supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, JETSTREAM, connecting thread M4, diameter of jetstream hole pattern 90 mm, qty. in pack 1 piece(s), in self-service display pack	492282
2 Sanding pad ST-STF 125/8-M8-J H	for ETS EC 125, LEX 125, hard, high-temperature-resistant hook and loop fastener, high edge solidity, for flat surfaces and narrow edges, JETSTREAM, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	492284
Sanding pad ST-STF 125/8-M8-J W-HT	for ETS EC 125, LEX 125, soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, JETSTREAM, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	492286
Sanding pad ST-STF 125/8-M8-J SW	for ETS EC 125, LEX 125, supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, JETSTREAM, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	492288
3 Interface pad IP-STF-D120/8-J	for very fine sanding of flat surfaces and contours in conjunction with an eccentric sander, Ø 125 mm, functions as damping element between abrasive and sanding pad, JETSTREAM, height 15 mm, diameter 120 mm, diameter of jetstream hole pattern 90 mm, qty. in pack 1 piece(s), in self-service display pack	492271
4 Abrasives	from page 155	
5 SYSTAINER T-LOC SYS-STF D125	with insert for abrasives Ø 125 mm, dimension [L x W x H] 396 x 296 x 105 mm, number of compartments 5, SYSTAINER size SYS 1 T-LOC	497685
6 Protector PR ETS-R 125	for ETS 125 RQ, ETSC 125, for careful sanding along window panes, frames and panelling, protects the sanding pad and workpiece, in self-service display pack	201690
7 Longlife dust catcher SB-Longlife RTS/DTS/ETS	for ETS 125, ETSC 125, RTS 400, RTSC 400, DTS 400, DTSC 400, for collection of dust and for dust-free disposal of the extracted material, can be reused multiple times; wear resistant thanks to high-strength, long-life non-woven polyester, in self-service display pack	201693
8 Battery pack BP 18 Li 3,1 Ergo	for cordless sanders RTSC 400, DTSC 400, ETSC 125, not suitable for all other cordless tools, ergonomic, lightweight design, tension 18 V, capacity 3,1 Ah, weight 0,4 kg, in self-service display pack	202499
Power adapter ACA 220-240/18V Ergo	for cordless sanders RTSC 400, DTSC 400, ETSC 125, not suitable for all other cordless tools, for continuous electric operation of the cordless sanders RTSC 400, DTSC 400, ETSC 125, ergonomic, lightweight design, plug it-power cord (4 m), input voltage 220 – 240 V, tension 18 – 20 V, rated power 150 W, weight 0,3 kg, in self-service display pack	203738


Surface finishing

System accessories



Accessories for random orbital sanders ETS 150, ETS EC 150

Denomination	Explanation	Order no.
1 Sanding pad ST-STF D150/MJ2-M8-H-HT	for ETS 150, ETS EC 150, LEX 150 und WTS 150/7, hard, high-temperature-resistant hook and loop fastener, high edge solidity, for flat surfaces and narrow edges, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	202460
Sanding pad ST-STF D150/MJ2-M8-W-HT	for ETS 150, ETS EC 150, LEX 150 und WTS 150/7, soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	202458
Sanding pad ST-STF D150/MJ2-M8-SW	for ETS 150, ETS EC 150, LEX 150 und WTS 150/7, supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	202459
2 Interface pad IP-STF D150/MJ2-5/2	for random orbital sander with diameter 150 mm, functions as damping element between abrasive and sanding pad, MULTI-JETSTREAM 2, optimum thickness for sanding work on vehicle bodies and similarly shaped parts, diameter 145 mm, height 5 mm, qty. in pack 2 piece(s), in self-service display pack	203348
Interface pad IP-STF D150/MJ2-15/1	for random orbital sander with diameter 150 mm, functions as damping element between abrasive and sanding pad, MULTI-JETSTREAM 2, optimum thickness for sanding work on highly rounded parts, diameter 145 mm, height 15 mm, in self-service display pack	203351
3 Abrasives	from page 157	
4 SYSTAINER T-LOC SYS-STF D150	with insert for abrasives Ø 150 mm, dimension (L x W x H) 396 x 296 x 210 mm, number of compartments 10, SYSTAINER size SYS 3 T-LOC	497690
5 Turbo filter bag set TFS-ES 150	for ES 150, ETS 150, for a clear view and healthy working environment, not suitable for ETS EC 125/150, filter cartridge, turbofilter, in self-service display pack	489631
6 Turbo filter bag TF II-RS/ES/ET/25	for RS 300, RS 3, RS 200, RS 2, ES 150, ETS 150, ET 2, for insertion in filter cartridge, qty. in pack 25 piece(s), in carton	487871
Turbo filter bag TF II-RS/ES/ET/5	for RS 300, RS 3, RS 200, RS 2, ES 150, ETS 150, ET 2, for insertion in filter cartridge, qty. in pack 5 piece(s), in self-service display pack	487779




Accessories for orbital sanders RS 100, RS 200, RS 300

Denomination	Explanation	Order no.
1 Sanding pad StickFix SSH-STF-115x221/10 RS 1 C	for RS 100 C, RS 1 C, StickFix fastener layer for quick changes of abrasive, width 221 mm, length min. 115 mm, dimensions 115 x 221 mm, in self-service display pack	488226
Sanding pad SSH 115x221/10-RS 1 C	for RS 100 C, RS 1 C, for abrasives for clamping, width 221 mm, length min. 115 mm, dimensions 115 x 221 mm, in self-service display pack	492310
Sanding pad StickFix SSH-STF-115x225/10	for RS 200, RS 2, RS 100, RS 1, StickFix fastener layer for quick changes of abrasive, dimensions 115 x 225 mm, in self-service display pack	483679
Sanding pad StickFix SSH-STF-115x225/10-KS	for RS 200, RS 2, RS 100, RS 1, with edge protection, width 225 mm, length min. 115 mm, dimensions 115 x 225 mm, in self-service display pack	485648
Sanding pad StickFix SSH-STF-93x175/8	for RS 300, RS 3, LRS 93, StickFix fastener layer for quick changes of abrasive, width 175 mm, length min. 93 mm, dimensions 93 x 175 mm, in self-service display pack	483905
Slat sanding pad StickFix SSH-STF-L93x230/0	for RS 300, RS 3, LRS 93, lamellar sanding pad version, width 230 mm, length min. 93 mm, dimensions 93 x 230 mm, in self-service display pack	486371
Iron-shaped sanding pad StickFix SSH-STF-V93x266/14	for RS 300, RS 3, LRS 93, pressing iron sanding pad version, width 266 mm, length min. 93 mm, dimensions 93 x 266 mm, in self-service display pack	486418
2 Sanding pad SSH-115x225/10	for RS 200, RS 2, RS 100, RS 1, for abrasives for clamping, width 225 mm, length min. 115 mm, dimensions 115 x 225 mm, in self-service display pack	489629
Sanding pad SSH-115x225/10-KS	for RS 200, RS 2, RS 100, RS 1, with edge protection, for abrasives for clamping, width 225 mm, length min. 115 mm, dimensions 115 x 225 mm, in self-service display pack	485647
Sanding pad SSH-93x175/8	for RS 300, RS 3, LRS 93, for abrasives for clamping, length min. 93 mm, width 175 mm, dimensions 93 x 175 mm, in self-service display pack	489630
3 Hole punch 10L 115x225	for RS 200, RS 2, RS 100, RS 100 C, RS 1, RS 1 C, HSK 115 x 226, for preparing the Festool hole pattern, no. of holes 10, in self-service display pack	481523
4 Turbo filter bag TF-RS 1/5	for RS 100, RS 1, paper filter bag for turbo dust extraction, for insertion in filter cartridge, qty. in pack 5 piece(s), in self-service display pack	483674
Turbo filter bag TF II-RS/ES/ET/25	for RS 300, RS 3, RS 200, RS 2, ES 150, ETS 150, ET 2, for insertion in filter cartridge, qty. in pack 25 piece(s), in carton	487871
Turbo filter bag TF II-RS/ES/ET/5	for RS 300, RS 3, RS 200, RS 2, ES 150, ETS 150, ET 2, for insertion in filter cartridge, qty. in pack 5 piece(s), in self-service display pack	487779
Turbo filter bag set TFS II-ET/RS	for RS 300, RS 3, RS 200, RS 2, ET2, for a clear view and healthy working environment, filter cartridge, 5 x turbofilter, in self-service display pack	487780
5 Abrasives	from page 163	

Surface finishing

System accessories




Accessories for orbital sanders RTS 400 R, RTSC 400, delta sanders DTS 400 R, DTSC 400

Denomination	Explanation	Order no.
1 Sanding pad StickFix SSH-STF-80x130/8	for RS 4, perforated with 8 dust extraction holes, width 130 mm, length min. 80 mm, dimensions 80 x 130 mm, in self-service display pack	483906
Sanding pad SSH-80x130/8	for RS 4, for abrasives for clamping, width 130 mm, length min. 80 mm, dimensions 80 x 130 mm, in self-service display pack	491366
Sanding pad StickFix SSH-STF-80x130/12	for RTS 400, RS 400, RTSC 400, perforated with 12 dust extraction holes, length min. 80 mm, width 130 mm, dimensions 80 x 130 mm, in self-service display pack	489252
Sanding pad SSH-STF-Delta100x150/7	for DTS 400, DS 400, DTSC 400, for sanding all the way into corners, width 150 mm, length min. 100 mm, dimensions 100 x 150 mm, in self-service display pack	493723
2 Abrasives	from page 160	
3 SYSTAINER T-LOC SYS-STF 80x133	with insert for abrasives 80x133 mm, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 6, SYSTAINER size SYS 1 T-LOC	497684
SYSTAINER T-LOC SYS-STF Delta 100x150	with insert for abrasives STF Delta 100x150, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 5, SYSTAINER size SYS 1 T-LOC	497686
SYSTAINER T-LOC SYS-STF-D77/D90/93V	with insert for Ø 90 mm abrasives and 93V abrasives, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 8, SYSTAINER size SYS 1 T-LOC	497687
4 Longlife dust catcher SB-Longlife RTS/DTS/ETS	for ETS 125, ETSC 125, RTS 400, RTSC 400, DTS 400, DTSC 400, for collection of dust and for dust-free disposal of the extracted material, can be reused multiple times; wear resistant thanks to high-strength, long-life non-woven polyester, in self-service display pack	201693
5 Protector PR RTS-R 80x133	for RTS 400 REQ, RTSC 400, for careful sanding along window panes, frames and panelling, protects the sanding pad and workpiece, in self-service display pack	201691
Protector PR DTS-R 100x150	for DTS 400 REQ, DTSC 400, for careful sanding along window panes, frames and panelling, protects the sanding pad and workpiece, in self-service display pack	201692
6 Battery pack BP 18 Li 3,1 Ergo	for cordless sanders RTSC 400, DTSC 400, ETSC 125, not suitable for all other cordless tools, ergonomic, lightweight design, tension 18 V, capacity 3,1 Ah, weight 0,4 kg, in self-service display pack	202499
Power adapter ACA 220-240/18V Ergo	for cordless sanders RTSC 400, DTSC 400, ETSC 125, not suitable for all other cordless tools, for continuous electric operation of the cordless sanders RTSC 400, DTSC 400, ETSC 125, ergonomic, lightweight design, plug it-power cord (4 m), input voltage 220 – 240 V, tension 18 – 20 V, rated power 150 W, weight 0,3 kg, in self-service display pack	203738



DUPLEX LS 130



Accessories for linear sander DUPLEX LS 130


Denomination	Explanation	Order no.
1 Flat sanding pad SSH-STF-LS130-F	standard design, dimensions 80 x 130 mm, in self-service display pack	490161
2 Rebate profile sanding pad SSH-STF-LS130-90 GR	90 degrees, dimensions 80 x 130 mm, in self-service display pack	490162
3 Radius profile sanding pad SSH-STF-LS130-R6KV	radius R6 concave, dimensions 80 x 130 mm, in self-service display pack	490163
Radius profile sanding pad SSH-STF-LS130-R10KV	radius R10 concave, dimensions 80 x 130 mm, in self-service display pack	491197
4 Radius profile sanding pad SSH-STF-LS130-R18KV	radius R18, concave, dimensions 80 x 130 mm, in self-service display pack	490164
Radius profile sanding pad SSH-STF-LS130-R25KV	radius R25, concave, dimensions 80 x 130 mm, in self-service display pack	490165
5 V-groove profile sanding pad SSH-STF-LS130-V10	minimum basic dimension of the V-groove 10 mm, dimensions 80 x 130 mm, in self-service display pack	490166
6 Flute profile sanding pad SSH-STF-LS130-R5KX	radius R5 convex, dimensions 80 x 130 mm, in self-service display pack	491198
Flute profile sanding pad SSH-STF-LS130-R12,5KX	radius R12,5, convex, dimensions 80 x 130 mm, in self-service display pack	490167
7 DIY construction kit SSH-STF-LS130 Kit	kit for creating any type of profiling pad, in self-service display pack	490780
8 Interface pad IP-STF-80x133/12-STF LS130/2	damping element between sanding pad and abrasive, dimensions 80 x 133 mm, qty. in pack 2 piece(s), in self-service display pack	490160
9 Scraper SSH-LS130-B100	for removing coatings, width 100 mm, in self-service display pack	491199
10 Lamellae sanding pad long SSH-STF-LS130-LL195	for relief grinding of facings, dimensions 80 x 195 mm, in self-service display pack	491861
11 Abrasives	from page 161	
12 SYSTAINER T-LOC SYS-STF 80x133	with insert for abrasives 80x133 mm, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 6, SYSTAINER size SYS 1 T-LOC	497684

Surface finishing

System accessories




RAS 180



Accessories for rotary sander RAS 180

Denomination	Explanation	Order no.
1 Sanding pad ST-STF-D180/0-M14 W	for RAS 180, soft, for universal use on flat and contoured surfaces, connecting thread M14, in self-service display pack	485253
Sanding pad ST-D180/0-M14/2F	for RAS 180, for fibre discs Ø 180 mm, connecting thread M14, in self-service display pack	485296
2 Abrasives	from page 159	
3 Side handle ZG-RAS/RO	for RO 150, RAS, WTS 150, in carton	487865




Accessories for long-reach sanders PLANEX LHS 225, PLANEX easy LHS-E 225

Denomination	Explanation	Order no.
1 Sanding pad ST-STF-D215/8-LHS 225-SW	for long-reach sander PLANEX, for universal use on flat and contoured surfaces, extra-soft, adaptable sanding pad, perfect suction assistance to make the work easier, not recommended for PLANEX easy LHS-E 225, qty. in pack 1 piece(s), diameter 215 mm, in self-service display pack	202546
Sanding pad ST-STF-D215/8-IP-LHS 225	for long-reach sander PLANEX, for all-purpose use; especially suitable for rounded surfaces, includes 2 interface pads, not recommended for PLANEX easy LHS-E 225, diameter 215 mm, in self-service display pack	496106
Sanding pad ST-STF-D215/8-LHS-E	for PLANEX easy, LHS-E 225 EQ, for universal use on flat and contoured surfaces, high-temperature-resistant hook and loop fastener, for heavy-duty applications, not suitable for PLANEX LHS 225 with suction assist, qty. in pack 1 piece(s), diameter 215 mm, in self-service display pack	201895
2 Interface pad IP-STF-D215/8/2x	functions as damping element between abrasive and sanding pad, for use with sanding pad 496106, height 5 mm, diameter 215 mm, qty. in pack 2 piece(s), in self-service display pack	496140
3 Brush segment BS-LHS 225	for long-reach sander PLANEX, detachable part of the brush strip of the PLANEX LHS 225 EQ sanding head, in self-service display pack	495166
Brush segment BS-LHS-E 225	for PLANEX easy, LHS-E 225 EQ, detachable part of the brush strip of the PLANEX easy LHS-E 225 sanding head, in self-service display pack	203189
Brush strip BE-LHS 225	for long-reach sander PLANEX, as replacement for worn brush strip, in self-service display pack	495167
Brush strip BE-LHS-E 225	for PLANEX easy, LHS-E 225 EQ, as replacement for worn brush strip, in self-service display pack	203190
4 Abrasives	from page 159	
5 SYSTAINER T-LOC SYS-STF D225	with insert for abrasive Ø 225 mm, dimension [L x W x H] 396 x 296 x 315 mm, number of compartments 3, SYSTAINER size SYS 4 T-LOC	497691
6 Guide extension VL-LHS 225	for long-reach sander PLANEX, quick extension of PLANEX for high ceilings, length 500 mm, in self-service display pack	495169
7 Carrying harness TG-LHS 225	for long-reach sanders PLANEX, PLANEX easy, support when sanding ceilings, additional side handle, in SYSTAINER SYS MAXI	496911
Side handle ZG-LHS 225	for PLANEX and carrying harness, in carton	496916
8 Bag LHS-E 225-BAG	for PLANEX easy, LHS-E 225 EQ, carry bag with shoulder strap, in carton	202477
9 Tool holder WHR-CT 36-LHS 225	for CT 36 PLANEX, with practical carry handle, for storage of PLANEX, not for PLANEX easy, in carton	495964
10 plug it-cable H05 RN-F/4 EU PLANEX	for long-reach sanders PLANEX, PLANEX easy, rubber-insulated cable, extended cable grommet makes it especially suitable for use with the PLANEX LHS 225 e.g. for sanding work on plaster-board, length 4 m, in self-service display pack	499819


Surface finishing

System accessories



Accessories for belt sanders BS 75, BS 105

Denomination	Explanation	Order no.
1 Sanding base SU/GG-BS 75	for BS 75, from fabric/graphite, qty. in pack 2 piece(s), in self-service display pack	490823
Sanding base SU/KM-BS 75	for BS 75, made from cork/metal for coarse sanding work, qty. in pack 1 piece(s), in self-service display pack	490824
Sanding base SU/GG-BS 105	for BS 105, from fabric/graphite, qty. in pack 2 piece(s), in self-service display pack	490825
Sanding base SU/KM-BS 105	for BS 105, made from cork/metal for coarse sanding work, qty. in pack 1 piece(s), in self-service display pack	490826
2 Sanding frame FSR-BS 75	for BS 75, quick installation, no tools required, mounting element, qty. in pack 1 piece(s), in carton	490827
Sanding frame FSR-BS 105	for BS 105, quick installation, no tools required, mounting element, qty. in pack 1 piece(s), in carton	490828
3 Abrasive belt	from page 165	
4 Extraction adapter AA-BS 75/105	for BS 75, BS 105, for connection of suction hose to belt sander, in self-service display pack	490818
5 Dust bag AS-BS 75/105	for BS 75, BS 105, in carton	490819
6 Rip fence LA-BS 75/105	for BS 75, BS 105, enables flexible sanding down of workpieces, in carton	490821
7 Bench unit SE-BS 75/105	for BS 75, BS 105, qty. in pack 2 piece(s), in carton	490820




Accessories for compressed air eccentric sanders LEX 3 77, LEX 3 125, LEX 3 150

Denomination	Explanation	Order no.
1 Interface pad IP-STF-D77/6	for LEX 3 77, functions as damping element between abrasive and sanding pad, height 10 mm, diameter 77 mm, qty. in pack 2 piece(s), in self-service display pack	498818
Interface pad IP-STF-D120/8-J	for very fine sanding of flat surfaces and contours in conjunction with an eccentric sander, Ø 125 mm, functions as damping element between abrasive and sanding pad, JETSTREAM, height 15 mm, diameter 120 mm, diameter of jetstream hole pattern 90 mm, qty. in pack 1 piece(s), in self-service display pack	492271
Interface pad IP-STF D150/MJ2-5/2	for random orbital sander with diameter 150 mm, functions as damping element between abrasive and sanding pad, MULTI-JETSTREAM 2, optimum thickness for sanding work on vehicle bodies and similarly shaped parts, diameter 145 mm, height 5 mm, qty. in pack 2 piece(s), in self-service display pack	203348
Interface pad IP-STF D150/MJ2-15/1	for random orbital sander with diameter 150 mm, functions as damping element between abrasive and sanding pad, MULTI-JETSTREAM 2, optimum thickness for sanding work on highly rounded parts, diameter 145 mm, height 15 mm, in self-service display pack	203351
2 Sanding pad ST-STF-D77/6-M5 W	for LEX 3 77, soft, for tough and universal use, diameter 77 mm, connecting thread M5, qty. in pack 1 piece(s), in self-service display pack	498694
Sanding pad ST-STF 125/8-M8-J H	for ETS EC 125, LEX 125, hard, high-temperature-resistant hook and loop fastener, high edge solidity, for flat surfaces and narrow edges, JETSTREAM, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	492284
Sanding pad ST-STF 125/8-M8-J W-HT	for ETS EC 125, LEX 125, soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, JETSTREAM, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	492286
Sanding pad ST-STF 125/8-M8-J SW	for ETS EC 125, LEX 125, supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, JETSTREAM, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	492288
Sanding pad ST-STF D150/MJ2-M8-SW	for ETS 150, ETS EC 150, LEX 150 und WTS 150/7, supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	202459
Sanding pad ST-STF D150/MJ2-M8-W-HT	for ETS 150, ETS EC 150, LEX 150 und WTS 150/7, soft, high-temperature-resistant hook and loop fastener, for universal use on flat and contoured surfaces, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	202458
Sanding pad ST-STF D150/MJ2-M8-H-HT	for ETS 150, ETS EC 150, LEX 150 und WTS 150/7, hard, high-temperature-resistant hook and loop fastener, high edge solidity, for flat surfaces and narrow edges, MULTI-JETSTREAM 2, diameter 150 mm, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	202460
Sanding pad ST-STF-D185/16-M8 W	soft, for universal use on flat and contoured surfaces, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	490514
Sanding pad ST-STF-D185/16-M8 SW	supersoft, elastic structure, for fine sanding and sanding of contoured surfaces, connecting thread M8, qty. in pack 1 piece(s), in self-service display pack	490526
3 Abrasives	from page 152	


Surface finishing

System accessories



Accessories for compressed air eccentric sanders LEX 3 77, LEX 3 125, LEX 3 150

Denomination	Explanation	Order no.
4 SYSTAINER T-LOC SYS-STF-D77/D90/93V	with insert for Ø 90 mm abrasives and 93V abrasives, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 8, SYSTAINER size SYS 1 T-LOC	497687
SYSTAINER T-LOC SYS-STF D125	with insert for abrasives Ø 125 mm, dimension (L x W x H) 396 x 296 x 105 mm, number of compartments 5, SYSTAINER size SYS 1 T-LOC	497685
SYSTAINER T-LOC SYS-STF D150	with insert for abrasives Ø 150 mm, dimension (L x W x H) 396 x 296 x 210 mm, number of compartments 10, SYSTAINER size SYS 3 T-LOC	497690
5 Guide control black powder HB-Set	for visibly checking surfaces to be sanded, hand sanding block, 2 cartridges of guide control black powder (30 g each), in carton	495939
Refillable cartridge 2 x 30 g	refill for black guide powder HB set (2 x 30 g), in carton	495940
6 IAS hoses IAS 3	from page 148	
IAS adapter IAS 3-SD	for LEX 3, LEX 2, LRS, for direct connection of a Festool compressed air sander to a compressed air line (without dust extraction), length 90 mm, in carton	497214
Compr. air hose D 12,4 x 5 m	for LEX 3, LEX 2, LRS, IAS 3-SD, the IAS 3-SD port is required for connection of the machine, length 5 m, in carton	497215
IAS double adapter IAS 3-DA-CT	for LEX 3, LEX 2, LRS, CT dust extractors (not CT 11/MINI/MIDI), for simultaneous connection of two air tools with IAS 2 and/or IAS 3 connection to a Festool dust extractor, not suitable for M dust extractors, in carton	497284
Adapter AD-IAS/D 36	note: if IAS 2/IAS 3 hoses are used without this adapter to extract dirt directly the hoses and air tools may be damaged by dirt deposits in connecting parts, for the use of D 36 suction nozzles with IAS 2/IAS 3 hoses, in a bag	488418
Adapter IAS-ZA	for central extraction units, boom arms manufactured by Rupes, IVO and Herkules, and Rupes power boxes, rubber bushing for connection of IAS 2/IAS 3 air tools via an IAS 2/IAS 3 connection, external Ø 59/75 mm, interior Ø 49/57 mm, in carton	489222
connecting sleeve IAS 3-B1	for LEX 3, LEX 2, LRS, for connection of an IAS 3/IAS 3 light hose to an SRM 70/SRM 312 B1 dust extractor, in self-service display pack	499024
Adapter IAS 3-FA	for LEX 3, LEX 2, LRS, for connection of an IAS 3/IAS 3 light hose to the EAA energy box or Herkules exhaust turbine, diameter of cone 47,5 - 51,8 mm, in self-service display pack	499025
IAS adapter IAS-S-ZA/Herkules	for connection of IAS 2/IAS 3 hoses to Herkules central dust extraction systems, with closing slide, in carton	490605
Cleaning and lubricating oil LFC 9022/50	for LEX, LRS, special oil for compressed air preparation, 50 ml, in plastic bottle	201077
Cleaning and lubricating oil LFC 9022/1000	for LEX, LRS, special oil for compressed air preparation, 1 litre, in plastic bottle	201076



Accessories for compressed air orbital sanders LRS 93, LRS 400


Denomination	Explanation	Order no.
1 Sanding pad StickFix SSH-STF-93x175/8	for RS 300, RS 3, LRS 93, StickFix fastener layer for quick changes of abrasive, length min. 93 mm, width 175 mm, dimensions 93 x 175 mm, in self-service display pack	483905
Sanding pad SSH-93x175/8	for RS 300, RS 3, LRS 93, for abrasives for clamping, width 175 mm, length min. 93 mm, dimensions 93 x 175 mm, in self-service display pack	489630
Iron-shaped sanding pad StickFix SSH-STF-V93x266/14	for RS 300, RS 3, LRS 93, pressing iron sanding pad version, width 266 mm, length min. 93 mm, dimensions 93 x 266 mm, in self-service display pack	486418
Sanding pad SSH-STF-80x400/17	for LRS 400, HSK 80x400, HSK 80x200, soft, dimensions 80 x 400 mm, qty. in pack 1 piece(s), in self-service display pack	493140
2 Abrasives	from page 163	
3 IAS hoses IAS 3	from page 148	
IAS adapter IAS 3-SD	for LEX 3, LEX 2, LRS, for direct connection of a Festool compressed air sander to a compressed air line (without dust extraction), length 90 mm, in carton	497214
Compr. air hose D 12,4 x 5 m	for LEX 3, LEX 2, LRS, IAS 3-SD, the IAS 3-SD port is required for connection of the machine, length 5 m, in carton	497215
IAS double adapter IAS 3-DA-CT	for LEX 3, LEX 2, LRS, CT dust extractors (not CT 11/MINI/MIDI), for simultaneous connection of two air tools with IAS 2 and/or IAS 3 connection to a Festool dust extractor, not suitable for M dust extractors, in carton	497284
Adapter AD-IAS/D 36	note: if IAS 2/IAS 3 hoses are used without this adapter to extract dirt directly the hoses and air tools may be damaged by dirt deposits in connecting parts, for the use of D 36 suction nozzles with IAS 2/IAS 3 hoses, in a bag	488418
Adapter IAS-ZA	for central extraction units, boom arms manufactured by Rupes, IVO and Herkules, and Rupes power boxes, rubber bushing for connection of IAS 2/IAS 3 air tools via an IAS 2/IAS 3 connection, external Ø 59/75 mm, interior Ø 49/57 mm, in carton	489222
connecting sleeve IAS 3-B1	for LEX 3, LEX 2, LRS, for connection of an IAS 3/IAS 3 light hose to an SRM 70/SRM 312 B1 dust extractor, in self-service display pack	499024
Adapter IAS 3-FA	for LEX 3, LEX 2, LRS, for connection of an IAS 3/IAS 3 light hose to the EAA energy box or Herkules exhaust turbine, diameter of cone 47,5 – 51,8 mm, in self-service display pack	499025
IAS adapter IAS-S-ZA/Herkules	for connection of IAS 2/IAS 3 hoses to Herkules central dust extraction systems, with closing slide, in carton	490605
Cleaning and lubricating oil LFC 9022/50	for LEX, LRS, special oil for compressed air preparation, 50 ml, in plastic bottle	201077
Cleaning and lubricating oil LFC 9022/1000	for LEX, LRS, special oil for compressed air preparation, 1 litre, in plastic bottle	201076

Surface finishing

System accessories

IAS 3 hoses

		Type	Order no.
	IAS hose for LEX 3, LEX 2, LRS, antistatic, in accordance with DIN IEC 312, bleeder resistor (DIN IEC 312) <1 mΩ/m, temperature-resistant up to + 70°C, hose Ø 44 mm, in carton		
	for connection of a Festool compressed air sander to a Festool mobile dust extractor or energy box, length 3,5 m	IAS 3-3500 AS	497208
	for connection of a Festool compressed air sander to a Festool mobile dust extractor or energy box, length 5 m	IAS 3-5000 AS	497209
	for connection of a Festool compressed air sander to a Festool mobile dust extractor or energy box, length 7 m	IAS 3-7000 AS	497210
	for connection of a Festool compressed air sander to a Festool energy box, length 10 m	IAS 3-10000 AS	497211
	IAS hose for LEX 3, LEX 2, LRS, antistatic, in accordance with DIN IEC 312, bleeder resistor (DIN IEC 312) <1 mΩ/m, temperature-resistant up to + 70°C, hose Ø 37 mm, in carton		
	for connection of a Festool compressed air sander to a Festool mobile dust extractor or energy box, length 3,5 m	IAS 3 light 3500 AS	497478
	for connection of a Festool compressed air sander to a Festool mobile dust extractor or energy box, length 5 m	IAS 3 light 5000 AS	497213
	for connection of a Festool compressed air sander to a Festool mobile dust extractor or energy box, length 7 m	IAS 3 light 7000 AS	497479
	note: not with combination of CT/SR and ASA, for connection of a Festool compressed air sander to a Festool energy box, length 10 m	IAS 3 light 10000 AS	497480



Accessories for manual sanding

Denomination	Explanation	Order no.
1 Sanding block HSK-A 80x130	compatible abrasives 80 x 133 mm, adapter for Festool hose, bypass adapter, weight 0,19 kg, in carton	496962
2 Sanding block HSK-A 115x226	compatible abrasives 115 x 228 mm, adapter for Festool hose, bypass adapter, weight 0,28 kg, in carton	496963
3 Sanding block HSK-A 80x400	compatible abrasives 80 x 400 mm, adapter for Festool hose, bypass adapter, weight 0,52 kg, in carton	496964
4 Sanding block HSK-A 80x200	compatible abrasives 80 x 400 mm (to be halved), adapter for Festool hose, bypass adapter, weight 0,2 kg, in carton	496965
Sanding blocks HSK-A-Set	compatible abrasives 80 x 133 mm, 115 x 228 mm, 80 x 400 mm, adapter for Festool hose, HSK-A 80x130, bypass adapter, HSK-A 80x200, HSK-A 80x400, HSK-A 115x226, in carton	497101
5 Hand-sanding block HSK-STF-46x178	for supporting StickFix, abrasive sheets 46 x 178 mm, in self-service display pack	583129
6 Sanding block HSK-D 150 W	soft, for holding StickFix sanding discs Ø 150 mm, in self-service display pack	495965
Sanding block HSK-D 150 H	hard, for holding StickFix sanding discs Ø 150 mm, in self-service display pack	495966
7 Sanding block HSK 80x133 H	hard, for holding StickFix abrasive sheets 80 x 133 mm, in self-service display pack	495967
8 Abrasives	from page 166	

Accessories for RUSTOFIX BMS 180

Denomination	Explanation	Order no.
1 Rustilon brushes LD 85	for BMS 180, with standard steel wire, steel core, for texturing, external Ø 150 mm, width 85 mm, hole Ø 50 mm, in carton	411549
2 Rustilon brushes KB 85	for BMS 180, plastic bristles with embedded K80 grit, die-cast plastic core, for intermediate sanding, external Ø 150 mm, width 85 mm, hole Ø 16 - 30 mm, in carton	411969
3 Rustilon brushes BG 80	for BMS 180, with sisal bristles, steel core, for smoothing, external Ø 150 mm, width 80 mm, hole Ø 50 mm, in carton	411887

Surface finishing

Abrasives

Impressive not just on paper, but also in the workshop.

You can rely on Festool for the right abrasive for every tool and every application. A single rule applies: the more compatible the abrasive and sanding pad are with the tool, the more efficient and economical the working results will be.

No disc disintegration.

A combination of extremely tear-resistant and flexible synthetic resin bonds the two layers of abrasive grit. This prevents the discs from disintegrating prematurely.

Wear-resistant grit.

The abrasive grain is very hard but also durable. Each grain therefore retains its shape even under the toughest conditions, guaranteeing outstanding material removal.

Extended useful life.

The special combination of abrasive grain, bonding and surface geometry delays clogging of the abrasive. Festool Platin 2, Titan 2 and Granat abrasives have a dust-repellent coating for an even longer useful life.

Even sanding.

The uniform grains ensure a consistent depth of roughness across the abrasive. Resulting in a clean sanding finish, less reworking and, therefore, a considerable time-saving.

Flexible and stable backing material.


Festool uses flexible backing material made from paper, cotton fabric or synthetic fibres, depending on requirements. The impregnation adheres extremely well to both the paper and the bonding. The material remains extremely flexible and transitions are sanded smooth.

Quick changes with the StickFix system.

Festool abrasives are changed without gluing or clamping: just pull one off and attach the next one. The Velcro system is reliable, does not slip and the discs are easy to peel off.

Improved dust extraction.

Intensive dust extraction by the patented Jetstream and MULTI-JETSTREAM 2 principle increases the service life of the sanding discs. See page 151 for details of the MULTI-JETSTREAM 2 system.




Achieving the perfect surface finish depends on the smallest of details. All Festool abrasives and sanding pads are adapted perfectly to the relevant sander as well as the overall system.

Abrasives

Granat

P40-3000



Universal for coarse to fine sanding

Sanding:

- Paint systems compliant with VOC regulations
- Water-dilutable clear coats
- Hard clear coats, undercoats such as GRP
- Also suitable for conventional clear coats, filler, paints

Granat Net

P40-220




Perfect for substrates that generate a lot of dust

Sanding:

- Filler
- Primer surfacer
- Paint
- Varnish
- Plaster repair compound and premixed joint compound

Rubin 2

P40-220



Perfect for processing wood


Sanding:

- Hardwood
- Softwood
- Wood composites
- Tropical wood

Economical working and faultless results guaranteed in all sanding applications.

Brilliant 2

P40-400



Universal for paints and clear coats.

Sanding:

- Acrylic and nitro-cellulose paint, priming varnish, DD lacquer
- Repair compound, fine and polyester filler
- Undercoats, fillers, protective paint, primers
- Preparation prior to priming wood (oil, wood stains)

Platin 2

S400-4000




For perfect preparation for polishing

Finishing/matting:

- High-gloss paints in preparation for polishing
- Water-dilutable clear coats
- Mineral materials, acrylic glass
- Plastics

Saphir

P24-80



For efficient removal of wood and clear coats.

Coarse sanding:

- Hard substrates, coatings, old clear coats
- Worn steps, roughly sawn wooden parts
- Deburring or rust removal
- Fibre-reinforced plastics

Vlies


100-1000



For light sanding, cleaning, oiling, waxing

Matting/light sanding of paints and clear coats:

- Lightly sanding old coats of paint before repainting
- Polishing metal
- Cleaning wood materials
- Oiling and waxing natural wood



With active dust removal – the patented MULTI-JETSTREAM 2 principle*

The MULTI-JETSTREAM 2 principle is defined by the ideal interplay of intake and exhaust air – with optimum dust capture right up to the edges. This generates an air flow that actively transports the sanding dust to the nearest extraction channel. The result: nearly 100% dust extraction for constantly high rates of abrasion, top surface quality and healthy working.

Active dust transportation

The 48 dust extraction holes capture the dust and actively transport it to the exhaust channel. The dust is extracted from everywhere on the pad – right up to the edges.

Maximum suction with unbeatable sanding performance

The fastener layer and the abrasive stay dust free for longer due to efficient dust extraction. Sanding performance remains high, so the abrasive can be used for longer.

high-temperature-resistant hook and loop fastener

On the MULTI-JETSTREAM 2 sanding pad, the fastener layer is made from high-temperature-resistant material, making it especially durable. The specially designed hooks of the fastener ensure a perfect hold on the abrasive.

* For all sanding pads 150 mm in diameter

Surface finishing

Abrasives

LEX 3 77

RO 90 DX



Ø 77 mm

Granat



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P80	50	497405	P400	50	497412
P120	50	497406	P500	50	497413
P150	50	497407	P800	50	498929
P180	50	497408	P1000	50	498930
P240	50	497409	P1200	50	498931
P280	50	497410	P1500	50	498932
P320	50	497411			

Ø 90 mm

Granat









P40	50	497363	P280	100	497850
P60	50	497364	P320	100	497372
P80	50	497365	P400	100	497373
P100	100	497366	P500	100	498326
P120	100	497367	P800	50	498327
P150	100	497368	P1000	50	498328
P180	100	497369	P1200	50	498329
P220	100	497370	P1500	50	498330
P240	100	497371			

Rubin 2




P40	50	499077	P120	50	499081
P60	50	499078	P150	50	499082
P80	50	499079	P180	50	499083
P100	50	499080	P220	50	499084






	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
Ø 90 mm						
Brilliant 2 	P40	50	497379	P180	100	497385
	P60	50	497380	P220	100	497386
	P80	50	497381	P240	100	497387
	P100	100	497382	P320	100	497388
	P120	100	497383	P400	100	497389
	P150	100	497384			
Platin 2 						
S500	15	498322	S2000	15	498324	
S1000	15	498323	S4000	15	498325	
93V						
Granat 	P40	50	497390	P180	100	497396
	P60	50	497391	P220	100	497397
	P80	50	497392	P240	100	497398
	P100	100	497393	P280	100	499644
	P120	100	497394	P320	100	497399
	P150	100	497395	P400	100	497400
Rubin 2 	P40	50	499161	P120	50	499165
	P60	50	499162	P150	50	499166
	P80	50	499163	P180	50	499167
	P100	50	499164	P220	50	499168

Surface finishing

Abrasives




	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
93V						
Brilliant 2 	P40	50	492883	P180	100	492889
	P60	50	492884	P220	100	492890
	P80	50	492885	P240	100	492891
	P100	100	492886	P320	100	492892
	P120	100	492887	P400	100	492893
	P150	100	492888			
Ø 115 mm						
Rubin 2 	P40	50	499085	P100	50	499088
	P60	50	499086	P120	50	499089
	P80	50	499087			
Saphir 	P24	25	484151	P50	25	485245
	P36	25	484152	P80	25	485246

RO 125
ETS 125
LEX 3 125



Ø 125 mm

Granat



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P40	10	497145	P180	100	497171
P60	10	497146	P220	100	497172
P80	10	497147	P240	100	497173
P120	10	497148	P280	100	497174
P180	10	497149	P320	100	497175
P320	10	497150	P360	100	497176
P40	50	497165	P400	100	497177
P60	50	497166	P500	100	497178
P80	50	497167	P800	50	497179
P100	100	497168	P1000	50	497180
P120	100	497169	P1200	50	497181
P150	100	497170	P1500	50	497182

Granat Net



P80	50	203294	P220	50	203299
P100	50	203295	P240	50	203300
P120	50	203296	P320	50	203301
P150	50	203297	P400	50	203302
P180	50	203298			

Protection Pad



	2	203344			
--	---	--------	--	--	--

Rubin 2







P40	10	499101	P40	50	499093
P60	10	499102	P60	50	499094
P80	10	499103	P80	50	499095
P100	10	499104	P100	50	499096
P120	10	499105	P120	50	499097
P150	10	499106	P150	50	499098
P180	10	499107	P180	50	499099
P220	10	499108	P220	50	499100

Surface finishing

Abrasives




	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.	
Ø 125 mm							
Brilliant 2 	P40	10	495989	P80	50	492945	
	P60	10	495990	P100	100	492946	
	P80	10	495991	P120	100	492947	
	P120	10	495992	P150	100	492948	
	P180	10	495993	P180	100	492949	
	P320	10	495994	P220	100	492950	
	P40	50	493657	P320	100	492951	
	P60	50	492944	P400	100	492952	
	Platin 2						
		S400	15	492373	S2000	15	492376
S500		15	492374	S4000	15	492377	
S1000		15	492375				
Saphir							
	P24	25	493124	P50	25	493126	
	P36	25	493125	P80	25	493127	
Vlies							
	100	10	201131	green	10	496510	
	320	10	201132	white	10	496511	
	800	10	201133				

RO 150
ETS 150
LEX 3 150



Ø 150 mm

Granat




Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P40	10	575154	P180	100	575166
P60	10	575155	P220	100	575167
P80	10	575156	P240	100	575168
P120	10	575157	P280	100	575169
P180	10	575158	P320	100	575170
P320	10	575159	P360	100	575171
P40	50	575160	P400	100	575172
P60	50	575161	P500	100	575173
P80	50	575162	P800	50	575174
P100	100	575163	P1000	50	575175
P120	100	575164	P1200	50	575176
P150	100	575165	P1500	50	575177

Granat Net




P80	50	203303	P220	50	203308
P100	50	203304	P240	50	203309
P120	50	203305	P320	50	203310
P150	50	203306	P400	50	203311
P180	50	203307			

Protection Pad



	2	203343			
--	---	--------	--	--	--

Rubin 2







P40	10	575178	P40	50	575186
P60	10	575179	P60	50	575187
P80	10	575180	P80	50	575188
P100	10	575181	P100	50	575189
P120	10	575182	P120	50	575190
P150	10	575183	P150	50	575191
P180	10	575184	P180	50	575192
P220	10	575185	P220	50	575193



Surface finishing


Abrasives





	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
Ø 150 mm						
Brilliant 2	P40	10	575137	P100	100	575146
	P60	10	575138	P120	100	575147
	P80	10	575139	P150	100	575148
	P120	10	575140	P180	100	575149
	P180	10	575141	P220	100	575150
	P320	10	575142	P240	100	575151
	P40	50	575143	P320	100	575152
	P60	50	575144	P400	100	575153
	P80	50	575145			
Platin 2	S400	15	492368	S2000	15	492371
	S500	15	492369	S4000	15	492372
	S1000	15	492370			
Saphir	P24	25	575194	P50	25	575196
	P36	25	575195	P80	25	575197
Vlies	100	10	201126	green	10	496508
	320	10	201127	white	10	496509
	800	10	201128			

RAS 180
LEX 2 185/7
LHS 225

	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
Ø 180 mm						
Rubin 2 	P40	50	499125	P120	50	499129
	P60	50	499126	P150	50	499130
	P80	50	499127	P180	50	499131
	P100	50	499128	P220	50	499132
Saphir 	P24	25	485239	P50	25	485241
	P36	25	485240	P80	25	485242

	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
Ø 185 mm						
Granat 	P40	50	497183	P150	100	497187
	P60	50	497184	P180	100	497188
	P80	50	497185	P240	100	497189
	P100	100	499629	P320	100	497190
	P120	100	497186	P400	100	497191

	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
Ø 225 mm						
Granat 	P40	25	499634	P150	25	499639
	P60	25	499635	P180	25	499640
	P80	25	499636	P220	25	499641
	P100	25	499637	P240	25	499642
	P120	25	499638	P320	25	499643
Granat Net 	P80	25	203312	P180	25	203316
	P100	25	203313	P220	25	203317
	P120	25	203314	P240	25	203318
	P150	25	203315	P320	25	203319

Surface finishing

Abrasives

LHS 225
 RTS 400
 LS 130
 HSK-A 80x130




Ø 225 mm

Brilliant 2



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P16	25	495925	P120	25	495931
P24	25	495926	P150	25	495066
P40	25	495927	P180	25	495067
P60	25	495928	P220	25	495068
P80	25	495929	P240	25	495932
P100	25	495930	P320	25	495933

Saphir



P24	25	495174	P36	25	495175
-----	----	--------	-----	----	--------


80 x 133 mm

Granat



P40	10	497127	P120	100	497120
P80	10	497128	P150	100	497121
P120	10	497129	P180	100	497122
P180	10	497130	P220	100	497123
P40	50	497117	P240	100	497124
P60	50	497118	P280	100	497204
P80	50	497119	P320	100	497125
P100	100	499628	P400	100	497126

Granat Net



P80	50	203285	P220	50	203290
P100	50	203286	P240	50	203291
P120	50	203287	P320	50	203292
P150	50	203288	P400	50	203293
P180	50	203289			

Protection Pad




	2	203346			
--	---	--------	--	--	--

RTS 400
 LS 130
 HSK-A 80x130
 LRS 400
 HSK-A 80x400 / 80x200

03

80 x 133 mm

Rubin 2



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P40	10	499054	P40	50	499046
P60	10	499055	P60	50	499047
P80	10	499056	P80	50	499048
P100	10	499057	P100	50	499049
P120	10	499058	P120	50	499050
P150	10	499059	P150	50	499051
P180	10	499060	P180	50	499052
P220	10	499061	P220	50	499053

Brilliant 2



P40	10	492859	P100	100	492851
P60	10	496008	P120	100	492852
P80	10	492860	P150	100	492853
P120	10	492861	P180	100	492854
P180	10	492862	P220	100	492855
P40	50	492848	P240	100	492856
P60	50	492849	P320	100	492857
P80	50	492850	P400	100	492858

Vlies



800	5	483582
-----	---	--------

80 x 400 mm

Granat



P40	50	497157	P150	50	497161
P60	50	497158	P180	50	497162
P80	50	497159	P240	50	497163
P100	50	499631	P280	50	497203
P120	50	497160	P320	50	497164

Surface finishing

Abrasives

DTS 400 R



100 x 150 mm

Granat



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P40	10	497131	P120	100	497138
P80	10	497132	P150	100	497139
P120	10	497133	P180	100	497140
P180	10	497134	P220	100	497141
P40	50	497135	P240	100	497142
P60	50	497136	P320	100	497143
P80	50	497137	P400	100	497144
P100	100	499630			

Granat Net



P80	50	203320	P220	50	203325
P100	50	203321	P240	50	203326
P120	50	203322	P320	50	203327
P150	50	203323	P400	50	203328
P180	50	203324			

Protection Pad



	2	203347			
--	---	--------	--	--	--

Rubin 2



P40	10	499141	P40	50	499133
P60	10	499142	P60	50	499134
P80	10	499143	P80	50	499135
P100	10	499144	P100	50	499136
P120	10	499145	P120	50	499137
P150	10	499146	P150	50	499138
P180	10	499147	P180	50	499139
P220	10	499148	P220	50	499140

DTS 400 R
RS 300
RS 3
LRS 93

100 x 150 mm


Brilliant 2



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P40	10	492804	P100	100	492796
P60	10	496010	P120	100	492797
P80	10	492805	P150	100	492798
P120	10	492806	P180	100	492799
P180	10	492807	P220	100	492800
P40	50	492793	P240	100	492801
P60	50	492794	P320	100	492802
P80	50	492795	P400	100	492803

93 x 178 mm

Granat



P40	50	498933	P180	100	498938
P60	50	498934	P220	100	498939
P80	50	498935	P240	100	498940
P100	100	499633	P280	100	498941
P120	100	498936	P320	100	498942
P150	100	498937	P400	100	498943

Rubin 2



P40	50	499185	P120	50	499065
P60	50	499062	P150	50	499066
P80	50	499063	P180	50	499067
P100	50	499064	P220	50	499068

Brilliant 2



P40	50	492911	P180	100	492917
P60	50	492912	P220	100	492918
P80	50	492913	P240	100	492919
P100	100	492914	P320	100	492920
P120	100	492915	P400	100	492921
P150	100	492916			


Surface finishing

Abrasives



115 x 228 mm

Granat



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P40	50	498944	P180	100	498949
P60	50	498945	P220	100	498950
P80	50	498946	P240	100	498951
P100	100	499632	P280	100	498952
P120	100	498947	P320	100	498953
P150	100	498948	P400	100	498954

Brilliant 2




P40	50	492822	P180	100	492828
P60	50	492823	P220	100	492829
P80	50	492824	P240	100	492830
P100	100	492825	P320	100	492831
P120	100	492826	P400	100	492832
P150	100	492827			

Rubin 2



P40	50	499030	P120	50	499034
P60	50	499031	P150	50	499035
P80	50	499032	P180	50	499036
P100	50	499033	P220	50	499037



533 x 75 mm

Rubin 2



Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.
P40	10	499155	P100	10	499158
P60	10	499156	P120	10	499159
P80	10	499157	P150	10	499160

620 x 105 mm


Rubin 2



P40	10	499149	P100	10	499152
P60	10	499150	P120	10	499153
P80	10	499151	P150	10	499154

820 x 120 mm


Saphir





P50	10	488081	P120	10	488084
P80	10	488082	P150	10	488085
P100	10	488083	P180	10	488086


Surface finishing


Abrasives


	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.	
Pocket StickFix 46 x 178 mm for hand-sanding block							
	Brilliant 2	P40	10	492843	P120	10	492845
		P80	10	492844	P180	10	492846


Self-adhesive sanding discs Ø 36 mm							
	Granat	P2000	500	500445	P3000	500	500447
		P2500	500	500446			


Hand sanding abrasives Granat 115 mm x 25 m, soft							
	Granat soft	P120	1	497091	P400	1	497096
		P150	1	497092	P500	1	497097
		P180	1	497093	P600	1	497098
		P240	1	497094	P800	1	497964
		P320	1	497095			

Hand-sanding abrasives, Granat abrasive roll 115 mm x 25 m							
	Granat	P40	1	201103	P150	1	201108
		P60	1	201104	P180	1	201109
		P80	1	201105	P220	1	201110
		P100	1	201106	P240	1	201111
		P120	1	201107	P320	1	201768


	Grit	Qty. in pack, pcs	Order no.	Grit	Qty. in pack, pcs	Order no.	
Hand-sanding abrasives, Granat sandpaper 230 mm x 280 m							
	Granat	P40	10	201256	P40	25	201085
		P60	10	201257	P60	50	201087
		P80	10	201258	P80	50	201088
		P100	10	201259	P100	50	201089
		P120	10	201260	P120	50	201090
		P150	10	201261	P150	50	201091
		P180	10	201262	P180	50	201093
		P220	10	201263	P220	50	201094
		P240	10	201264	P240	50	201095
		P320	10	201265	P320	50	201096
	P400	10	201266	P400	50	201097	


hand-sanding abrasive: Granat abrasive sponge 69 x 98 x 26 mm (4-sided)							
	Granat	36	6	201080	120	6	201082
		60	6	201081	220	6	201083

Hand-sanding abrasive, Granat abrasive sponge 69 x 98 x 26 mm (4-sided) Combiblock							
	Granat	120	6	201084			

hand-sanding abrasives, Granat abrasive sponge 98 x 120 x 13 mm (2-sided)							
	Granat	60	6	201112	220	6	201114
		120	6	201113	800	6	201507

hand-sanding abrasive: Granat abrasive pad 115 x 140 x 5 mm (1-sided)							
	Granat	280	20	201769	1000	20	201101
		500	20	201099	1500	20	201102
		800	20	201100			

Hand sanding abrasives Vlies 115 x 152 mm							
	Vlies	100	25	201115	800	30	497089
		320	30	497088	1000	30	497090

Hand-sanding abrasives, Vlies abrasive roll 115 mm x 10 m							
	Vlies	100	1	201116	800	1	201118
		320	1	201117	1000	1	201119

Surface finishing

Polishing system overview

Preparing the surface



Paint scraper



Spot sander



Self-adhesive sanding disc


Fine sanding



Sander ETS 150/3



Sanding pad Ø 150 mm



Abrasives Granat P 1500
Ø 150 mm

Polishing



Polisher SHINEX RAP 150



Polisher POLLUX 180



Polishing pad
Ø 150 mm
Ø 180 mm

Orange – preliminary polishing



Sponge, orange (medium)
Premium sheepskin



Polish MPA 5010

Blue – fine polishing



Sponge, blue (medium-fine)



Polish MPA 9010

Polishing out swirl marks



Geared eccentric sander
ROTEX RO 150
ROTEX RO 125
ROTEX RO 90 DX



Polishing pad
Ø 150 mm
Ø 125 mm
Ø 90 mm

White – high-gloss polishing



Sponge, white (fine)



Polish MPA 11010

Cleaning/finish



Finish cleaner MPA F+



Spray sealant MPA SV+



Microfibre cloth MPA-Microfibre



Cleaning cloth RT PREMIUM

**Leave behind a brilliant impression.
Festool polishes and polishing sponges.**

Easy polishing with dazzling results – Festool polishes are perfectly matched to a variety of applications. When combined with the matching polishing sponge, these water-based and silicon-free polishes reliably ensure ideal results on any paint type, with a minimum of effort. The simple colour guide system helps you find the right product quickly.

Polish




<p>MPA 5010</p> <p>Speed Cut 1-step sanding polish</p> <p>High abrasion and high gloss in a single step</p>	<p>MPA 9010</p> <p>fine sanding polish</p> <p>Fine abrasion for intermediate and fine polishing</p>	<p>MPA 11010</p> <p>high-gloss polish designed to prevent swirl marks</p> <p>Extra fine abrasion for removal of microscratches and swirl marks</p>
---	---	--

Polishing sponges



coarse
for polishing heavily weathered surfaces (preparation for painting)



mid
For polishing and repairing paint flaws. Ideal in combination with MPA 5010.



medium-fine
For removal of microscratches in paint. Ideal in combination with MPA 9010.



fine
For polishing out swirl marks and producing high gloss. Ideal in combination with MPA 11010.



very fine
For removing polish residue from the painted surface.

Polishing felt and sheepskin pad



Hard polishing felt
For preliminary polishing of solid surface and mineral materials, acrylic glass and gloss paints

Soft polishing felt
For follow-up polishing of solid surface and mineral materials, acrylic glass and gloss paints



Premium sheepskin
Highly suitable for UV paints, scratch-resistant paints

Finish cleaner and spray sealant


Our high-quality microfibre cloths have a non-scratch edge for a perfect paint finish. Together with the finish cleaner they are ideal for removing polish residue and grease spots.

The spray sealant is designed for quick and easy sealing of painted surfaces. It preserves, protects and cares for the paint.



Surface finishing






System accessories





Accessories for rotary polishers SHINEX RAP 150, POLLUX 180

Denomination	Explanation	Order no.
1 Polishing pad PT-STF-D150-M14	for RAP 150, with integrated shock absorber for optimum distribution of pressure during polishing, fits polishing accessories, diameter 125 mm, height 25 mm, in self-service display pack	488342
Polishing pad PT-STF-D180-M14	for RAP 180, with integrated shock absorber for optimum distribution of pressure during polishing, fits polishing accessories, diameter 165 mm, height 30 mm, in self-service display pack	488349
2 Polishing sponges	from page 175	
3 Polishing agent	from page 171	
4 Side handle ZG-RAS/RO	for RO 150, RAS, WTS 150, in carton	487865

Polishing agent

		Type	Order no.
	Polishing agent Speed Cut 1-step sanding polish, does not contain silicone, water-based, perfect in combination with sheepskin pad or polishing sponge (ORANGE), volume 500 ml, in plastic bottle	MPA 5010 OR/0,5L	202048
	Polishing agent fine abrasive polish Speed Gloss, does not contain silicone, water-based, perfect in combination with polishing sponge (BLUE), volume 500 ml, in plastic bottle	MPA 9010 BL/0,5L	202050
	Polishing agent high-gloss polish designed to prevent swirl marks, does not contain silicone, water-based, perfect in combination with polishing sponge (WHITE), volume 500 ml, in plastic bottle	MPA 11010 WH/0,5L	202051
	Spray sealant for sealing painted surfaces, does not contain silicone, water-based, volume 500 ml, in plastic bottle	MPA SV+/0,5L	202052
	Finish-Cleaner for removing polish residues and grease marks, does not contain silicone, water-based, volume 500 ml, in plastic bottle	MPA F+/0,5L	202053




Microfibre cloth, cleaning cloth

		Type	Order no.
	Microfibre cloth for excellent finish of new paints, for removing polish residues and finger prints, qty. in pack 2 piece(s), in self-service display pack	MPA-Microfibre/2	493068
	Cleaning cloth roll of 200 sheets, fibre-reinforced, tear-resistant and extremely absorbent, in dispenser box, in carton	RT PREMIUM 240x380/200	498071

Surface finishing

Polishing accessories

Self-adhesive sanding discs, spot sander and paint scraper

		Type	Order no.
	Self-adhesive sanding disc for spot sander RH-SK D 32-36, self-adhesive, in a roll, Granat version, qty. in pack 500 piece(s), in a bag		
	grit P2000	SK D32-36/0 P2000 GR/500	500445
	grit P2500	SK D32-36/0 P2500 GR/500	500446
	grit P3000	SK D32-36/0 P3000 GR/500	500447
	Spot sander for self-adhesive sanding discs D 32-36, for holding self-adhesive sanding discs of diameter 36 mm, for repairing flaws, in a bag	RH-SK D32-36	493069
	Plastic putty knife with cord, for point by point removal of trapped clear coat and irregularities, made of tungsten carbide, with hollow grind all around, dimensions 25 x 30 mm, in self-service display pack	LZK-HM	497525

RAP 80, T 15+3, T 18+3

RO 90 DX



PoliStick polishing sponge for Ø 80 mm

		Diameter	Height in mm	Qty. in pack, pcs	Order no.
	yellow, coarse, for polishing heavily weathered surfaces (preparation for painting)	80 mm	20 mm	5	201989
	orange, mid, for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010	80 mm	20 mm	5	201993
	orange, medium (waffle face), for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010	80 mm	20 mm	5	201994
	blue, medium-fine, For producing a perfect gloss, ideal in combination with MPA 9010	80 mm	20 mm	5	202001
	blue, medium-fine (waffle face), For producing a perfect gloss, ideal in combination with MPA 9010	80 mm	20 mm	5	202002
	white, fine, for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010	80 mm	20 mm	5	202009
	white, fine (honeycombed), for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010	80 mm	20 mm	5	202010
	black, very fine (honeycombed), for removing polish residue from the painted surface	80 mm	20 mm	5	202017

Sheepskin and polishing felt for Ø 80 mm











	genuine sheepskin for high abrasiveness and an outstanding polishing result, ideal in combination with MPA 5010, suitable for UV paints, scratch-resistant paints, optimum adhesion with full-surface suede bonding and edge stitching	80 mm	18 mm	5	202044
	Polishing felt, hard, for preliminary polishing of mineral materials, acrylic glass and gloss paints, white	80 mm	6 mm	5	488339
	Polishing felt, soft, for re-polishing mineral materials, acrylic glass and gloss paints, white	80 mm	6 mm	5	488341

Surface finishing

Polishing accessories

RO 125



		Diameter	Height in mm	Qty. in pack, pcs	Order no.
PoliStick polishing sponge for Ø 125 mm					
	yellow, coarse, for polishing heavily weathered surfaces (preparation for painting)	125 mm	20 mm	5	201990
	orange, mid, for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010	125 mm	20 mm	1	202367
		125 mm	20 mm	5	201995
	orange, medium (waffle face), for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010	125 mm	20 mm	1	202368
		125 mm	20 mm	5	201996
	blue, medium-fine, For producing a perfect gloss, ideal in combination with MPA 9010	125 mm	20 mm	1	202371
		125 mm	20 mm	5	202003
	blue, medium-fine (waffle face), For producing a perfect gloss, ideal in combination with MPA 9010	125 mm	20 mm	1	202372
		125 mm	20 mm	5	202004
	white, fine, for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010	125 mm	20 mm	1	202375
		125 mm	20 mm	5	202011
	white, fine (honeycombed), for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010	125 mm	20 mm	1	202376
		125 mm	20 mm	5	202012
	black, very fine (honeycombed), for removing polish residue from the painted surface	125 mm	20 mm	1	202379
		125 mm	20 mm	5	202018
Sheepskin and polishing felt for Ø 125 mm					
	genuine sheepskin for high abrasiveness and an outstanding polishing result, ideal in combination with MPA 5010, suitable for UV paints, scratch-resistant paints, optimum adhesion with full-surface suede bonding and edge stitching	125 mm	18 mm	1	202045
	Polishing felt, hard, for preliminary polishing of mineral materials, acrylic glass and gloss paints, white	125 mm	6 mm	5	493078
	Polishing felt, soft, for polishing mineral materials, varnishes, acrylics and gloss paints, white	125 mm	6 mm	5	493077

RAP 150

RO 150






PoliStick polishing sponge for Ø 150 mm

		Diameter	Height in mm	Qty. in pack, pcs	Order no.
	yellow, coarse, for polishing heavily weathered surfaces (preparation for painting)	150 mm	30 mm	5	201991
	orange, mid, for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010	150 mm	30 mm	1	202369
		150 mm	30 mm	5	201997
	orange, medium (waffle face), for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010	150 mm	30 mm	1	202370
		150 mm	30 mm	5	201998
	blue, medium-fine, For producing a perfect gloss, ideal in combination with MPA 9010	150 mm	30 mm	1	202373
		150 mm	30 mm	5	202005
	blue, medium-fine (waffle face), For producing a perfect gloss, ideal in combination with MPA 9010	150 mm	30 mm	1	202374
		150 mm	30 mm	5	202006
	white, fine, for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010	150 mm	30 mm	1	202377
		150 mm	30 mm	5	202013
	white, fine (honeycombed), for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010	150 mm	30 mm	1	202378
		150 mm	30 mm	5	202014
	black, very fine (honeycombed), for removing polish residue from the painted surface	150 mm	30 mm	1	202380
		150 mm	30 mm	5	202019



Sheepskin and polishing felt for Ø 150 mm

	genuine sheepskin for high abrasiveness and an outstanding polishing result, ideal in combination with MPA 5010, suitable for UV paints, scratch-resistant paints, optimum adhesion with full-surface suede bonding and edge stitching	150 mm	18 mm	1	202046
	Polishing felt, hard, for preliminary polishing of mineral materials, acrylic glass and gloss paints, white	150 mm	6 mm	1	485970
		150 mm	6 mm	5	488348
	Polishing felt, soft, for polishing mineral materials, varnishes, acrylics and gloss paints, white	150 mm	6 mm	1	485972
		150 mm	6 mm	5	488347

Surface finishing

Polishing accessories

POLLUX 180

RAP 180



PoliStick polishing sponge for Ø 180 mm



yellow, coarse, for polishing heavily weathered surfaces (preparation for painting)

Diameter

Height in mm

Qty. in pack, pcs

Order no.

180 mm

30 mm

5

201992



orange, mid, for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010

180 mm

30 mm

5

201999



orange, medium (waffle face), for preliminary polishing when repairing paint flaws, ideal in combination with MPA 5010

180 mm

30 mm

5

202000




blue, medium-fine, For producing a perfect gloss, ideal in combination with MPA 9010

180 mm

30 mm

5

202007



blue, medium-fine (waffle face), For producing a perfect gloss, ideal in combination with MPA 9010

180 mm

30 mm

5

202008



white, fine, for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010

180 mm

30 mm

5

202015



white, fine (honeycombed), for polishing out swirl marks and producing high gloss, for high-gloss polish, ideal in combination with MPA 11010

180 mm

30 mm

5

202016



black, very fine (honeycombed), for removing polish residue from the painted surface

180 mm

30 mm

5

202020

Sheepskin and polishing felt for Ø 180 mm



genuine sheepskin for high abrasiveness and an outstanding polishing result, ideal in combination with MPA 5010, suitable for UV paints, scratch-resistant paints, optimum adhesion with full-surface suede bonding and edge stitching

180 mm

18 mm

1

202047



Polishing felt, hard, for preliminary polishing of mineral materials, acrylic glass and gloss paints, white

180 mm

6 mm

5

488355


Polishing felt, soft, for re-polishing mineral materials, acrylic glass and gloss paints, white

180 mm

6 mm

5

488354



Accessories for SURFIX OS oil dispenser

Denomination	Explanation	Order no.
1 Natural oil RF HD 0,3 l/2	Heavy-Duty oil, refill bottle, volume 300 ml, qty. in pack 2 piece(s), in self-service display pack	498064
Natural oil RF OS 0,3 l/2	One-Step oil, refill bottle, volume 300 ml, qty. in pack 2 piece(s), in self-service display pack	498065
Natural oil RF OD 0,3 l/2	Outdoor oil, refill bottle, volume 300 ml, qty. in pack 2 piece(s), in self-service display pack	498066
2 Natural oil RF HD 5l	Heavy-Duty oil, contents 5 l, in canister	498067
Natural oil RF OS 5l	One-Step oil, contents 5 l, in canister	498068
Natural oil RF OD 5l	Outdoor oil, contents 5 l, in canister	498069
3 Oil sponge OS-STF 125x125/5	StickFix sponge for SURFIX oil dispenser, qty. in pack 5 piece(s), dimensions 125 x 125 mm, in carton	498070
4 Cleaning cloth RT PREMIUM 240x380/200	roll of 200 sheets, fibre-reinforced, tear-resistant and extremely absorbent, in dispenser box, in carton	498071
5 Oil dispenser OS-SYS3-Set	base plate, Heavy-Duty oil bottle 0.3 l, One-Step oil bottle 0.3 l, Outdoor oil bottle 0.3 l, 5 x StickFix oil sponge, 5 x green non-woven sanding pad, 5 x white non-woven sanding pad, 10 x sanding discs STF-D150 P180 RU2, 10 x sanding discs STF-D150 P240 BR2, in SYSTAINER SYS 3 T-LOC	498063
6 Sanding vlies STF D125 green VL/10	Oil worked into the surface deep and evenly, grit green, qty. in pack 10 piece(s), diameter 125 mm, in carton	496510
Sanding vlies STF D150 green VL/10	Oil worked into the surface deep and evenly, grit green, qty. in pack 10 piece(s), diameter 150 mm, in carton	496508
7 Polishing fleece STF D125 white VL/10	Even distribution and polishing of oil and wax for further surface refinement, Non-abrasive polishing without grit, grit white, qty. in pack 10 piece(s), diameter 125 mm, in carton	496511
Polishing fleece STF D150 white VL/10	Even distribution and polishing of oil and wax for further surface refinement, Non-abrasive polishing without grit, grit white, qty. in pack 10 piece(s), diameter 150 mm, in carton	496509

