

Drilling / Fastening

Overview of products and applications	218
Cordless drills CXS, TXS, C 18, T 18+3	220
Cordless rotary hammer BHC 18	223
Cordless drills QUADRIVE DRC 18/4	224
Cordless impact drill QUADRIVE PDC 18/4	225
Drill QUADRILL DR 20	226
Cordless drywall screwdrivers DURADRIVE DWC 18	227
Accessories and consumable materials	230
The Festool system	

Drilling / Fastening

Overview of products and applications

Power or precision, compact or durable, high torque or high speed: the task determines the requirements, Festool cordless drills provide the answers.

Page 220 ————— 220 ————— 221 ————— 222

CXS

TXS

C 18

T 18+3



Applications

Cordless drills

Screwdriving in wood, max. diameter

3x15	●	●	○	○
4x35	●	●	●	○
5x40	●	●	●	●
6x80	○	○	●	●

Screwdriving in wood, max. diameter

6x120	○	○	●	●
8x220	○	○	○	●
8x300	○	○	○	○
10x300	○	○	○	○
12x300	○	○	○	○

Drilling in wood, max. diameter

3	●	●	○	○
15	○	○	●	●
35	○	○	●	●
45	○	○	○	●
50	○	○	○	○
80	○	○	○	○

Drilling in stone (max. Ø drilling in stone)

Drilling in concrete (max. Ø drilling in concrete)

Plasterboard screwdriving – Wooden substructure (max. screw Ø 4.2 mm)

Plasterboard screwdriving – Sheet metal substructure (max. screw Ø 4.2 mm)

Technical data

Battery voltage (V)	10,8	10,8	18	18
Battery capacity of standard/compact lithium-ion battery pack (Ah)	2,6	2,6	5,2/3,1	5,2/3,1
No-load speed, 1st gear/2nd gear (rpm)	0 – 430/0 – 1.300	0 – 430/0 – 1.300	0 – 450/0 – 1.500	0 – 450/0 – 1.500
No-load speed, 3rd gear/4th gear (rpm)				
Max. torque, wood/steel (Nm)	10/16	10/16	27/45	35/50
Drilling diameter, wood/steel/masonry (mm)	12/8/-	12/8/-	40/13/-	45/13/-
Chuck range (mm)	1 – 10	1 – 10	1,5 – 13	1,5 – 13
Bit holder	CENTROTEC	CENTROTEC	CENTROTEC	CENTROTEC
Weight with standard/compact battery pack (kg)	0,9	0,9	1,8/1,5	1,8/1,5

223 ————— 224 ————— 225 ————— 226 ————— 227 ————— 227

BHC 18

DRC 18/4

PDC 18/4

DR 20

DWC 18-2500

DWC 18-4500



Cordless rotary hammer


Cordless drills QUADRIVE

Cordless impact drill QUADRIVE

Drill QUADRILL

Cordless drywall screwdrivers DURADRIVE

05



18 mm
18 mm

10 mm

* Corded tool ● Ideal ○ Suitable

	18	18	18		18	18
	5,2/3,1	5,2	5,2		5,2/3,1	5,2/3,1
	0 – 1.100/-	0 – 400/0 – 850	0 – 400/0 – 850	0 – 650	0 – 2.500	0 – 4.500
		0 – 1.850/0 – 3.800	0 – 1.850/0 – 3.800			
	10/25	40/60	40/60	98	7/18	5/14
	25/13/18	50/13/-	50/13/10	65/20/-		
		1,5 – 13	1,5 – 13	3 – 16		
	SDS-Plus	CENTROTEC	CENTROTEC	CENTROTEC XL	1/4"	1/4"
	2,6/2,3	1,9	2,0	2,7*	2,3/2,0	2,3/2,0

Drilling / Fastening

Cordless drills CXS, TXS

CXS / TXS



You don't have to be big to achieve great things.

- ▶ Impressive ergonomics and light weight (0,9 kg) for comfortable drilling and screwdriving
- ▶ The compact, handy shape makes work easier, even in cramped spaces
- ▶ Flexible – FastFix interface and CENTROTEC quick tool-change system
- ▶ Practical – integrated LED light and battery charge indicator

Technical data	CXS	TXS
Battery voltage [V]	10,8	10,8
Gears	2	2
No-load speed, 1st gear/2nd gear (min ⁻¹)	0 – 430/0 – 1.300	0 – 430/0 – 1.300
Drilling diameter, wood/steel (mm)	12/8	12/8
Torque adjustment (Nm)	0,3 – 3,4	0,3 – 3,4
Max. torque, wood/steel (Nm)	10/16	10/16
Chuck range (mm)	1 – 10	1 – 10
Lithium-ion battery capacity [Ah]	2,6	2,6
Charging time Li Ion battery pack (min)	45	45
Weight with Li Ion battery pack (kg)	0,9	0,9



□ = Electronic

Scope of delivery Order no.

2 x battery pack BP-XS, charger MXC, CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 10 mm, angle attachment XS, bit PZ 2, belt clip, in SYSTAINER SYS 1 T-LOC

CXS Li 2,6-Set AUS **564540**

TXS Li 2,6-Set AUS **564516**

Real powerhouses.

The XS-sized 10.8 volt cordless drills feature impressive torque, even in hard-to-reach places. FastFix and the CENTROTEC quick change system make them superbly flexible.

System accessories from page 232



Drill and driver bits from page 238





Brushless EC-TEC motor for a long service life and high efficiency



product design award
2010

C 18

The perfect shape.

- ▶ Brushless EC-TEC motor with integrated motor management for long service life and the highest output
- ▶ Fully electronic torque setting and switch-off for precise fastening
- ▶ FastFix interface for all FastFix attachments and CENTROTEC rapid tool-change system
- ▶ Switch over from fastening to drilling without changing the torque setting

Technical data

Battery voltage (V)	18
Gears	2
No-load speed, 1st gear/2nd gear (min ⁻¹)	0 - 450/0 - 1.500
Drilling diameter, wood/steel (mm)	40/13
Torque adjustment (Nm)	0,8 - 8/0,5 - 6
Max. torque, wood/steel (Nm)	27/45
Chuck range (mm)	1,5 - 13
Lithium-ion battery capacity (Ah)	5,2
Weight with Li Ion battery pack (kg)	1,8



■ = Electronic

Scope of delivery

Order no.

CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, belt clip, in SYSTAINER SYS 2 T-LOC

C 18 Li-Basic

574737

battery pack not included, without charger

C 18 Plus-TCL6 AUS

575008

2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6




05

Distinctive C-handle design.

Winner of many awards for outstanding design, with a proven brushless drive system. The combination of lithium-ion battery packs and EC-TEC motor make the C 18 even more lightweight, long-lasting and powerful – making this the toughest C series ever.


System accessories from page 233



Drill and driver bits from page 238



Battery and charging technology from page 10



Drilling / Fastening

T18+3 cordless drills



product
design
award

2009

Brushless EC-TEC motor
for a long service life and
high efficiency



T 18+3



Brawn meets brains.

The powerhouse of the T series: with 18 volts and EC-TEC, favourable power-to-weight ratio and excellent handling. The T 18+3 gives you that crucial extra bit of power when you really need it. With brushless EC-TEC motor, lithium-ion battery packs and lasting power for over 1100 screws (5 x 40 mm in softwood) on a single battery charge (18 V – 5.2 Ah).



Brawn meets brains.

- ▶ FastFix interface for all FastFix attachments and CENTROTEC rapid tool-change system
- ▶ Impressive ergonomics: Compact, lightweight and perfectly balanced
- ▶ Fully electron torque setting and switch-off for precise fastening
- ▶ Switch over from fastening to drilling without changing the torque setting

Technical data

Battery voltage (V)	18
Gears	2
No-load speed, 1st gear/2nd gear (min ⁻¹)	0 – 450/0 – 1.500
Drilling diameter, wood/steel (mm)	45/13
Torque adjustment (Nm)	0,8 – 8/0,5 – 6
Max. torque, wood/steel (Nm)	35/50
Chuck range (mm)	1,5 – 13
Lithium-ion battery capacity (Ah)	5,2
Weight with Li Ion battery pack (kg)	1,8



■ = Electronic

Scope of delivery

Order no.

CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, belt clip, in SYSTAINER SYS 2 T-LOC

T 18+3 Li 5,2-Basic AUS

201451


battery pack not included, without charger

T 18+3 Li 5,2-Plus AUS

201555

battery pack BP 18 Li 5.2 AS, rapid charger TCL 6

System accessories from page 233



Drill and driver bits from page 238



Battery and charging technology from page 10





Drilling / Fastening

Cordless hammer drill BHC 18



Brushless EC-TEC motor for a long service life and high efficiency



BHC 18

The comfortable choice for a compact rotary hammer drill.

- ▶ Unbeatable weight/power ratio thanks to the combination of EC motor and C-shape
- ▶ Vibration damping for less tiring work; top working comfort in any work situation
- ▶ Brushless EC-TEC motor with integrated motor management for long service life and the highest output
- ▶ Premium lithium-ion battery technology for maximum endurance

Technical data

Battery voltage (V)	18
Gears	1
No-load speed (min ⁻¹)	0 – 1.100
Max. impact rate (min ⁻¹)	4.895
Drilling Ø (beton) (mm)	18
Crown borer Ø (mm)	68
Max. torque, wood/steel (Nm)	10/25
Bit holder	SDS-Plus
Single impact energy (J)	1,8
Lithium-ion battery capacity (Ah)	5,2
Weight with Li Ion battery pack (kg)	2,6



■ = Electronic

Scope of delivery	Order no.
additional side handle, depth stop, in SYSTAINER SYS 2 T-LOC	
BHC 18 Li-Basic battery pack not included, without charger	574723
BHC 18 Plus-TCL6 AUS 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6	575006




Handy and compact – no compromises!

The BHC 18 takes on concrete with unshakeable calm. Ergonomic for maximum working comfort. With pneumatic impact mechanism for huge impact energy and integrated vibration damping that absorbs the energy before it is transmitted to your hands. The BHC 18 sets new standards – with its efficiency, comfort, and the best power-to-weight ratio in the 18 V class.

System accessories from page 234



Battery and charging technology from page 10



Drilling / Fastening

Cordless drill QUADRIVE DRC 18/4

Brushless EC-TEC motor
for a long service life and
high efficiency



QUADRIVE DRC 18/4



Compact with powerful torque.

- ▶ Brushless EC motor for maximum service life, extremely efficient
- ▶ 4-speed gearbox capable of 3800 rpm for rapid, clean drilling results
- ▶ The all-purpose solution for high-torque screwdriving and drilling with large diameters.
- ▶ Independently activated LED lighting and a battery charge indicator.

Technical data

Battery voltage (V)	18
Gears	4
No-load speed, 1st gear/2nd gear (min ⁻¹)	0 – 400/0 – 850
No-load speed, 3rd/4th gear (min ⁻¹)	0 – 1.850/0 – 3.800
Max. torque, wood/steel (Nm)	40/60
Drilling Ø (wood/steel) (mm)	50/13
Chuck range (mm)	1,5 – 13
Lithium-ion battery capacity (Ah)	5,2
Weight with Li Ion battery pack (kg)	1,9



■ = Electronic

Intelligent diversity.

60 Nm torque in 1st gear for powerful screw-driving, 3800 rpm in 4th gear for precise drilling; also long-lasting and extremely tough. Whether for wood or metal, everyone who uses the QUADRIVE series loves it, with its combination of unstoppable force and absolute precision. Plus a FastFix interface for quick, no-tools attachment of a CENTROTEC chuck, keyless chuck, angle attachment or socket adapter.

Scope of delivery

CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, additional side handle, in SYSTAINER SYS 2 DF T-LOC

Order no.

DRC 18/4 Li-Basic

battery pack not included, without charger

574695

DRC 18/4 Plus-TCL6 AUS

2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6

575010


System accessories from page 235



Drill and driver bits from page 238



Battery and charging technology from page 10





Brushless EC-TEC motor for a long service life and high efficiency

QUADRIVE PDC 18/4



The all-rounder with impact force.

- ▶ Brushless EC motor for maximum service life, extremely efficient
- ▶ EC-TEC motor combined with high-quality lithium-ion battery technology for up to 100% greater fastening capacity
- ▶ 4-speed gearbox capable of 3800 rpm for rapid, clean drilling results
- ▶ Independently activated LED lighting and a battery charge indicator.

Technical data

Battery voltage (V)	18
Gears	4
No-load speed, 1st gear/2nd gear (min ⁻¹)	0 – 400/0 – 850
No-load speed, 3rd/4th gear (min ⁻¹)	0 – 1.850/0 – 3.800
Max. impact rate (min ⁻¹)	76.000
Max. torque, wood/steel (Nm)	40/60
Drilling Ø (wood/steel) (mm)	50/13
Drilling diameter in brickwork (mm)	10
Chuck range (mm)	1,5 – 13
Lithium-ion battery capacity (Ah)	5,2
Weight with Li Ion battery pack (kg)	2



■ = Electronic

Scope of delivery

CENTROTEC chuck, CENTROTEC screwdriver bit holder, FastFix keyless chuck 13 mm, bit PZ 2, additional side handle, in SYSTEMER SYS 2 DF T-LOC

Order no.

PDC 18/4 Li-Basic battery pack not included, without charger	574701
PDC 18/4 Plus-TCL6 AUS 2 x battery pack BP 18 Li 5.2 AS, rapid charger TCL 6	575012

Make a big impact.

Like the QUADRIVE DRC 18/4, the QUADRIVE PDC 18/4 offers all the special features and ingenious functions, plus the option of axial impact for drilling in masonry.

System accessories from page 235



Drill and driver bits from page 238



Battery and charging technology from page 10



Drilling / Fastening

QUADRILL DR 20 corded drill



QUADRILL DR 20



The large QUADRILL with excellent speed.

The key feature of the QUADRILL DR 20 E is the FastFix interface which can be used to set the machine to different functions in an instant.

The high-torque drill.

- ▶ Multiple reduction gears that achieve a high torque
- ▶ Removable keyless chuck and bit holder in spindle, perfect for drilling and fastening
- ▶ Extremely robust and durable with large attachment collar, heavy-duty drive spindle and large spindle bearing
- ▶ Forward/Reverse setting allows insertion and removal of screws

Technical data

Power consumption (W)	1.100
Gears	1
No-load speed (min ⁻¹)	0 - 650
Drilling Ø (steel/Al/wood) (mm)	20/28/65
Torque max. (Nm)	98
Chuck clamping range (mm)	3 - 16
Chuck interface	FastFix
Collar Ø (mm)	57
weight (kg)	3,4
Weight (without chuck) (kg)	2,7



□ = Electronic

Scope of delivery Order no.

DR 20 E FF AUS	768932
auxiliary handle with extension, depth stop, geared chuck with locking device, in carton	

System accessories from page 236



Drilling / Fastening

Cordless plasterboard screwgun

DURADRIVE DWC 18



Brushless EC-TEC motor for a long service life and high efficiency

DURADRIVE DWC 18

The cordless specialist for plasterboard construction.

- ▶ Precise electronic shutdown without wear for the correct screw depth and long service life
- ▶ Energy-saving function for machine start/stop without actuating the main switch
- ▶ Long-life, brushless EC motor for extremely high efficiency and endurance
- ▶ Quick, tool-free switchover to the magazine attachment

Technical data	DW 18-4500 Plus	DW 18-4500 Compact
Battery voltage (V)	18	18
Gears	1	1
No-load speed (min ⁻¹)	0 - 4.500	0 - 4.500
Max. torque, wood/steel (Nm)	5/14	5/14
Max. machinable screw length (mm)	55	55
Bit holder	1/4"	1/4"
Lithium-ion battery capacity (Ah)	5,2	3,1
Weight with depth stop (kg)	1,9	1,6
Weight with magazine attachment (kg)	2,3	2



■ = Electronic

Scope of delivery	Order no.
magazine attachment, depth stop, scaffold hook, magnetic bit holder, 2 x bit PH2, long, Phillips bit PH 2, belt clip, in SYSTAINER SYS 2 T-LOC	
DWC 18-4500 Li-Basic battery pack not included, without charger	574747
DWC 18-4500 Li 5,2-Plus AUS battery pack BP 18 Li 5.2 AS, rapid charger TCL 6	201565



05


Raises the standard to a very high level.

Autofeed screwdriving in plasterboard: easy, quick and efficient with the DURADRIVE DWC 18. Designed to impress with its high driving rate, light 1.9 kg weight and compact shape. With an innovative start/stop function that means that the brushless EC-TEC motor works only when it's needed – giving you up to 40% more screwdriving capacity per battery charge. With the depth stop, the DWC can also be used for individual screws.

System accessories from page 237



Autofeed plasterboard screws from page 243



Battery and charging technology from page 10



**Decidedly different:
Cordless drills by Festool.**



More time working, less time charging.

The EC-TEC drive system means extraordinary power delivery with minimal electricity consumption across the entire speed range – from driving large screws to drilling at speeds of up to 3800 rpm. The EC-TEC motor is wear-free, has no carbon brushes and is therefore maintenance-free and extremely robust.



Simply faster.

Drilling, countersinking and screwdriving: the CENTROTEC quick-change system is a chuck and bit holder in one, 50% smaller and 80% lighter than a standard drill chuck. Direct and reliable transfer of force by rotary drive directly centred in the machine shaft prevents the drill bit from slipping, even in hard materials.



A tool that works without needing tools.

Mounted and quickly replaced without the need for tools: the cordless drills or the powerful QUADRILL corded drill can be converted to 5 tools in an instant using the FastFix attachments: drill, screwdriver, angle drill, angle screwdriver or a plasterboard screwgun.



More than you expect.


Hassle free repairs

At Festool, we don't just repair your tool. We carry out a comprehensive analysis and functional test. After the repair, we finish the job with an electrical safety test with certification. So you can trust that your tool will come back to you in perfect shape.

- ▶ Take your tool to the closest repair drop off point (find your nearest drop off point at www.festool.com.au)
- ▶ Receive prompt updates on the status of your repair
- ▶ Top repair quality
- ▶ Original spare parts and electrical safety testing with certificate
- ▶ Quick return free of charge



05



The Festool system.

Because things work better when everything fits together: perfectly matched accessories, the right quick-change attachments, a diverse range of screwdriver and drill bits with the CENTROTEC tool system range, and powerful, advanced battery and charging technology have made Festool's drilling and screwdriving range even better, more flexible and more reliable.



Drilling / Fastening

Accessories and consumable materials

System accessories	232
CENTROTEC tool range	238
Drilling guide systems	243



Drilling / Fastening


System accessories



CXS




TXS



Accessories for cordless drills CXS and TXS

Denomination	Explanation	Order no.
1 Chuck WH-CE CENTROTEC	for all Festool cordless and corded drills (except DR 20/DRP 20) with CENTROTEC interface, in self-service display pack	492135
2 Keyless chuck BF-FX 10	for Festool cordless drills CXS and TXS, clamping range 1 – 10 mm, in self-service display pack	499949
3 Angle attachment XS-AS	for cordless drills CXS and TXS, for work in tight spaces, in self-service display pack	497951
4 Battery pack BP-XS 2.6 Ah Li-Ion	lithium-ion spare battery for cordless drills CXS and TXS, tension 10,8 V, capacity 2,6 Ah, weight 0,2 kg, in self-service display pack	500184
5 Charger MXC	for battery pack BP-XS, for cordless drills CXS and TXS, charging current 2,8 A, input voltage 220 – 240 V, in carton	497498



Accessories for cordless drills C 18, T 18+3

Denomination	Explanation	Order no.
1 Chuck WH-CE CENTROTEC	for all Festool cordless and corded drills (except DR 20/DRP 20) with CENTROTEC interface, in self-service display pack	492135
2 Keyless chuck KC 13-1/2-K-FFP	for all Festool cordless drills, cordless impact drills, drills (except DR 20/DRP 20) and impact drills with CENTROTEC interface, suitable for impact drilling, with plastic ring, with clamp lock, bit holder FastFix, clamping range 1,5 – 13 mm, in self-service display pack	769067
3 FastFix eccentric attachment DD-ES	for all Festool C and T cordless drills with FastFix interfaces (except CXS/TXS), in self-service display pack	490294
4 FastFix angle attachment DD-AS	for all Festool C and T cordless drills with FastFix interfaces (except CXS/TXS), in self-service display pack	490293
5 Depth stop FastFix DD-DC	for all Festool C and T cordless drills with FastFix interfaces (except CXS/TXS), in self-service display pack	493539
6 Battery pack BP 18 Li 5,2 AS	with AIRSTREAM function, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in self-service display pack	200181
Battery pack BP 18 Li 5,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in carton	202479
Battery pack BP 18 Li 6,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 6,2 Ah, weight 0,7 kg, in carton	201797
Battery pack BP 18 Li 3,1 C	compact, lightweight design, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except TSC 55, CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 3,1 Ah, weight 0,4 kg, in self-service display pack	201789
7 Rapid charger TCL 6	for all lithium-ion battery packs (except CXS/TXS), replacement lithium-ion charger for 10.8 – 18 V battery packs, charging current 6 A, input voltage 220 – 240 V, weight 0,8 kg, in self-service display pack	201137
Rapid charger SCA 8	for all lithium-ion battery packs (except CXS/TXS), with AIRSTREAM function, replacement lithium-ion charger for 10.8 – 18 V battery packs, charging current 8 A, input voltage 220 – 240 V, weight 1,1 kg, in self-service display pack	200312
Battery and charging technology	from page 10	


Drilling / Fastening

System accessories



Accessories for cordless rotary hammer drill BHC 18

Denomination	Explanation	Order no.
1 Hammer drill bit SDS+Set	for cordless rotary hammer drill BHC 18 and all other rotary hammer drills with SDS-Plus bit holder, 1 x D 5x50, 2 x D 6x50, 1 x D 6x100, 1 x D 8x100, 1 x D 10x100, 1 x D 12x100, qty. in pack 7 piece(s), in self-service display pack	499924
2 Adapter AD SDS-plus/FastFix	for BHC 18, RHP 18, CHP 26, to hold a CENTROTEC chuck, in self-service display pack	769068
3 Chuck WH-CE CENTROTEC	for all Festool cordless and corded drills (except DR 20/DRP 20) with CENTROTEC interface, in self-service display pack	492135
4 Auxiliary handle AH-43/185	for all QUADRIVE DRC 18/4, PDC 18/4 and BHC 18, for absorption of relatively high torques, length 185 mm, mounting Ø 43 mm, in self-service display pack	768615
5 Drilling dust nozzle D 27-BSD	for BHC 18, PDC 18, PD 20 and mobile dust extractors CT/CTL/CTM, adapter with flexible application, drilling sleeve made from nickel-plated steel, fits all common industrial and household vacuum cleaners/dust extractors, exception: if the vacuum/extractor has auto filter cleaning, it must be switched off, connector Ø 27-32 mm, bit Ø 0 - 12 mm, in self-service display pack	500483
6 Battery pack BP 18 Li 5,2 AS	with AIRSTREAM function, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in self-service display pack	200181
Battery pack BP 18 Li 5,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in carton	202479
Battery pack BP 18 Li 6,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 6,2 Ah, weight 0,7 kg, in carton	201797
Battery pack BP 18 Li 3,1 C	compact, lightweight design, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except TSC 55, CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 3,1 Ah, weight 0,4 kg, in self-service display pack	201789
7 Rapid charger TCL 6	for all lithium-ion battery packs (except CXS/TXS), replacement lithium-ion charger for 10.8 - 18 V battery packs, charging current 6 A, input voltage 220 - 240 V, weight 0,8 kg, in self-service display pack	201137
Rapid charger SCA 8	for all lithium-ion battery packs (except CXS/TXS), with AIRSTREAM function, replacement lithium-ion charger for 10.8 - 18 V battery packs, charging current 8 A, input voltage 220 - 240 V, weight 1,1 kg, in self-service display pack	200312
Battery and charging technology	from page 10	




Accessories for cordless drill QUADRIVE DRC 18/4, cordless impact drill QUADRIVE PDC 18/4

Denomination	Explanation	Order no.
1 Battery pack BP 18 Li 5,2 AS	with AIRSTREAM function, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in self-service display pack	200181
Battery pack BP 18 Li 5,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in carton	202479
Battery pack BP 18 Li 6,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 6,2 Ah, weight 0,7 kg, in carton	201797
Battery pack BP 18 Li 3,1 C	compact, lightweight design, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except TSC 55, CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 3,1 Ah, weight 0,4 kg, in self-service display pack	201789
2 Rapid charger TCL 6	for all lithium-ion battery packs (except CXS/TXS), replacement lithium-ion charger for 10.8 – 18 V battery packs, charging current 6 A, input voltage 220 – 240 V, weight 0,8 kg, in self-service display pack	201137
Rapid charger SCA 8	for all lithium-ion battery packs (except CXS/TXS), with AIRSTREAM function, replacement lithium-ion charger for 10.8 – 18 V battery packs, charging current 8 A, input voltage 220 – 240 V, weight 1,1 kg, in self-service display pack	200312
Battery and charging technology	from page 10	
3 Chuck WH-CE CENTROTEC	for all Festool cordless and corded drills (except DR 20/DRP 20) with CENTROTEC interface, in self-service display pack	492135
4 Keyless chuck KC 13-1/2-K-FFP	for all Festool cordless drills, cordless impact drills, drills (except DR 20/DRP 20) and impact drills with CENTROTEC interface, suitable for impact drilling, with plastic ring, with clamp lock, bit holder FastFix, clamping range 1,5 – 13 mm, in self-service display pack	769067
Keyless chuck KC 13-1/2-MMFP	for all Festool cordless drills, cordless impact drills, drills (except DR 20/DRP 20) and impact drills with CENTROTEC interface, impact drilling resistant, metal ring, with clamp lock, bit holder FastFix, clamping range 1,5 – 13 mm, in self-service display pack	769065
5 Angle attachment AU-43 FFP	for DRC 18/4, PDC 18/4, DR 18/4 E, PD 20/4 E, DRP 16 ET, DRP 18-4 DEC, PDP 20-4 DEC, bit holder FastFix, collar Ø 43 mm, in self-service display pack	769097
6 Adapter AD-3/8" FF	for DRC 18/4, PDC 18/4, DR 18/4 E, PD 20/4 E, DRP 16 ET, DRP 18-4 DEC, PDP 20-4 DEC and C+T drivers, to hold sockets with 3/8" square drive to DIN 3121 standard (machine-operated socket wrenches), bit holder FastFix, in self-service display pack	769064
7 Depth stop DC UNI FF	for DRC 18/4, PDC 18/4, DR 18/4 E, PD 20/4 E, DRP 16 ET, DRP 18-4 DEC, PDP 20-4 DEC and C+T drivers, stop sleeves Ø 17 mm + 23 mm, Phillips bit PH 2, socket, size 8 mm, bit holder FastFix, in self-service display pack	769126
Guard ring PR D17-DC UNI FF 5x	for DC UNI FF, 5 protector rings for stop sleeve Ø 17 mm, D 17 mm, in self-service display pack	768125
Guard ring PR D23-DC UNI FF 5x	for DC UNI FF, 5 protector rings for stop sleeve Ø 23 mm, D 23 mm, in self-service display pack	768127
Open end wrench SW 3/8"-DC UNI FF 2x	for depth stop DC UNI FF, 2 sockets size 8 mm with ball retainer, bit holder 3/8", in self-service display pack	768165
Open end wrench SW 8-DC UNI FF 2x	for depth stop DC UNI FF, 2 sockets size 8 mm with ball retainer, bit holder 1/4", in self-service display pack	768113
8 Auxiliary handle AH-43/230	for all QUADRILL DR 18/4 and PD 20/4, for absorption of relatively high torques, mounting Ø 43 mm, length 230 mm, in self-service display pack	768613


Drilling / Fastening

System accessories



Accessories for QUADRILL DR 20

Denomination	Explanation	Order no.
1 Chuck CC-XL CENTROTEC	for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, to hold CENTROTEC tools, bit holder FastFix, in self-service display pack	769071
2 Key-type chuck CC-16 FFP	for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, with chuck key and locking device, bit holder FastFix, clamping range 3 – 16 mm, in self-service display pack	769061
3 Angle chuck AU DR 20	for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, bit holder FastFix, collar Ø 57 mm, in self-service display pack	769060
4 Adapter AD-1/2 FF	for DR 20 E FF, DRP 20 ET FF, DRP 20-2 E FF, for quick-change adapters, to hold sockets with 1/2" square drive, bit holder FastFix, in self-service display pack	769062
5 Adapter AD-D10/M14	for Festool stirrers: to mount in a drill chuck, for sanding disc with M14 thread: for mounting in drilling and boring machines, for polishing pad Ø 80: for use in cordless drills, clamping flange Ø 10 mm, in self-service display pack	483944
6 Auxiliary handle AH-57/230	for DRP 20, for absorption of relatively high torques, mounting Ø 57 mm, length 230 mm, telescopic design extendible up 325 mm, in self-service display pack	769044
Auxiliary handle AH-57/275	for DRP 20, for absorption of relatively high torques, mounting Ø 57 mm, length 275 mm, telescopic design extendible up 380 mm, in self-service display pack	769045






Accessories for cordless drywall screwdrivers DURADRIVE DWC 18

Denomination	Explanation	Order no.
1 Magazine attachment AF 55-DWC	for DWC, DWP, for collated screws, 25-55 mm, bit PH2, long, in carton	769146
2 Bits PH2-AF-55 3x	for AF 55-DWP/DWC, size PH 2, length 152 mm, qty. in pack 3 piece(s), in self-service display pack	769124
Bits PZ2-AF-55 3x	for AF 55-DWP/DWC, size PZ 2, length 152 mm, qty. in pack 3 piece(s), in self-service display pack	769078
Bits TX 20-AF-55/3	for AF 55-DWP/DWC, driving collated wood-construction screws (TX 20) up to 55 mm long, long screwdriver bits for magazine attachment, ideal for DWC 18-2500, size TX 20, qty. in pack 3 piece(s), length 152 mm, in self-service display pack	201463
3 Bit holder BH-DWC	for DWC, DWP, qty. in pack 1 piece(s), in self-service display pack	769125
4 Battery pack BP 18 Li 5,2 AS	with AIRSTREAM function, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in self-service display pack	200181
Battery pack BP 18 Li 5,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 5,2 Ah, weight 0,7 kg, in carton	202479
Battery pack BP 18 Li 6,2 AS-ASI	Bluetooth lithium-ion (Li-Ion) battery pack with AIRSTREAM function for Festool 18 V cordless tools (except CXS/TXS, RTSC, DTSC, ETSC), Bluetooth allows automatic starting of the CLEANTEC dust extractor when the cordless tool is switched on (requires the Bluetooth module to be used in the spare plug-in slot on the CLEANTEC dust extractor), tension 18 V, capacity 6,2 Ah, weight 0,7 kg, in carton	201797
Battery pack BP 18 Li 3,1 C	compact, lightweight design, replacement lithium-ion (Li-Ion) battery pack for all Festool 18 V cordless tools (except TSC 55, CXS/TXS, RTSC, DTSC, ETSC), tension 18 V, capacity 3,1 Ah, weight 0,4 kg, in self-service display pack	201789
5 Rapid charger TCL 6	for all lithium-ion battery packs (except CXS/TXS), replacement lithium-ion charger for 10.8 – 18 V battery packs, charging current 6 A, input voltage 220 – 240 V, weight 0,8 kg, in self-service display pack	201137
Rapid charger SCA 8	for all lithium-ion battery packs (except CXS/TXS), with AIRSTREAM function, replacement lithium-ion charger for 10.8 – 18 V battery packs, charging current 8 A, input voltage 220 – 240 V, weight 1,1 kg, in self-service display pack	200312
Battery and charging technology	from page 10	






Drilling / Fastening

System accessories









25 mm bits

		Type	Order no.
	Bit PZ length 25 mm, qty. in pack 10 piece(s), in self-service display pack		
	size PZ 1	PZ 1-25/10	490481
	size PZ 2	PZ 2-25/10	490482
	size PZ 3	PZ 3-25/10	490483
	TX bit length 25 mm, qty. in pack 10 piece(s), in self-service display pack		
	size TX 10	TX 10-25/10	490504
	size TX 15	TX 15-25/10	490505
	size TX 20	TX 20-25/10	490506
	size TX 25	TX 25-25/10	490507
	size TX 30	TX 30-25/10	490508
	twinBOX content 10 pieces, in self-service display pack		
	3 x Pozidriv bit PZ 1, 4 x bit PZ 2, 3 x Pozidriv bit PZ 3	BB-PZ	496934
	Torx bit TX 10, 2 x Torx bit TX 15, 3 x Torx bit TX 20, 3 x Torx bit TX 25, Torx bit TX 30	BB-TX	496935
	Phillips bit PH 1, Phillips bit PH 2, Pozidriv bit PZ 1, bit PZ 2, Pozidriv bit PZ 3, Apex bit SZ 0.8x5.5, Torx bit TX 15, Torx bit TX 20, Torx bit TX 25, Torx bit TX 30	BB-MIX	496936





100 mm bits

		Type	Order no.
	Bits length 100 mm, qty. in pack 2 piece(s), in self-service display pack		
	size PZ 1	PZ 1-100 CE/2	500841
	size PZ 2	PZ 2-100 CE/2	500842
	size PZ 3	PZ 3-100 CE/2	500843
	Bits length 100 mm, qty. in pack 2 piece(s), in self-service display pack		
	size PH 1	PH 1-100 CE/2	500844
	size PH 2	PH 2-100 CE/2	500845
	size PH 3	PH 3-100 CE/2	500846
	Bits length 100 mm, qty. in pack 2 piece(s), in self-service display pack		
	size SZ 0,8 x 5,5	SZ 0,8x5,5-100 CE/2	500852
	size SZ 1,2 x 6,5	SZ 1,2x6,5-100 CE/2	500851
	Bits length 100 mm, qty. in pack 2 piece(s), in self-service display pack		
	size TX 15	TX 15-100 CE/2	500847
	size TX 20	TX 20-100 CE/2	500848
	size TX 25	TX 25-100 CE/2	500849
	size TX 30	TX 30-100 CE/2	500850
	Bits for SYS TL with lid compartment, 6 CENTROTEC bits: PZ 2-100 CE, PZ 3-100 CE, TX 15-100 CE, TX 20-100 CE, TX 25-100 CE, TX 30-100 CE, length 100 mm, qty. in pack 6 piece(s), in self-service display pack	CENTROTEC BITS CE SET TL 6X	769095

Bits and bit holders

	Type	Order no.
 <p>Bit box for all Festool cordless drills with FastFix interface, CENTROTEC magnetic bit fastener BH 60 CE, content 10 pieces, in self-service display pack</p>		
<p>2 x Pozidriv bit PZ 1, 5 x bit PZ 2, 2 x Pozidriv bit PZ 3</p>	PZ + BH 60-CE	493260
<p>Torx bit TX 10, 2 x Torx bit TX 15, 3 x Torx bit TX 20, 2 x Torx bit TX 25, Torx bit TX 30</p>	TX + BH 60-CE	493261
<p>Phillips bit PH 1, Phillips bit PH 2, Pozidriv bit PZ 1, bit PZ 2, Pozidriv bit PZ 3, Apex bit SZ 0.8x5.5, Torx bit TX 15, Torx bit TX 20, Torx bit TX 25</p>	MIX + BH 60-CE	493262
 <p>Bit assortment for SYS TL with lid compartment, 24-piece, 2 x Phillips bit PH 1, 2 x PH 3, 2 x Torx bit TX 10, 2 x Phillips bit PH 2, 2 x Pozidriv bit PZ 1, 2 x bit PZ 2, 2 x Pozidriv bit PZ 3, 2 x Torx bit TX 15, 2 x Torx bit TX 20, 2 x Torx bit TX 25, 2 x Torx bit TX 30, 2 x Torx bit TX 40, Quick change bit holder, in self-service display pack</p>	BITS + BHS 65 CE TL 24x	769094
 <p>Bit holder for all Festool cordless drills with FastFix interface, qty. in pack 1 piece(s), in self-service display pack</p>	BHS 65 CE	492648
 <p>Bit holder for all Festool cordless drills with FastFix interface, also suitable for use with the TI15 Impact impact driver, qty. in pack 1 piece(s), in self-service display pack</p>	BH 60 CE-Imp	498974
 <p>Bit holder for all Festool cordless drills with FastFix interface, extra-long, qty. in pack 1 piece(s), in self-service display pack</p>	BV 150 CE	492540
<p>Adapter for all Festool cordless drills with FastFix interface, for plug-in bits, with ball lock for manual operation, qty. in pack 1 piece(s), in self-service display pack</p>		
 <p>bit holder 1/4", length 50 mm</p>	1/4"-50 CE/KG CENTROTEC	495131
 <p>bit holder 3/8", length 70 mm</p>	3/8"-70 CE/KG CENTROTEC	495133
 <p>Screwdriver for Centrotec tools for drilling and driving, in self-service display pack</p>	SD-CE-DRIVE-UNI	200140




Screwdriver bit case

	Type	Order no.
<p>Screwdriver bit case 31-piece, 1 magnetic bit holder 1/4", in self-service display pack</p>		
 <p>3 x Torx bit TX 10, 3 x Torx bit TX 15, 6 x Torx bit TX 20, 6 x Torx bit TX 25, 6 x Torx bit TX 30, 3 x Torx bit TX 40, 3 x TX 50</p>	TX 10-50/BH-SORT/31x	769137
 <p>1x of LS 4.5; LS 5.5; LS 6.5; HEX 4; HEX 5; HEX 6, 2 x Torx bit TX 10, 2 x Torx bit TX 15, 2 x Torx bit TX 20, 2 x Torx bit TX 25, 2 x Torx bit TX 30, 2 x Torx bit TX 40, 2 x Phillips bit PH 1, 2 x Phillips bit PH 2, 2 x PH 3, 2 x Pozidriv bit PZ 1, 2 x bit PZ 2, 2 x Pozidriv bit PZ 3</p>	BIT/BH-SORT/31x	769138
 <p>Ratchet set 1/4" socket set from 4.0 to 13 mm, 19 different bit inserts and 2 bit extensions, ratchet and CENTROTEC handle plus various adapters and extensions, in SYSTAINER SYS MINI</p>	1/4"-CE RA-Set 36	497881
 <p>Assembly package for all Festool cordless drills with FastFix interface, CENTROTEC-DRIVE screwdriver handle, CENTROTEC chuck, CENTROTEC magnetic bit fastener BH 60 CE, extra-long CENTROTEC magnetic bit holder BV 150 CE, CENTROTEC drill adapter BA-CE, deburring countersink QLS D2-8 CE, deburring countersink QLS D5-15 CE, drill bit with depth stop BTA HW D5 CE, drill countersink with depth stop, BSTA HS D3.5 CE, centring bit ZB HS D5 EURO CE, hook driver HD D18 CE, set of assorted screw bits twinBOX BB-MIX, drill bit case HSS D3-10 CE/10, drill bit case BKS D3-8 CE/W-K, 12x long CENTROTEC bits PZ/PH/TX, bit assortment 25 mm, 50 pieces, in SYSTAINER SYS 1 T-LOC</p>	SYS 1 CE-SORT	497628


Drilling / Fastening

System accessories


CENTROTEC HSS twist drill bits

	Type	Order no.	
	Twist drill bit in self-service display pack		
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 3 mm, qty. in pack 1 piece(s)	HSS D 3/33 CE/M-Set	493421	
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 3,5 mm, qty. in pack 1 piece(s)	HSS D 3,5/39 CE/M-Set	493422	
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 4 mm, qty. in pack 1 piece(s)	HSS D 4/43 CE/M-Set	493423	
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 4,5 mm, qty. in pack 1 piece(s)	HSS D 4,5/47 CE/M-Set	493424	
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 5 mm, qty. in pack 1 piece(s)	HSS D 5/52 CE/M-Set	493425	
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 5,5 mm, qty. in pack 1 piece(s)	HSS D 5,5/57 CE/M-Set	493426	
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 6 mm, qty. in pack 1 piece(s)	HSS D 6/57 CE/M-Set	493427	
complete drill bit with bit holder and 2 replacement drill bits, hexagon socket wrench, diameter 6,5 mm, qty. in pack 1 piece(s)	HSS D 6,5/63 CE/M-Set	493428	
complete drill bit with bit holder and 1 replacement drill bit, hexagon socket wrench, diameter 8 mm, qty. in pack 1 piece(s)	HSS D 8,0/75 CE/M-Set	495308	
complete drill bit with bit holder and 1 replacement drill bit, hexagon socket wrench, diameter 10 mm, qty. in pack 1 piece(s)	HSS D 10,0/75 CE/M-Set	495309	
	Drill bit case, diameter 3 – 10 mm, qty. in pack 10 piece(s)	HSS D3-10 CE/10	495128
	replacement bit for Centrotec twist drill bit M-Set, diameter 3 mm, qty. in pack 10 piece(s)	HSS D 3/33 M/10	493437
replacement bit for Centrotec twist drill bit M-Set, diameter 3,5 mm, qty. in pack 10 piece(s)	HSS D 3,5/39 M/10	493438	
replacement bit for Centrotec twist drill bit M-Set, diameter 4 mm, qty. in pack 10 piece(s)	HSS D 4/43 M/10	493439	
replacement bit for Centrotec twist drill bit M-Set, diameter 4,5 mm, qty. in pack 10 piece(s)	HSS D 4,5/47 M/10	493440	
replacement bit for Centrotec twist drill bit M-Set, diameter 5 mm, qty. in pack 10 piece(s)	HSS D 5/52 M/10	493441	
replacement bit for Centrotec twist drill bit M-Set, diameter 5,5 mm, qty. in pack 10 piece(s)	HSS D 5,5/57 M/10	493442	
replacement bit for Centrotec twist drill bit M-Set, diameter 6 mm, qty. in pack 10 piece(s)	HSS D 6/57 M/10	493443	
replacement bit for Centrotec twist drill bit M-Set, diameter 6,5 mm, qty. in pack 10 piece(s)	HSS D 6,5/63 M/10	493444	
replacement bit for Centrotec twist drill bit M-Set, diameter 8 mm, qty. in pack 5 piece(s)	HSS D 8,0/75 M/5	495310	
replacement bit for Centrotec twist drill bit M-Set, diameter 10 mm, qty. in pack 5 piece(s)	HSS D 10,0/75 M/5	495311	



HSS steel drill

	Type	Order no.	
	Drill bit set, HSS steel drill bits Drill bit case, diameter 1-10 mm, qty. in pack 19 piece(s), in self-service display pack	HSS D 1-10 Sort/19	498981

Lip and spur drill bits

	Type	Order no.
 Drill bit for all Festool cordless drills with FastFix interface, qty. in pack 1 piece(s), in self-service display pack		
diameter 3 mm	D 3 CE/W	492512
diameter 4 mm	D 4 CE/W	492513
diameter 5 mm	D 5 CE/W	492514
diameter 6 mm	D 6 CE/W	492515
diameter 7 mm	D 7 CE/W	492516
diameter 8 mm	D 8 CE/W	492517
diameter 10 mm	D 10 CE/W	492518
 Drill bit 6 CENTROTEC lip and spur drill bits, diameter 4, 2 x 5, 6, 8, 10 mm, qty. in pack 6 piece(s), in self-service display pack	DB WOOD CE SET TL 6x	769093
 Drill bit case drill bit case, long, with brad point, diameter 3, 4, 5, 6, 8 mm, qty. in pack 5 piece(s), in self-service display pack	BKS D 3-8 CE/W	493648
 Drill bit case short drill bit case, with brad point, qty. in pack 5 piece(s), diameter 3, 4, 5, 6, 8 mm, in self-service display pack	BKS D 3-8 CE/W-K	495130




Masonry drill bits with carbide lip

	Type	Order no.
 Masonry drill bit in self-service display pack		
diameter 4 mm, qty. in pack 3 piece(s)	DB STONE CE D4 3x	769111
diameter 5 mm, qty. in pack 3 piece(s)	DB STONE CE D5 3x	769112
diameter 6 mm, qty. in pack 3 piece(s)	DB STONE CE D6 3x	769113
diameter 8 mm, qty. in pack 3 piece(s)	DB STONE CE D8 3x	769114
diameter 10 mm, qty. in pack 3 piece(s)	DB STONE CE D10 3x	769115
 for SYS TL with lid compartment, 6 CENTROTEC masonry drill bits: Ø 4, 5, 2 x 6, 8, 10 mm, qty. in pack 1 piece(s)	DB STONE CE SET TL 6x	769096

Drilling / Fastening

System accessories



CENTROTEC Forstner drill bit system ZOBO

	Type	Order no.
	Forstner drill bit system ZOBO qty. in pack 1 piece(s), in self-service display pack diameter 15 mm	FB D 15 CE-Zobo 496472
	diameter 20 mm	FB D 20 CE-Zobo 496473
	diameter 25 mm	FB D 25 CE-Zobo 496474
	diameter 30 mm	FB D 30 CE-Zobo 496475
	diameter 35 mm	FB D 35 CE-Zobo 496476
	Drill bit system ZOBO Sturdy plastic drill bit case, Forstner drill bit system ZOBO FB D 15 CE-Zobo, Forstner drill bit system ZOBO FB D 20 CE-Zobo, Forstner drill bit system ZOBO FB D 25 CE-Zobo, Forstner drill bit system ZOBO FB D 30 CE-Zobo, Forstner drill bit system ZOBO FB D 35 CE-Zobo, diameter 15 – 35 mm, qty. in pack 5 piece(s), in self-service display pack	FB Set D 15-35 CE-Zobo 496390
	Spare part set ZOBO centre points (FB-CE 2.5x3.5/ZS and FB-CE 2.5x7.5/ZS), centering bit (FB-CE 3x30/ZB) and drifts (FB-Set-D 15-35 CE), for CENTROTEC Forstner drill bit, in self-service display pack	FB-CE/Er-Zobo 497268


CENTROTEC other accessories

	Type	Order no.
	Deburring countersink qty. in pack 1 piece(s), in self-service display pack diameter 2 – 8 mm	QLS D 2- 8 CE 492520
	for pre-counterboring and flush screwing, diameter 5 – 15 mm	QLS D 5-15 CE 492521
	Drill bit with depth stop carbide, adjustable depth stop, diameter 5 mm, qty. in pack 1 piece(s), in self-service display pack	BTA HW D 5 CE 492522
	Spare part drill bit for drill bit with depth stop, carbide, diameter 5 mm, qty. in pack 1 piece(s), in self-service display pack	HW D 5 F.BTA 491794
	Drill countersink with depth stop adjustable depth stop, diameter 3,5 mm, qty. in pack 1 piece(s), in self-service display pack	BSTA HS D 3,5 CE 492523
	Spare part drill bit for drill countersink with depth stop, diameter 3,5 mm, qty. in pack 5 piece(s), in self-service display pack	EB-BSTA D 3,5/5 494445
	Drill countersink with depth stop adjustable depth stop, diameter 4,5 mm, qty. in pack 1 piece(s), in self-service display pack	BSTA HS D 4,5 CE 492524
	Spare part drill bit for drill countersink with depth stop, diameter 4,5 mm, qty. in pack 5 piece(s), in self-service display pack	EB-BSTA D 4,5/5 494446
	Drill countersink with depth stop adjustable depth stop, diameter 5 mm, qty. in pack 1 piece(s), in self-service display pack	BSTA HS D 5 CE 496451
	Spare part drill bit for drill countersink with depth stop, diameter 5 mm, qty. in pack 5 piece(s), in self-service display pack	EB-BSTA D 5/5 496452
	Centering bit with depth stop for 5 mm Euro-screws, diameter 5 mm, qty. in pack 1 piece(s), in self-service display pack	ZB HS D 5 EURO CE 492525
	Spare part drill bit for centre drill bits, diameter 5 mm, qty. in pack 1 piece(s), in self-service display pack	HS D 5 493572
	Hook driver for all Festool cordless drills with FastFix interface, diameter 18 mm, qty. in pack 1 piece(s), in self-service display pack	HD D 18 CE 492526
	Drill adapter qty. in pack 1 piece(s), in self-service display pack	BA-CE CENTROTEC 496450
	Drill countersink with depth stop adjustable depth stop, designed especially for work on decking boards, diameter 4 mm, drill depth max. 60 mm, qty. in pack 1 piece(s), in self-service display pack	BSTA HS D 4 L60 CE 202392
	Longlife spare part drill bit for drill countersink with depth stop, very long life because the drill bit is made from high-quality HSS Böhler steel, diameter 4 mm, drill depth max. 60 mm, qty. in pack 2 piece(s), in self-service display pack	EB-BSTA D 4/2x 202393

Drilling guide systems

		Type	Order no.
	Drill stand for carpentry for high-performance drills, smooth movement with precise guide rods and bronze slide bearings in the carriage, stable square base plate with precision milled supporting surface, 1 centring plate for drill bits 8 to 26 mm in diameter, 2 x depth stop, 2 x parallel side fence, 1 adapter ring Ø 57 mm / 43 mm, in carton		
	drill depth max. 240 mm, drill bit length max. 320 mm, weight 2,8 kg	GD 320	768768
	drill depth max. 380 mm, drill bit length max. 460 mm, weight 3,2 kg	GD 460	768119
	can be pivoted, drill depth max. 310 mm, drill bit length max. 460 mm, weight 3,7 kg	GD 460 A	769042
	Staircase drilling system for corded drills and high-performance cordless drill/drivers, infinitely adjustable stop ring for exact drilling depths, Drill bits fitted and removed in seconds due to the bayonet lock function, securing clamp, extension for staircase bits with 9 mm shank, depth adjustment adapter, chip suppressor for angled frame, adapter plate, open-end spanner SW8 and SW10, pin key SW3, staircase bits dia. 18-20-22-25-30 mm, 1 ejector rod, 2 x centre point CP-WD 2.5x3.5, CP-WD 2,5x7,7, CP-WD 2,5x14,7, bit Ø 10 – 40 mm, in SYSTAINER SYS 1 T-LOC	GD D10-40 A Set	768098

Accessories for plasterboard screwgun DWC

		Type	Order no.
	Plasterboard screws for AF 55-DWP/DWC, diameter 3,9 mm, in carton		
	collated, 1000 pcs, fine thread, length 25 mm	DWS C FT 3,9x25 1000x	This product is not available in Australia.
	collated, 1000 pcs, fine thread, length 35 mm	DWS C FT 3,9x35 1000x	This product is not available in Australia.
	collated, 1000 pcs, coarse thread, length 35 mm	DWS C CT 3,9x35 1000x	This product is not available in Australia.
collated, 1000 pcs, coarse thread, length 45 mm	DWS C CT 3,9x45 1000x	This product is not available in Australia.	

